

2. Git-HOL

Implementation:

Git

GitDemo

log

.gitignore

error.log

welcome.txt

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> echo "This is a error log">error.log

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> mkdir log

Directory: C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo

Mode	LastWriteTime	Length	Name
d----	21-07-2026 19:45		log

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> echo hello > log/test.log

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git status

On branch main

Your branch is up to date with 'origin/main'.

Untracked files:

(use "git add <file>..." to include in what will be committed)

error.log

log/

nothing added to commit but untracked files present (use "git add" to track)

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git status

On branch main

Your branch is up to date with 'origin/main'.

Untracked files:

(use "git add <file>..." to include in what will be committed)

.gitignore

error.log

nothing added to commit but untracked files present (use "git add" to track)

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git status

On branch main

Your branch is up to date with 'origin/main'.

Untracked files:

(use "git add <file>..." to include in what will be committed)

.gitignore

> OUTLINE

> TIMELINE

```

PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git status
● PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        error.log

nothing added to commit but untracked files present (use "git add" to track)
● PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)
● PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git add .
● PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git commit -m "Added .gitignore file"
[main bf2ef06] Added .gitignore file
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
● PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 292 bytes | 292.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/AditSinghRathore/GitDemo.git
6f6ea87..bf2ef06 main -> main
○ PS C:\Users\adits\Desktop\DeepSkillig\Coding\GIT\GitDemo> █

```

Github:



AditSinghRathore / GitDemo

<> Code



Issues



Pull requests



Agents



Actions



Projects



Wiki



Files



main



Go to file



.gitignore



welcome.txt

GitDemo / .gitignore



AditSinghRathore Added .gitignore file

Code

Blame

2 lines (2 loc) · 10 Bytes

```
1 *.log
2 log/
```