

Hands on 6

Find a country based on country code

CountryNotFoundException.java:

```
package com.cognizant.ormlearn.service.exception;

public class CountryNotFoundException extends Exception {

    public CountryNotFoundException() {
        super();
    }

    public CountryNotFoundException(String message) {
        super(message);
    }
}
```

OrmLearnApplication:

```
package com.cognizant.ormlearn;

import java.util.List;

import com.cognizant.ormlearn.service.exception.CountryNotFoundException;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;
import org.springframework.context.ApplicationContext;

import com.cognizant.ormlearn.model.Country;
import com.cognizant.ormlearn.service.CountryService;

@SpringBootApplication
public class OrmLearnApplication {

    private static final Logger LOGGER =
        LoggerFactory.getLogger(OrmLearnApplication.class);

    private static CountryService countryService;

    public static void main(String[] args) throws CountryNotFoundException {

        ApplicationContext context =
            SpringApplication.run(OrmLearnApplication.class, args);
```

```

    LOGGER.info("Inside main");

    countryService = context.getBean(CountryService.class);

    testFindCountryByCode();
}

private static void testGetAllCountries() {

    LOGGER.info("Start");

    List<Country> countries = countryService.getAllCountries();

    LOGGER.debug("countries={}", countries);

    LOGGER.info("End");
}

private static void testFindCountryByCode()
    throws CountryNotFoundException {

    LOGGER.info("Start");

    Country country =
        countryService.findCountryByCode("IN");

    LOGGER.debug("Country={}", country);

    LOGGER.info("End");
}
}

```

OUTPUT:

```
Run OrmLearnApplication x
}]]

te.orm.core      initiateService  53 HH0000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
jerFactoryBean buildNativeEntityManagerFactory  464 Initialized JPA EntityManagerFactory for persistence unit 'default'
ncerFactories   <clinit>         48 Hibernate is in classpath; If applicable, HQL parser will be used.
rnnApplication  logStarted        60 Started OrmLearnApplication in 3.568 seconds (process running for 4.078)
rnnApplication  main              29 Inside main
rnnApplication  testFindCountryByCode  50 Start
te.SQL          logStatement      126 select c1_0.code,c1_0.name from country c1_0 where c1_0.code=?
rnnApplication  testFindCountryByCode  55 Country=Country{code='IN', name='India'}
rnnApplication  testFindCountryByCode  57 End
jerFactoryBean  destroy           693 Closing JPA EntityManagerFactory for persistence unit 'default'
IDataSource     close             349 HikariPool-1 - Shutdown initiated...
IDataSource     close             351 HikariPool-1 - Shutdown completed.
```