

Hands on 7

Add a new country

CountryService.java:

```
package com.cognizant.ormlearn.service;

//hands on 6:
import java.util.Optional;
import com.cognizant.ormlearn.service.exception.CountryNotFoundException;

import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service;

import com.cognizant.ormlearn.model.Country;
import com.cognizant.ormlearn.repository.CountryRepository;

import jakarta.transaction.Transactional;

@Service
public class CountryService {

    @Autowired
    private CountryRepository countryRepository;

    @Transactional
    public List<Country> getAllCountries() {
        return countryRepository.findAll();
    }

    @Transactional
    public Country findCountryByCode(String countryCode)
        throws CountryNotFoundException {

        Optional<Country> result =
            countryRepository.findById(countryCode);

        if (result.isEmpty()) {
            throw new CountryNotFoundException("Country not found");
        }

        return result.get();
    }
}
```

```

    @Transactional
    public void addCountry(Country country) {
        countryRepository.save(country);
    }
}

```

OrmLearnApplication:

```

package com.cognizant.ormlearn;

import java.util.List;

import com.cognizant.ormlearn.service.exception.CountryNotFoundException;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;
import org.springframework.context.ApplicationContext;

import com.cognizant.ormlearn.model.Country;
import com.cognizant.ormlearn.service.CountryService;

@SpringBootApplication
public class OrmLearnApplication {

    private static final Logger LOGGER =
        LoggerFactory.getLogger(OrmLearnApplication.class);

    private static CountryService countryService;

    public static void main(String[] args) throws CountryNotFoundException {

        ApplicationContext context =
            SpringApplication.run(OrmLearnApplication.class, args);

        LOGGER.info("Inside main");

        countryService = context.getBean(CountryService.class);

        testAddCountry();
    }

    private static void testGetAllCountries() {

        LOGGER.info("Start");
    }
}

```

```

        List<Country> countries = countryService.getAllCountries();

        LOGGER.debug("countries={}", countries);

        LOGGER.info("End");
    }

    private static void testFindCountryByCode()
        throws CountryNotFoundException {

        LOGGER.info("Start");

        Country country =
            countryService.findCountryByCode("IN");

        LOGGER.debug("Country={}", country);

        LOGGER.info("End");
    }

    private static void testAddCountry() throws CountryNotFoundException {

        LOGGER.info("Start");

        Country country = new Country();

        country.setCode("NP");
        country.setName("Nepal");

        countryService.addCountry(country);

        Country addedCountry =
            countryService.findCountryByCode("NP");

        LOGGER.debug("Country={}", addedCountry);

        LOGGER.info("End");
    }
}

```

Output:

```
Run OrmLearnApplication x
o.h.o.connections.pooling logConnectionInfo 179 HHH10001005: Database info:
06/ormLearn]

PEATABL_READ]

org.hibernate.orm.core      initiateService  53 HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
rEntityManagerFactoryBean buildNativeEntityManagerFactory 464 Initialized JPA EntityManagerFactory for persistence unit 'default'
g.QueryEnhancerFactories   <c:clinit> 48 Hibernate is in classpath; If applicable, HQL parser will be used.
c.c.o.OrmLearnApplication   logStarted  60 Started OrmLearnApplication in 3.723 seconds (process running for 4.253)
c.c.o.OrmLearnApplication   main        29 Inside main
c.c.o.OrmLearnApplication   testAddCountry 63 Start
org.hibernate.SQL           logStatement 126 select c1_0.code,c1_0.name from country c1_0 where c1_0.code=?
c.c.o.OrmLearnApplication   testAddCountry 75 Country=Country{code='NP', name='Nepal'}
c.c.o.OrmLearnApplication   testAddCountry 77 End
rEntityManagerFactoryBean   destroy      693 Closing JPA EntityManagerFactory for persistence unit 'default'
c.z.h.HikariDataSource       close       349 HikariPool-1 - Shutdown initiated...
c.z.h.HikariDataSource       close       351 HikariPool-1 - Shutdown completed.

h-learn > src > main > java > com > cognizant > ormlearn > OrmLearnApplication > testAddCountry 72:26 (1963 chars, 78 line breaks) LF UTF-8 4 spaces
```

Sql Verification:

```
200
261 • SELECT * FROM country WHERE code = 'NP';
262
```

Result Grid | Filter Rows: | Edit: | Export/Import:

	code	name
▶	NP	Nepal
•	NULL	NULL