


6. ReactJS-HOL

Project Structure:



Home.jsx

```
function Home() {  
  return <h2>Welcome to My Academy trainers page</h2>;  
}  
  
export default Home;
```

TrainerDetails.jsx

```
import { useParams } from "react-router-dom";  
import trainers from "../TrainersMock";  
  
function TrainerDetails() {  
  const { id } = useParams();
```

```

const trainer = trainers.find(
  (t) => t.trainerId === id
);

if (!trainer)
  return <h2>Trainer Not Found</h2>;

return (
  <div>
    <h2>Trainer Details</h2>

    <h3>
      {trainer.name} ({trainer.technology})
    </h3>

    <p>{trainer.email}</p>

    <p>{trainer.phone}</p>

    <ul>
      {trainer.skills.map((skill) => (
        <li key={skill}>{skill}</li>
      ))}
    </ul>
  </div>
);
}

export default TrainerDetails;

```

TrainersList.jsx

```

import { Link } from "react-router-dom";
import trainers from "../TrainersMock";

function TrainersList() {
  return (
    <div>
      <h2>Trainers List</h2>

```

```

    <ul>
      {trainers.map((trainer) => (
        <li key={trainer.trainerId}>
          <Link to={`/trainer/${trainer.trainerId}`}>
            {trainer.name}
          </Link>
        </li>
      ))}
    </ul>
  </div>
);
}

export default TrainersList;

```

[Trainer.js](#)

```

class Trainer {
  constructor(trainerId, name, email, phone, technology, skills) {
    this.trainerId = trainerId;
    this.name = name;
    this.email = email;
    this.phone = phone;
    this.technology = technology;
    this.skills = skills;
  }
}

export default Trainer;

```

[TrainersMock.js](#)

```

import Trainer from "../Trainer";

const trainers = [
  new Trainer(
    "t-syed8",
    "Syed Khaleelullah",
    "khaleelullah@cognizant.com",
    "97676516962",
    ".NET",
    ["C#", "SQL Server", "React", ".NET Core"]
  )
];

```

```

    ),

    new Trainer(
      "t-jojo",
      "Jojo Jose",
      "jojo@cognizant.com",
      "9897199231",
      "Java",
      ["Java", "JSP", "Angular", "Spring"]
    ),

    new Trainer(
      "t-elisa",
      "Elisa Jones",
      "elisa@cognizant.com",
      "9871212235",
      "Python",
      ["Python", "Django", "Angular"]
    ),
  ];

export default trainers;

```

App.jsx

```

import {
  BrowserRouter,
  Routes,
  Route,
  Link,
} from "react-router-dom";

import Home from "../components/Home";
import TrainersList from "../components/TrainersList";
import TrainerDetails from "../components/TrainerDetails";

function App() {
  return (
    <BrowserRouter>
      <h1>My Academy Trainers App</h1>

```

```

    <Link to="/">Home</Link> |{" "}
    <Link to="/trainers">
      Show Trainers
    </Link>

    <hr />

    <Routes>
      <Route path="/" element={<Home />} />

      <Route
        path="/trainers"
        element={<TrainersList />}
      />

      <Route
        path="/trainer/:id"
        element={<TrainerDetails />}
      />
    </Routes>
  </BrowserRouter>
);
}

export default App;

```

Output:

My Academy Trainers App

[Home](#)

|

[Show Trainers](#)

.

Trainer Details

Syed Khaleelullah (.NET)

khaleelullah@cognizant.com

97676516962

-
-
-
-

C#

SQL Server

React

.NET Core