

1. ReactJS-HOL

Terminal:

```
PS C:\Users\adits\Desktop\DeepSkillig\Coding> npm create vite@latest my-react-app
Need to install the following packages:
create-vite@9.1.1
Ok to proceed? (y) y
npm notice run npx
npm notice run create-vite my-react-app
|
|  Select a framework:
|  React
|
|  Select a variant:
|  TypeScript
|
|  Which linter to use?
|  Oxlint
|
|  Install with npm and start now?
|  Yes
|
|  Operation cancelled
|
PS C:\Users\adits\Desktop\DeepSkillig\Coding> npm create vite@latest my-react-app
npm notice run npx
npm notice run create-vite my-react-app
|
|  Select a framework:
|  React
|
|  Select a variant:
|  TypeScript + React Compiler
|
|  Which linter to use?
```

Operation cancelled

```
PS C:\Users\adits\Desktop\DeepSkilling\Coding> npm create vite@latest my-react-app
npm notice run npx
npm notice run create-vite my-react-app
|
|  Select a framework:
|  React
|
|  Select a variant:
|  JavaScript
|
|  Which linter to use?
|  Oxcint
|
|  Install with npm and start now?
|  Yes
|
|  Scaffold project in C:\Users\adits\Desktop\DeepSkilling\Coding\my-react-app...
|
|  Installing dependencies with npm...
|
added 24 packages, and audited 25 packages in 28s
|
9 packages are looking for funding
  run `npm fund` for details
|
found 0 vulnerabilities
|
|  Starting dev server...
npm notice run my-react-app@0.0.0 dev
npm notice run vite
```

```

◇ Starting dev server...
npm notice run my-react-app@0.0.0 dev
npm notice run vite

VITE v8.1.4 ready in 480 ms

→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

PS C:\Users\adits\Desktop\DeepSkillig\Coding> cd my-react-app
PS C:\Users\adits\Desktop\DeepSkillig\Coding\my-react-app> npm install

up to date, audited 25 packages in 2s

9 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\adits\Desktop\DeepSkillig\Coding\my-react-app> npm run dev
npm notice run my-react-app@0.0.0 dev
npm notice run vite

VITE v8.1.4 ready in 394 ms

→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

```

Output:

