


Creating Microservices for account and loan

Account MicroService :

File Structure:



Account.java:

```
package com.cognizant.account.model;
```

```

public class Account {

    private String number;
    private String type;
    private double balance;

    public Account() {
    }

    public Account(String number, String type, double balance) {
        this.number = number;
        this.type = type;
        this.balance = balance;
    }

    public String getNumber() {
        return number;
    }

    public void setNumber(String number) {
        this.number = number;
    }

    public String getType() {
        return type;
    }

    public void setType(String type) {
        this.type = type;
    }

    public double getBalance() {
        return balance;
    }

    public void setBalance(double balance) {
        this.balance = balance;
    }
}

```

AccountController.java

```

package com.cognizant.account.controller;

import com.cognizant.account.model.Account;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RestController;

@RestController

```

```

public class AccountController {

    @GetMapping("/accounts/{number}")
    public Account getAccount(@PathVariable String number) {

        return new Account(
            number,
            "savings",
            234343
        );
    }
}

```

Output:

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8080/accounts/00987987973432`
- Method:** `GET`
- Status:** `200 OK`
- Time:** `260 ms`
- Size:** `219 B`
- Response Body (JSON):**


```

{
  "number": "00987987973432",
  "type": "savings",
  "balance": 234343.0
}

```

Loan MicroService :

File Structure:



Loan.java

```
package com.cognizant.loan.model;

public class Loan {

    private String number;
    private String type;
    private double loan;
    private int emi;
    private int tenure;
```

```
public Loan() {  
}  
  
public Loan(String number, String type, double loan, int emi, int tenure) {  
    this.number = number;  
    this.type = type;  
    this.loan = loan;  
    this.emi = emi;  
    this.tenure = tenure;  
}  
  
public String getNumber() {  
    return number;  
}  
  
public void setNumber(String number) {  
    this.number = number;  
}  
  
public String getType() {  
    return type;  
}  
  
public void setType(String type) {  
    this.type = type;  
}  
  
public double getLoan() {  
    return loan;  
}  
  
public void setLoan(double loan) {  
    this.loan = loan;  
}  
  
public int getEmi() {  
    return emi;  
}  
  
public void setEmi(int emi) {  
    this.emi = emi;  
}  
  
public int getTenure() {  
    return tenure;  
}  
  
public void setTenure(int tenure) {  
    this.tenure = tenure;  
}
```

```
}  
}
```

Loancontroller.java

```
package com.cognizant.loan.controller;  
  
import com.cognizant.loan.model.Loan;  
import org.springframework.web.bind.annotation.GetMapping;  
import org.springframework.web.bind.annotation.PathVariable;  
import org.springframework.web.bind.annotation.RestController;  
  
@RestController  
public class LoanController {  
  
    @GetMapping("/loans/{number}")  
    public Loan getLoan(@PathVariable String number) {  
  
        return new Loan(  
            number,  
            "car",  
            400000,  
            3258,  
            18  
        );  
    }  
}
```

Output;

GET http://localhost:8081/loans/H00987987972342

Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Bulk Edit
Key	Value	

Body Cookies Headers (5) Test Results

Status: 200 OK Time: 310 ms Size: 236 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {  
2   "number": "H00987987972342",  
3   "type": "car",  
4   "loan": 400000.0,  
5   "emi": 3258,  
6   "tenure": 18  
7 }
```