

Nama : Adityo Kaylan Firos

NIM : 607012300055

Kelas : D3SI-47-02

Assesment 3 Arsijakom



Nama domain : github.io

Alamat Email : kontoru1212@gmail.com


Alamar url : <https://aditajelah.github.io/kaylan/>


Langkah Langkah Lengkap :

1. Buat Folder Baru terlebih dahulu dan beri nama contohnya kaylan web dan taro di documents agar gampang dicari





2. buat text file di visual studio code dan buat html nya






3. Setelah buat htmlnya di save dengan nama index.html dan taro di folder yang sudah dibuat di awal





4. setelah itu buka github dan login jika belum login (saya sudah punya jadi langsung), setelah login pencet yang new create repository



5. Setelah create nanti masuk dan isi beberapa informasi mulai dari nama repository dan lain-lain, setelah itu tekan create repository (itu saya sudah buat repository dengan nama yang sama makanya dia jadi merah)

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Owner * Aditajelah / **Repository name *** kaylan

⚠ The repository kaylan already exists on this account.

Great repository names are short and memorable. Need inspiration? How about **urban-chainsaw** ?

Description (optional)

☒ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

☐ **Add a README file**
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore
.gitignore template: None

Public

Anyone on the internet can see this repository. You choose who can commit.

Private

You choose who can see and commit to this repository.

Initialize this repository with:

☐

Add a README file

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: **None**

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: **None**

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

You are creating a public repository in your personal account.

Create repository

6. Setelah create pindah ke uploading existing file dan upload folder yang tadi sudah dibuat yang sudah berisikan html dan setelah muncul index.html , tekan commit changes dibawah

Aditajelah / firos

Type to search

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

firos

Public

Pin

Unwatch 1

Fork 0

Star 0

Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

Get started with GitHub Copilot

Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

Set up in Desktop

 or

HTTPS




SSH

https://github.com/Aditajelah/firos.git




Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.


...or create a new repository on the command line

```
echo "# firos" >> README.md
git init
git add README.md
git commit -m "First commit"
git branch -M main
git remote add origin https://github.com/Aditajelah/firos.git
git push -u origin main
```




7. Setelah itu pindah ke setting dan ke pages abis itu refresh web sampe url webnya muncul, ubah html yang awalnya hello world ke data sesuai isi websitenya mulai nama, nim, kelas dna foto serta penjelasan setelah itu commit changes





8. untuk mengedit html nya dan menambahkan beberapa foto itu ada di code



```
Code Blame 11 lines (11 loc) · 240 Bytes Code 55% faster with GitHub Copilot
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Hello World</title>
7 </head>
8 <body>
9   <h1>Hello World</h1>
10 </body>
11 </html>
```

Aditajelah Add files via upload 7cbfed0 · 9 minutes ago History

Code Blame 11 lines (11 loc) · 240 Bytes Code 55% faster with GitHub Copilot

Raw Edit file Edit in place Open with... github.dev GitHub Desktop

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Hello World</title>
7 </head>
8 <body>
9   <h1>Hello World</h1>
10 </body>
11 </html>
```

firos / index.html in main Cancel changes Commit changes...

Edit Preview Code 55% faster with GitHub Copilot Spaces 4 No wrap

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Hello World</title>
7 </head>
8 <body>
9   <h1>Hello World</h1>
10 </body>
11 </html>
12
```

github.com/Aditajelah/kaylan/edit/main/index.html

Aditajelah / kaylan

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Files main index.html usbport.jpg

kaylan / index.html in main Cancel changes Commit changes...

Edit Preview Code 55% faster with GitHub Copilot Spaces 4 No wrap

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Assesment 3 Arsijakom</title>
7   <link rel="stylesheet" href="styles.css">
8 </head>
9 <body>
10   <header>
11     <div class="container">
12       <h1>Assesment 3 Arsijakom</h1>
13       <nav>
14       </nav>
15     </div>
16   </header>
17
18   <section id="about" class="section">
19     <div class="container">
20       <h2>Data Diri</h2>
21       <p>Nama Adityo Kaylan Firos</p>
22       <p>Nim : 607012300055</p>
23     </div>
24   </section>
25 </body>
26 </html>
```

Use Control + Shift + M to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.

8. untuk melihat hasilnya tinggal balik ke setting terus pages dan pencet urlnya

