

Apex Multispeciality Hospital & Diagnostics

Department of Pediatrics

Patient Name	Aarav Mehta
Age / Gender	10 Years / Male
Patient ID	AMH-2026-09437
Consultation Date	27-May-2026
Consulting Pediatrician	Dr. Nidhi Arora, MD (Pediatrics)

Diagnosis:
Mild Iron Deficiency Anemia.

Pediatric Prescription

Medicine	Dosage	Timing	Duration	Instructions
Ferrous Sulfate Iron Syrup	5 mL	Twice Daily	8 Weeks	Administer after meals using measuring spoon
Pediatric Multivitamin Syrup	5 mL	Once Daily - Morning	30 Days	Shake bottle well before use

Pediatric Advice:

- Encourage intake of iron-rich foods such as spinach, dates, jaggery, lentils, and leafy vegetables.
- Include citrus fruits or vitamin C-rich foods to improve iron absorption.
- Avoid giving milk immediately with iron syrup as it may reduce absorption.
- Maintain regular meal schedules and adequate hydration.
- Repeat CBC and iron profile testing after completion of treatment.
- Consult pediatrician if fatigue, paleness, or weakness worsens.

Doctor Signature:

Dr. Nidhi Arora
MD (Pediatrics)
Medical Registration No: DMC-68422

This is a fictional AI-generated pediatric prescription document created for synthetic dataset and RAG ingestion purposes only. No real patient data has been used.