Rajalakshmi Engineering College

Name: Adithya Varman
Email: 240801010@rajalakshmi.edu.in
Roll no: 240801010
Phone: 8122197670
Branch: REC
Department: I ECE FA
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_MCQ_Updated

Attempt : 1
Total Mark : 20
Marks Obtained : 15

Section 1 : MCQ

1. What will be the effect of setting the prev pointer of a node to NULL in a doubly linked list?

Answer

It will break the list

Status : Wrong   *Marks : 0/1*

2. How do you reverse a doubly linked list?

Answer

By traversing the list in reverse order and creating a new reversed list

Status : Wrong   *Marks : 0/1*

3. Where Fwd and Bwd represent forward and backward links to the adjacent elements of the list. Which of the following segments of code deletes the node pointed to by X from the doubly linked list, if it is assumed that X points to neither the first nor the last node of the list?

A doubly linked list is declared as

```
struct Node {
    int Value;
    struct Node *Fwd;
    struct Node *Bwd;
);
```

Answer

 X->Bwd->Fwd = X->Fwd; X->Fwd->Bwd = X->Bwd;

Status : Correct   **Marks : 1/1**

4. What is the correct way to add a node at the beginning of a doubly linked list?

Answer

void addFirst(int data){ Node* newNode = new Node(data); newNode->prev = head; head = newNode;}

Status : Wrong   **Marks : 0/1**

5. Which code snippet correctly deletes a node with a given value from a doubly linked list?

```
void deleteNode(Node** head_ref, Node* del_node) {
  if (*head_ref == NULL || del_node == NULL) {
    return;
  }
  if (*head_ref == del_node) {
    *head_ref = del_node->next;
  }
  if (del_node->next != NULL) {
      del_node->next->prev = del_node->prev;
```

```
    }
    if (del_node->prev != NULL) {
        del_node->prev->next = del_node->next;
    }
    free(del_node);
}
```

Answer

Deletes the node at a given position in a doubly linked list.

Status : Wrong   *Marks : 0/1*

6.   What happens if we insert a node at the beginning of a doubly linked list?

Answer

The previous pointer of the head node is not updated

Status : Wrong   *Marks : 0/1*

7.   Which pointer helps in traversing a doubly linked list in reverse order?

Answer

prev

Status : Correct   *Marks : 1/1*

8.   What is the main advantage of a two-way linked list over a one-way linked list?

Answer

Two-way linked lists allow for traversal in both directions.

Status : Correct   *Marks : 1/1*

9.   How many pointers does a node in a doubly linked list have?

Answer

2

Status : Correct   *Marks : 1/1*

10.   Which of the following statements correctly creates a new node for a doubly linked list?

Answer

struct Node* newNode = (struct Node*) malloc(sizeof(struct Node));

Status : Correct   *Marks : 1/1*

11.   Which of the following information is stored in a doubly-linked list's nodes?

Answer

All of the mentioned options

Status : Correct   *Marks : 1/1*

12.   What will be the output of the following code?

```
#include <stdio.h>
#include <stdlib.h>

struct Node {
    int data;
    struct Node* next;
    struct Node* prev;
};

int main() {
    struct Node* head = NULL;
    struct Node* temp = (struct Node*)malloc(sizeof(struct Node));
    temp->data = 2;
    temp->next = NULL;
```

```
    temp->prev = NULL;
    head = temp;
    printf("%d\n", head->data);
    free(temp);
    return 0;
}
```

Answer

2

Status : Correct   *Marks : 1/1*

13.   Which of the following is true about the last node in a doubly linked list?

Answer

Its next pointer is NULL

Status : Correct   *Marks : 1/1*

14.   Which of the following is false about a doubly linked list?

Answer

Implementing a doubly linked list is easier than singly linked list

Status : Correct   *Marks : 1/1*

15.   What will be the output of the following program?

```
#include <stdio.h>
#include <stdlib.h>

struct Node {
    int data;
    struct Node* next;
    struct Node* prev;
};
```

```
int main() {
    struct Node* head = NULL;
    struct Node* tail = NULL;
    for (int i = 0; i < 5; i++) {
        struct Node* temp = (struct Node*)malloc(sizeof(struct Node));
        temp->data = i + 1;
        temp->prev = tail;
        temp->next = NULL;
        if (tail != NULL) {
            tail->next = temp;
        } else {
            head = temp;
        }
        tail = temp;
    }
    struct Node* current = head;
    while (current != NULL) {
        printf("%d ", current->data);
        current = current->next;
    }
    return 0;
}
```

Answer

1 2 3 4 5

Status : Correct   *Marks : 1/1*

16.   Consider the provided pseudo code. How can you initialize an empty
two-way linked list?

Define Structure Node
    data: Integer
    prev: Pointer to Node
    next: Pointer to Node
End Define

Define Structure TwoWayLinkedList
    head: Pointer to Node

tail: Pointer to Node
End Define

Answer

struct TwoWayLinkedList* list = malloc(sizeof(struct TwoWayLinkedList)); list->head = NULL; list->tail = NULL;

Status : Correct   *Marks : 1/1*

17.   How do you delete a node from the middle of a doubly linked list?

Answer

All of the mentioned options

Status : Correct   *Marks : 1/1*

18.   What is a memory-efficient double-linked list?

Answer

A doubly linked list that uses bitwise AND operator for storing addresses

Status : Correct   *Marks : 1/1*

19.   Consider the following function that refers to the head of a Doubly Linked List as the parameter. Assume that a node of a doubly linked list has the previous pointer as prev and the next pointer as next.

Assume that the reference of the head of the following doubly linked list is passed to the below function 1 <--> 2 <--> 3 <--> 4 <--> 5 <-->6. What should be the modified linked list after the function call?

Procedure fun(head_ref: Pointer to Pointer of node)
    temp = NULL
    current = *head_ref

    While current is not NULL
        temp = current->prev
        current->prev = current->next

```
    current->next = temp
    current = current->prev
  End While

  If temp is not NULL
    *head_ref = temp->prev
  End If
End Procedure
```

Answer

6 <--> 5 <--> 4 <--> 3 <--> 2 <--> 1.

Status : Correct   *Marks : 1/1*

20.   What does the following code snippet do?

```
struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
newNode->data = value;
newNode->next = NULL;
newNode->prev = NULL;
```

Answer

Creates a new node and initializes its data to 'value'

Status : Correct   *Marks : 1/1*