EXPERIMENT 9

ROLL NO: 240701018

NAME: ADITHYA.B

USER INTERFACE DESIGN

Aim

The aim is to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js.

Step 1:

Creating HTML Structure:
To create an input form using HTML that contains two input boxes, email and phone number. One button, that is, the submit Button.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Form Validation</title>

 <script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.9.0/validator.min.js"></script>

</head>
<body>

<div class="form-container">
 <h2>Register</h2>

 <form id="myForm">

  <div class="form-group">
   <label>Email</label>
   <input type="text" id="email">
```

```
  <div class="error-message" id="emailError">Invalid email</div>
</div>

<div class="form-group">
  <label>Phone Number</label>
  <input type="text" id="phone">
  <div class="error-message" id="phoneError">Invalid phone number</div>
</div>

<button type="submit">Submit</button>

  </form>
</div>

</body>
</html>
```

Output:



Step 2:

Creating the CSS Styling:

Now to style the two input boxes and the submit button to look better using CSS.

Code:

```
<style>
  body {
    font-family: Arial, sans-serif;
  background: #f4f4f4;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}

.form-container {
  background: #fff;
  padding: 25px;
  border-radius: 10px;
  width: 300px;
  box-shadow: 0 0 10px rgba(0,0,0,0.1);
}

h2 {
  text-align: center;
}

.form-group {
  margin-bottom: 15px;
}

label {
  display: block;
  margin-bottom: 5px;
}

input {
  width: 100%;
  padding: 8px;
  border-radius: 5px;
  border: 1px solid #ccc;
}

input.error {
  border-color: red;
}
```

```
.error-message{
  color:red;
  font-size:12px;
  margin-top:3px;
  display:none;
}

button{
  width: 100%;
  padding: 10px;
  background: #007bff;
  color:white;
  border: none;
  border-radius: 5px;
  cursor:pointer;
}

button:hover{
  background: #0056b3;
}
</style>
```

Output:



Step 3:

Validating the given inputs after clicking the submit button. Whether the given input is a valid mail id and valid phone number using Validator.js

Code:

```
<script>
 const form = document.getElementById("myForm");

 form.addEventListener("submit", function(e) {
  e.preventDefault();

  let email = document.getElementById("email");
  let phone = document.getElementById("phone");

  let emailError = document.getElementById("emailError");
  let phoneError = document.getElementById("phoneError");

  let isValid = true;
```

```
email.classList.remove("error");
phone.classList.remove("error");
emailError.style.display = "none";
phoneError.style.display = "none";

if (!validator.isEmail(email.value)) {
  email.classList.add("error");
  emailError.style.display = "block";
  isValid = false;
 }

 if (!validator.isMobilePhone(phone.value, 'en-IN')) {
  phone.classList.add("error");
  phoneError.style.display = "block";
  isValid = false;
 }

 if (isValid) {
  alert("Form submitted successfully!");
  form.reset();
 }
});
</script>
```

Output:


127.0.0.1:5500 says
Form submitted
OK
Register
abc@gmail.com
8610361541
Submit


Register
agmsdkd
Invalid email
8403
Invalid phone
Submit

CONCLUSION:

A simple Input form is created using HTML and CSS for better styling of the Form and the inputs are validated using the Validator.js library in JavaScript.

Those output are should above with the source code.