

Project Phase-1 (19CS703) Report  
on

**EMOTION RECOGNITION BY INCLUSION OF AGE AND  
GENDER PARAMETER BY DEEP LEARNING**

*Submitted to*

**NMAM INSTITUTE OF TECHNOLOGY, NITTE**  
(An Autonomous Institution under VTU, Belagavi)

*In partial fulfillment of the requirements for the award of the*

Degree of Bachelor of Engineering  
in  
Computer Science and Engineering

*by*

**ADITHYA HOLLA K.  
ADITYA MURUGAN  
AKIL RAIF  
ASHWAMEDH AROTE**

**4NM19CS007  
4NM19CS010  
4NM19CS014  
4NM19CS031**

Under the guidance of

**Ms. Joylin Priya Pinto,**  
**Assistant Professor GD-I**  
Dept. of CSE, NMAMIT, NITTE



**N.M.A.M. INSTITUTE OF TECHNOLOGY**  
(An Autonomous Institution affiliated to Visvesvaraya Technological University, Belagavi)  
Nitte – 574 110, Karnataka, India

# CERTIFICATE

*Certified that the project work entitled “Emotion Recognition By Inclusion Of Age And Gender Parameter By Deep Learning” is a bonafide work carried out by Adithya Holla K(4NM19CS007), Aditya Murugan (4NM19CS010), Akil Raif (4NM19CS014), Ashwamedh Arote (4NM19CS031) in partial fulfillment for the award of Degree of Bachelor of Engineering in Computer Science and Engineering of the Visvesvaraya Technological University, Belagavi during the year 2022-23. It is certified that all corrections/suggestions indicated for Internal Assessment have been incorporated in the report deposited in the departmental library. The project report has been approved as it satisfies the academic requirements in respect of Project Phase- 1 (19CS703) prescribed for the said Degree.*

**Name & Signature of Guide**

Ms. Joylin Priya Pinto

Assistant Professor GD-I

**Signature of HOD**

**Signature of the Principal**

## External Viva

**Name of the Examiners**

**Signature with Date**

1. \_\_\_\_\_

2. \_\_\_\_\_

## ACKNOWLEDGEMENT

The satisfaction that accompanies the completion of any task would be incomplete without the mention of all the people, without whom this endeavour would have been a difficult one to achieve. Their constant blessings, encouragement, guidance and suggestions have been a constant source of inspiration

First and foremost, my gratitude to my project guide, **Ms. Joylin Priya Pinto** for his constant guidance throughout the course of this project Phase-1 and for the valuable suggestions.

I also take this opportunity to express a deep sense of gratitude to the project coordinators for their valuable guidance and support.

I acknowledge the support and valuable inputs given by, **Dr. Jyothi Shetty** the Head of the Department, Computer Science and Engineering, NMAMIT, Nitte.

My sincere thanks to our beloved principal, **Dr. Niranjan N Chiplunkar** for permitting us to carry out this project at our college and providing us with all needed facilities.

Finally, thanks to staff members of the Department of Computer Science and Engineering and our friends for their honest opinions and suggestions throughout the course of our project Phase-1.

Adithya Holla K (4nm19cs007)

Adithya Murugan (4nm19cs010)

Akil Raif (4nm19cs014)

Ashwamedh Arote (4nm19cs031)

## ABSTRACT

---

Automatic gender, age and emotion recognition have relevant to an extension of its usage in various software and hardware, particularly because of the growth of online social networking websites and social media. The advertisements can be specialized based on the age and the gender of the person on the phone. It also can help identify suspects in criminal cases or at least it can minimize the number of suspects. A Convolution Neural Network is a deep neural network (DNN) widely used for the purposes of image recognition and processing and NLP. A convolution neural network architecture is built and the model is trained for gender, age and emotion recognition from images. An android application can be developed implementing the age, gender and emotion recognition. With the phone capturing photos and the frames are pre-processed and fed to the model to accomplish this task. The prediction is displayed accordingly.

## **CONTENT**

<b>CHAPTER NO.</b>	<b>CHAPTER NAME</b>	<b>PAGE NO.</b>
<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
<b>2</b>	<b>LITERATURE SURVEY</b>	<b>2-3</b>
<b>3</b>	<b>PROBLEM DEFINITION</b>	<b>4</b>
<b>4</b>	<b>SYSTEM REQUIREMENTS SPECIFICATION</b>	<b>5</b>
<b>5</b>	<b>SYSTEM DESIGN</b>	<b>6-7</b>
<b>6</b>	<b>CONCLUSION AND FUTURE WORK</b>	<b>8</b>
<b>7</b>	<b>REFERNCES</b>	<b>9-10</b>

## LIST OF FIGURES

<b>Figure no.</b>	<b>Description</b>	<b>Page No.</b>
1	System Design	7

## CHAPTER 1

# INTRODUCTION

Facial analysis systems can ultimately change the way we live. Allied to Artificial Intelligence, it can provide personal assistance in every aspect of life. It can estimate our mood from the start of the day, connect itself to our habits and other factors. It can provide the perfect meal for the moment, the best music to accompany that meal, and the perfect outfit linked to the weather prediction. Machines will be capable of taking care of the uninteresting part of life. There are several real-world applications including security and video surveillance, electronic customer relationship management, biometrics, electronic vending machines, human-computer interaction, and entertainment. Deep Learning and Convolutional Neural Networks are a hot-topic in the field of Machine Learning. Many breakthroughs are being reached every other day. Being a part of that is what motivates us to develop this work. Mobile phones are already a huge part of our lives, and combining them with the power of deep learning can create user experiences that delight and impress users. There is no proper android application implementing facial recognition combining gender, age, and emotion of a human. Therefore, we have chosen to address this problem.

## CHAPTER 1

# INTRODUCTION

Facial analysis systems can ultimately change the way we live. Allied to Artificial Intelligence, it can provide personal assistance in every aspect of life. It can estimate our mood from the start of the day, connect itself to our habits and other factors. It can provide the perfect meal for the moment, the best music to accompany that meal, and the perfect outfit linked to the weather prediction. Machines will be capable of taking care of the uninteresting part of life. There are several real-world applications including security and video surveillance, electronic customer relationship management, biometrics, electronic vending machines, human-computer interaction, and entertainment. Deep Learning and Convolutional Neural Networks are a hot-topic in the field of Machine Learning. Many breakthroughs are being reached every other day. Being a part of that is what motivates us to develop this work. Mobile phones are already a huge part of our lives, and combining them with the power of deep learning can create user experiences that delight and impress users. There is no proper android application implementing facial recognition combining gender, age, and emotion of a human. Therefore, we have chosen to address this problem.



## CHAPTER 2

### LITERATURE SURVEY

#### 1. Detection of Gender, Age and Emotion of a Human Image using Facial Features

In paper one, we get to study the recent research on FER, that allowed us to know the latest developments in this area. They have described different architectures of CNN and CNN-LSTM recently proposed by different researchers, and presented some different databases containing spontaneous images collected from the real world and others formed in laboratories, in order to have and achieve an accurate detection of human emotions. They also presented a discussion that shows the high accuracy rate obtained by researchers that is what highlights that machines today will be more capable of interpreting emotions, which implies that the interaction between human and machine becomes more and more natural. The main motive of this paper is to develop an automatic age and gender estimation method towards human faces which will continue to possess an important role in computer vision and pattern recognition. Apart from age estimation, facial emotion recognition also plays an important role in computer vision. Non-verbal communication methods such as facial expressions, eye movement and gestures are used in many applications of human computer interaction.

- a) The IMDB-WIKI dataset which is the largest dataset with real age and gender annotations.
- b) A novel regression formulation is used with deep classification followed by expected value refinement.
- c) The DEX system, which is the winner of the LAP 2015 challenge on apparent age estimation.

#### 2. Facial emotion recognition using deep learning: review and insights

In paper two, the automatic FER task goes through different steps like: data processing, proposed model architecture and finally emotion recognition. The preprocessing is an important step, that consist several techniques such as resized and cropped images, normalization spatial and intensity pixels, and the data. Three CNN with same architecture where each one detects a part of the face such as

eyebrow, eye, and mouth. Before introducing the images into CNN, they go through the crop stage and the detection of key-point facial. The iconic face obtained combined with the raw image was introduced into second type of CNN to detect facial expression. Researchers in this field are interested in developing techniques to interpret, code facial expressions and extract these features in order to have a better prediction by computer. With the remarkable success of deep learning, the different types of architectures of this technique are exploited to achieve a better performance.

### 3. Age, Gender Prediction and Emotion recognition using Convolutional Neural Network

In paper three, we get to study that the major role in every person's life is emotions. Emotions reflects how a person feels and the mood we are in at different situations what we encounter in our days. So, here we can see how the neural networks take part in detection of our age, gender, and emotions. The success in CNN architecture and its capability to detect and compile is more efficient. There are many extraction techniques which helps in facial identification based on geometric, template, appearance etc. through the color using the methods like genetic algorithms technology. The convolutional layers are the most basic and important steps CNN's. Along with this the wide residual network which is the upgradation of original residual networks which helps in improving the network depth and accuracy. For each emotion and gender, A separate single layer had to be used, but here the multi-task learning comes into picture where the age and gender are estimated at once using the single CNN. IN this way, both age and gender share a set of layers which are projected as one single layer and produced as single output. The conventional method of neural networks is used for detecting the emotion. The accuracy of the emotion detection has reached its best using the CNN's. This paper produced unique way of compiling both age gender predictions with the emotion recognition which is of a great usage in future tech.

## **CHAPTER 3**

### **PROBLEM DEFINITION**

The main motive is to develop an age and gender estimation method towards human faces which will continue to possess an important role in computer vision and pattern recognition. Apart from age estimation, facial emotion recognition also plays an important role in computer vision. This implementation proposes a new framework of Convolutional Neural Network for the simultaneous tasks of age estimation, gender recognition and emotion recognition on face images.

## CHAPTER 4

# SYSTEM REQUIREMENTS SPECIFICATION

### Hardware Requirements:

1. CPU Intel Pentium 2 or higher.
2. Cores Minimum dual core.
3. Memory 8 GB or higher.
4. Hard Disk space 100 GB or higher.

### Software Requirements:

1. Python
2. Pandas And Numpy
3. Keras
4. TensorFlow
5. SeaBorn

## CHAPTER 5

### SYSTEM DESIGN




Figure 1: System Design

### **Data Collection**

- Web crawler.
- Data for the website Udemy is already available from Kaggle.
- Collection of Computer Science courses.

### **Preprocessing**

- Converting the image to greyscale.
- Applying Anti-Aliasing on the images.
- Normalizing the images.

### **Building and Training the model**

- Adding Convolution neural layers
- Add Relu Activation Function
- Train the model with the dataset

### **Display the Results**

- Model predicts the age and gender

## CHAPTER 6

### CONCLUSIONS AND FUTURE WORKS

The proposed framework is capable of age estimation and gender recognition simultaneously in a fast and efficient way. Misclassifications might occur because people from different ethnic groups have different facial characters, which might slightly alter the actual age from the predicted age. The use of glasses might affect the age classification by interfering with the features learned. In our research, we have also learnt that a company like Apple Inc., is also working on a model to help curb emotional illness by using a camera to detect behaviour and facial expressions. Thinking about the future, it would be interesting to implement this model in a live business service. The project can also be applied in social media and content streaming services to customize advertisements and content to the various users. In the field of e-commerce, the applications framework can help in identifying the various products that one can order to help them feel better. Also, in the field of surveillance, this application can be linked up to a CCTV system and can monitor the various facial expressions and can potentially identify the cause for threats to the society.

## References

- [1] Dehghan, Afshin & G. Ortiz, Enrique & Shu, Guang & Zain Masood, Syed. (2017). DAGER: Deep Age, Gender and Emotion Recognition Using Convolutional Neural Network
- [2] Bailenson, Jeremy N., et al. "Real-time classification of evoked emotions using facial feature tracking and physiological responses." *International journal of human-computer studies* 66.5 (2008): 303-317.
- [3] Rothe, Rasmus, Radu Timofte, and Luc Van Gool. "Dex: Deep expectation of apparent age from a single image." In *Proceedings of the IEEE International Conference on Computer Vision Workshops*, pp. 10-15. 2015.
- [4] Levi, G., Hassner, T.: Age and gender classification using convolutional neural networks. In: *CVPRW*. (2015)
- [5] Redmon, Joseph, et al. "You only look once: Unified, real-time object detection." *Proceedings of the IEEE conference on computer vision and pattern recognition*. 2016.
- [6] Pribavkin, D. D., and P. Y. Yakimov. "Methods for emotions, mood, gender and age recognition." [7] Celiktutan, O., Sariyanidi, E., & Gunes, H. (2015). Let me tell you about your personality!: Real-time personality prediction from nonverbal behavioural cues. 2015 11th IEEE International Conference and Workshops on Automatic Face and Gesture Recognition (FG).
- [8] Kapoor, A., Burleson, W., & Picard, R. W. (2007). Automatic prediction of frustration. *International Journal of HumanComputer Studies*, 65(8), 724–736.
- [9] Zagoruyko, S. and Komodakis, N., 2016. Wide residual networks. *arXiv preprint arXiv:1605.07146*. [10] Gallagher, Andrew C., and Tsuhan Chen. "Understanding images of groups of people." 2009 IEEE Conference on Computer Vision and Pattern Recognition. IEEE, 2009.
- [11] Ranjan, Rajeev, et al. "An all-in-one convolutional neural network for face analysis." 2017 12th IEEE International Conference on Automatic Face & Gesture Recognition (FG 2017). IEEE, 2017.
- [12] Busso, Carlos, et al. "Analysis of emotion recognition using facial expressions, speech and multimodal information." *Proceedings of the 6th international conference on Multimodal interfaces*. 2004.



[13] Buolamwini, Joy, and Timnit Gebru. "Gender shades: Intersectional accuracy disparities in commercial gender classification." Conference on fairness, accountability and transparency. 2018.

[14] Levi, Gil, and Tal Hassner. "Emotion recognition in the wild via convolutional neural networks and mapped binary patterns." Proceedings of the 2015 ACM on international conference on multimodal interaction. 2015.

[15] Eidinger, E., Enbar, R., Hassner., T.: Age and gender estimation of unfilteredfaces. In: TRANSACTIONS ON INFORMATION FORENSICS AND SECURITY. (2013)

---