# **MAJOR PROJECT SYNOPSIS**

### **PROBLEM STATEMENT:**

Make An Flutter Application Adding Display Your name In The Center And Add ThreeButtons.One ButtonIntro,OneButton Education,One Button Skills.When You Press A Button, the Respective Page Should Load Using Navigation Pop MethodAnd Take You To New Screen And Display the Respective Details

#### **OBJECTIVE:**

• The user can navigate the screen as for requirement.

#### **ABSTRACT:**

This app allow the user to navigate the screen . The user can move from one screen to another screen by using push and pop navigator method.

## **HARDWARE / SOFTWARE Requirements**

## **Software Requirements:**

➤ IDE: Android Studio

> Operating System: Microsoft Windows/Linux

## **Hardware Requirements:**

➤ Processor: Pentium-3 or Higher

➤ RAM: 64MB or Higher

➤ Hard Disk: 80GB or Higher

	Windows requirements	Mac requirements	Linux requirements
Operating system	Windows 8 or later	macOS Sierra 10.12 or later	64-bit Ubuntu 14.04+, Debian 8+, openSUSE 13.3+, or Fedora Linux 24+
Processor	Intel Pentium 4 or later	Intel	Intel Pentium 4 or later
Memory	2 GB minimum, 4 GB recommended		
Internet connection	Required		

### METHODLOGY:

### CODE OF THE PROGRAM:

```
import 'package:flutter/cupertino.dart';
import 'package:flutter/material.dart';
void main() {
 runApp(const MaterialApp(
  title: 'Major project',
  home: FirstPage(),
 ));
}
class FirstPage extends StatelessWidget {
 const FirstPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
     appBar: AppBar(
      title: const Text('MainPage'),
     ),
     body: Center(
       child: Column(
      mainAxisAlignment: MainAxisAlignment.center,
      children: <Widget>[
       const Text('ADITHYA HOLLa K',
          style: TextStyle(fontSize: 40, fontStyle: FontStyle.italic, color: Colors.indigoAccent)),
       Row(
         mainAxisAlignment: MainAxisAlignment.center,
         children: [
          Padding(
           padding: EdgeInsets.all(16),
           child: ElevatedButton(
            child: const Text('Introduction'),
            onPressed: () {
              Navigator.push(
               context,
               MaterialPageRoute(
                 builder: (context) => const IntroductionPage()),
             );
            },
```

```
3
```

```
Padding(
          padding: EdgeInsets.all(16),
          child: ElevatedButton(
           child: const Text('Education'),
           onPressed: () {
            Navigator.push(
              context,
              MaterialPageRoute(
                builder: (context) => const EducationPage()),
            );
           },
          ),
        Padding(
          padding: EdgeInsets.all(16),
          child: ElevatedButton(
           child: const Text('Skills'),
           onPressed: () {
            Navigator.push(
              context,
              MaterialPageRoute(
                builder: (context) => const SkillPage()),
            );
           },
   )));
}
```

```
4
```

}

```
class IntroductionPage extends StatelessWidget {
 const IntroductionPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
      title: const Text('IntroductionPage'),
    body: Center(
       child: Column(children: <Widget>[
      const Text(
              " I am ADITHYA HOLLA K . We are 10 members in my family including me. I am native to
     Kundapur. Currently, I am purusing 3rd year at NMAMIT and my graduation is about to complete in next
     couple of years. My strengths are my analytical approach, my appreciable communication, and presentation
     skills. I believe in being realistic. ",
        style: TextStyle(fontSize: 18, fontStyle: FontStyle.normal)),
      Padding(
       padding: EdgeInsets.all(280),
       child: ElevatedButton(
        onPressed: () {
          Navigator.pop(context);
          // //
         },
        child: const Text('Go back!'),
       ),
      ),
    ])));
 }
```

```
class EducationPage extends StatelessWidget {
 const EducationPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
      title: const Text('Education Page'),
    ),
    body: Center(
       child:
          Column( children: <
            Widget>[
      const Text(
              ' As I compled my sslc in Sri Venkataramana English Medium school which is held in kundapur. I
     completed my sslc in 2017 by scoring 96%. I completed my puc in Excellent Pu College which was held in
     Sunnari . I passout in 2019 by scoring 95% . I took Biology as my subject in puc. I joined NMAMIT nitte in
     2019 by taking Computer Science Engineering.'
        'Now I am pursing 3rd year. I score 9.34 as Sgpa in my fifth sem.',
        style: TextStyle(fontSize: 22, fontStyle: FontStyle.normal)),
      Center(
        child: Column(children: <Widget>[
       Container(
        margin: EdgeInsets.all(20),
        child: Table(
          defaultColumnWidth: FixedColumnWidth(120.0),
         border: TableBorder.all(
            color: Colors.black, style: BorderStyle.solid, width: 2),
          children: [
           TableRow(children: [
            Column(children: [
             Text('Course/Degree', style: TextStyle(fontSize: 20.0))
            ]),
            Column(children: [
             Text('Name of school and college',
                style: TextStyle(fontSize: 20.0))
            ]),
            Column(children: [
             Text('Grade obtained', style: TextStyle(fontSize: 20.0))
            ]),
            Column(children: [
```

}


}


```
Text('Year of a passing',
           style: TextStyle(fontSize: 20.0))
       ]),
      ]),
      TableRow(children: [
        Column(children: [Text('3rd year BE')]),
        Column(children: [Text('NMAMIT, Nitte')]),
        Column(children: [Text('8.8')]),
        Column(children: [Text('pursuing')]),
      ]),
      TableRow(children: [
        Column(children: [Text('Pre University')]),
        Column(children: [Text('Excellent Pu College ,Sunnari')]),
        Column(children: [Text('95%')]),
        Column(children: [Text('2019')]),
      ]),
      TableRow(children: [
        Column(children: [Text('SSLC')]),
        Column(children: [
         Text('Sri Venkataramana English Medium School , Kundapur')
       ]),
        Column(children: [Text('96%')]),
        Column(children: [Text('2017')]),
      ]),
     ],
 ])),
 Padding(
  padding: EdgeInsets.all(100),
  child: ElevatedButton(
    onPressed: () {
     Navigator.pop(context);
     // //
    child: const Text('Go back!'),
  ),
 ),
])));
```

```
7
class SkillPage extends StatelessWidget {
 const SkillPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
     appBar: AppBar(
      title: const Text('Skill Page'),
     body: Center(
       child: Column(children: <Widget>[
         const Text(' I have skills like: 'Leadership experience, Communication skills, Organizational skills, 'Time
management, Computer profiency, Problem Solving skills, 'Team work and
collaboration, 'Criticalthinking, Interpersonal skills, Working well.',
           style: TextStyle(fontSize: 20, fontStyle: FontStyle.normal)),
         Padding(
          padding: EdgeInsets.all(285),
          child: ElevatedButton(
           onPressed: () {
            Navigator.pop(context);
            // //
           },
           child: const Text('Go back!'),
       ])));
 }
```


## Screenshort of the code:


```
<u>Kara File Edit View Navigate Code Analyze Refactor Build Run Tools VCS Window Help</u> majorproject main.dart [majorproject]
                                                                                  majorproject \rangle lib \rangle 👢 main.dart
  README.md × 🖍 main.dart ×
        import 'package:flutter/cupertino.dart';
                                                                                                                                                       A 45 ★ 22 ^ ∨
        import 'package:flutter/material.dart';
   4 ≫ ⇒void main() {
         runApp(const MaterialApp(
           title: 'Major project',
          - home: FirstPage(),
         )); // MaterialApp
   10
                                                                                                                                                                  class FirstPage extends StatelessWidget {
          const FirstPage({Key? key}) : super(key: key);
   13
   14
           @override
   15 of
         Widget build(BuildContext context) {
   16
            return Scaffold(
   17
             — appBar: AppBar(
   18
               — title: const Text('MainPage'),
   19
               ), // AppBar
               - body: Center(
   20
   21
               --- child: Column(
   22
                 mainAxisAlignment: MainAxisAlignment.center,
÷
  23
                  children: <Widget>[
                   const Text('ADITHYA HOLLa K',
  25
                     style: TextStyle(fontSize: 40, fontStyle: FontStyle.italic, color: Colors.indigoAccent)), // Text
★ 26
                   Row(
   27
                     mainAxisAlignment: MainAxisAlignment.center,
  28
                    children: [
  29
                    —— Padding(
                     30
≚ 31
                                                                                                                                               🗏 TODO 🏽 Problems 🛂 Terminal 🔊 Dart Analysis 🗉 Logcat 🗥 Profiler 🔮 App Inspection
                                                                                                                                           98:15 CRLF UTF-8 2 spaces 🔓 🙂 🙁
```





^ 令切) □





```
majorproject > lib > 👢 main.dart
README.md × Main.dart ×
  184
        class SkillPage extends StatelessWidget {
185
         const SkillPage({Key? key}) : super(key: key);
  187
         @override
  188 👣 🖟 Widget build(BuildContext context) {
 188
189
          return Scaffold(
  190
             — appBar: AppBar(
  191
              — title: const Text('Skill Page'),
  192
             ), // AppBar
  193
             — body: Center(
              child: Column(children: <Widget>[
  194
                 const Text(' I have skills like:''Leadership experience ,''Communication skills ,''Organizational skills ,''Time management ,'
  196
                      'Computer profiency,''Problem Solving skills,''Team work and collaboration ,''Criticalthinking,''Interpersonal skills,'
  197
                     style: TextStyle(fontSize: 20, fontStyle: FontStyle.normal)), // Text
  199
                  — Padding(
  200
                    padding: EdgeInsets.all(285),
                    child: ElevatedButton(
                     onPressed: () {
  203
                       Navigator.pop(context);
204
205
                      // //
                     },
206
                    — child: const Text('Go back!'),
207
                  ), // ElevatedButton
                  ), // Paddina
  208
  209
                 ]))); // <Widget>[], Column, Center, Scaffold
★ 210
211
212
                                                                                                                          ☐ Event Log ☐ Layout Inspector
   🗏 TODO 📵 Problems 🛂 Terminal 🔊 Dart Analysis 🗉 Logcat 🗥 Profiler 🔮 App Inspection
                                                                                                                      56:15 CRLF UTF-8 2 spaces 🔓 🙂 🙁
                                                                                                                           へ 令 4》 □ 10:27 PM 5/1/2022 1
                                                     import 'package:flutter/cupertino.dart';
import 'package:flutter/material.dart';
void main() {
 runApp(const MaterialApp(
  title: 'Major project',
  home: FirstPage(),
 ));
class FirstPage extends StatelessWidget {
 const FirstPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
     appBar: AppBar(
      title: const Text('MainPage'),
     body: Center(
       child: Column(
      mainAxisAlignment: MainAxisAlignment.center,
      children: <Widget>[
       const Text('ADITHYA HOLLa K',
          style: TextStyle(fontSize: 40, fontStyle: FontStyle.italic, color: Colors.indigoAccent)),
        Row(
         mainAxisAlignment: MainAxisAlignment.center,
         children: [
          Padding(
           padding: EdgeInsets.all(16),
           child: ElevatedButton(
             child: const Text('Introduction'),
             onPressed: () {
              Navigator.push(
               context,
               MaterialPageRoute
                  builder: (context) => const IntroductionPage()),
```


```
);
         Padding(
          padding: EdgeInsets.all(16),
          child: ElevatedButton(
           child: const Text('Education'),
           onPressed: () {
            Navigator.push(
             context,
             Material Page Route
               builder: (context) => const EducationPage()),
            );
           },
         ),
         Padding
          padding: EdgeInsets.all(16),
          child: ElevatedButton(
           child: const Text('Skills'),
           onPressed: () {
            Navigator.push(
             context,
             MaterialPageRoute(
               builder: (context) => const SkillPage()),
            );
           },
    )));
}
class IntroductionPage extends StatelessWidget {
 const IntroductionPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
     title: const Text('IntroductionPage'),
    ),
    body: Center(
      child: Column(children: <Widget>[
     const Text(
        'I am ADITHYA HOLLA K. We are 10 members in my family including me. I am native to Kundapur. Currently, I am
purusing 3rd year at NMAMIT and my graduation is about to complete in next couple of years. My strengths are my
analytical approach, my appreciable communication, presentation skills. ""I believe in being realistic. ',
       style: TextStyle(fontSize: 18, fontStyle: FontStyle.normal)),
     Padding(
       padding: EdgeInsets.all(280),
      child: ElevatedButton(
       onPressed: () {
        Navigator.pop(context);
       },
       child: const Text('Go back!'),
```


```
),
    ])));
}
class EducationPage extends StatelessWidget {
 const EducationPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
     title: const Text('Education Page'),
    body: Center(
      child:
         Column( children: <
           Widget>[
     const Text(
        ' As I compled my sslc in Sri Venkataramana English Medium school which is held in kundapur. I completed my
sslc in 2017 by scoring 96%. I completed my puc in Excellent Pu College which was held in Sunnari . I passout in 2019 by
scoring 95%. I took Biology as my subject in puc. I joined NMAMIT nitte in 2019 by taking Computer Science Engineering.'
        'Now I am pursing 3rd year. I score 9.34 as Sgpa in my fifth sem.',
        style: TextStyle(fontSize: 22, fontStyle: FontStyle.normal)),
     Center
        child: Column(children: <Widget>[
       Container
        margin: EdgeInsets.all(20),
        child: Table(
         defaultColumnWidth: FixedColumnWidth(120.0),
         border: TableBorder.all(
           color: Colors.black, style: BorderStyle.solid, width: 2),
         children: [
          TableRow(children: [
           Column(children: [
            Text('Course/Degree', style: TextStyle(fontSize: 20.0))
           ]),
           Column(children: [
            Text('Name of school and college',
              style: TextStyle(fontSize: 20.0))
           ]),
           Column(children: [
            Text('Grade obtained', style: TextStyle(fontSize: 20.0))
           ]),
           Column(children: [
            Text('Year of a passing',
              style: TextStyle(fontSize: 20.0))
           ]),
          TableRow(children: [
           Column(children: [Text('3rd year BE')]),
           Column(children: [Text('NMAMIT, Nitte')]),
           Column(children: [Text('8.8')]),
           Column(children: [Text('pursuing')]),
          ]),
          TableRow(children: [
           Column(children: [Text('Pre University')]),
           Column(children: [Text('Excellent Pu College ,Sunnari')]),
           Column(children: [Text('95%')]),
           Column(children: [Text('2019')]),
          ]),
```


13


```
TableRow(children: [
           Column(children: [Text('SSLC')]),
           Column(children: [
            Text('Sri Venkataramana English Medium School , Kundapur')
           ]),
           Column(children: [Text('96%')]),
           Column(children: [Text('2017')]),
          ]),
         ],
        ),
       ),
     ])),
      Padding(
      padding: EdgeInsets.all(100),
       child: ElevatedButton(
        onPressed: () {
         Navigator.pop(context);
        ////
        },
        child: const Text('Go back!'),
      ),
     ),
    ])));
}
class SkillPage extends StatelessWidget {
 const SkillPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
     title: const Text('Skill Page'),
    body: Center(
       child: Column(children: <Widget>[
        const Text('I have skills like: Leadership experience, "Communication skills, "Organizational skills, "Time
management, 'Computer profiency," Problem Solving skills, 'Team work and collaboration, 'Criticalthinking, Interpersonal
skills, 'Working well.',
          style: TextStyle(fontSize: 20, fontStyle: FontStyle.normal)),
        Padding
         padding: EdgeInsets.all(285),
         child: ElevatedButton(
          onPressed: () {
           Navigator.pop(context);
           ////
          child: const Text('Go back!'),
       ),
      ])));
}
}
```

## **OUTPUT SCREEN RESULT:**











### **DESCRIPTION OF OUTPUT SCREEN:**


This is the main page of the project where the name is at center . this page is consist of 3 button namely introduction , Education , skill button. In this page by using the button the user can click any button and it load it respective page also the user can return to the main page. The user can go to respective page by using navigator push option.



This is the introduction page where the user navigate from the main page to this page by using navigator push option, where the user clicked on the introduction button, as soon as the user clicked this button the page navigate to the introduction page. The user also can come to main page by clicking go back button this return to main page.



This is the Education page where the user navigate from the main page to this page by using navigator push option, where the user clicked on the Education button, as soon as the user clicked this button the page navigate to the Education page. The user also can come to main page by clicking go back button this return to main page.



This is the Skill page where the user navigate from the main page to this page by using navigator push option, where the user clicked on the Skill button, as soon as the user clicked this button the page navigate to the Skill page. The user also can come to main page by clicking go back button this return to main page.

