Array Tracings

1. Consider the following code:

```
public class ArrayTraceA
{
   public static void main(String args[])
   {
      int [] myArray = new int[10];
      int index1 = 0, index2 = 0;
      index1 = 1;
      while (index1 < 10) {
        myArray[index1] = index1 + 3;
        index2 = 1;
        while (index2 < index1) {
            myArray[index1] = myArray[index1] + myArray[index2] -
        index1;
        index2 = index2 + 1;
      }
      System.out.println(myArray[index1]);
      index1 = index1 + 1;
    }
   }
}</pre>
```

What is the output?

2. Consider the following code:

What is the output?

```
public class Quiz5a
{
    public static void main(String args[])
    {
        int [] myArray = new int[10];
        int index1 = 0, index2 = 0;
        index1 = 1;
        b = myArray;
        while (index1 < 10) {
        myArray[index1] = index1 + 2;
        index2 = 1;
        while (index2 < index1) {
        myArray[index1] = b[index1] + myArray[index2] - index1;
        index2 = index2 + 1;
     }
     System.out.println(myArray[index1]);
     index1 = index1 + 1;
     }
}</pre>
```

What is the output of the program?

Consider the following code:

```
public class Quiz5b
 public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 = 0;
    index1 = 1;
    b = myArray;
    while (index1 < 10) {
    myArray[index1] = index1 + 4;
    index2 = 1;
      while (index2 < index1 ) {</pre>
        myArray[index1] = b[index1] + myArray[index2] -
index1;
        index2 = index2 + 1;
    System.out.println(myArray[index1]);
    index1 = index1 + 1;
  }
```

What is the output?

```
public class ArrayTraceA
{
   public static void main(String args[])
   {
      int [] myArray = new int[10];
      int index1 = 0, index2 = 0;
      index1 = 1;
      while (index1 < 10) {
        myArray[index1] = index1 + 3;
        index2 = 1;
        while (index2 < index1) {
            myArray[index1] = myArray[index1] + myArray[index2] -
        index1;
        index2 = index2 + 1;
      }
      System.out.println(myArray[index1]);
      index1 = index1 + 1;
      }
   }
}</pre>
```

What is the output?

6. Consider the following code:

What is the output?

```
public class Quiz5a
  public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 = 0;
    index1 = 1;
    b = myArray;
    while (index1 < 10) {
   myArray[index1] = index1 + 1;
    index2 = 1;
    while (index2 < index1 ) {</pre>
      myArray[index1] = b[index2 - 1] + myArray[index2] -
index1;
      index2 = index2 + 1;
    System.out.println(myArray[index2]);
    index1 = index1 + 1;
    }
```

What is the output of the program?

8. Consider the following code:

```
public class Quiz5b
  public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 = 0;
    index1 = 1;
    b = myArray;
    while (index1 < 10) {
    myArray[index1] = index1 + 3;
    index2 = 1;
    while (index2 < index1 ) {</pre>
      myArray[index1] = b[index2 - 1] + myArray[index2] -
index1;
      index2 = index2 + 1;
    System.out.println(myArray[index2]);
    index1 = index1 + 1;
    }
  }
```

What is the output of the program?

```
public class Quiz5a
 public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 =0;
    index1 = 1;
    b = myArray;
    while (index1 < 10) {
   myArray[index1] = index1 + 2;
    index2 = 1;
      while (index2 < index1 ) {</pre>
        myArray[index1] = b[index1] + myArray[index2] -
index1;
        index2 = index2 + 1;
    System.out.println(myArray[index1]);
    index1 = index1 + 1;
    }
```

What is the output of the program?

10.

Consider the following code:

```
public class Quiz5b
  public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 =0;
    index1 = 1;
    b = myArray;
    while (index1 < 10) {
    myArray[index1] = index1 + 4;
    index2 = 1;
      while (index2 < index1 ) {</pre>
        myArray[index1] = b[index1] + myArray[index2] -
index1;
        index2 = index2 + 1;
    System.out.println(myArray[index1]);
    index1 = index1 + 1;
```

What is the output of the program?

```
public class Quiz5a
 public static void main(String args[])
    int [] myArray = new int[10];
   int [] b;
   int index1 = 0, index2 = 0;
   index1 = 1;
   b = myArray;
   while (index1 < 10) {
   myArray[index1] = index1 + 2;
   index2 = 1;
      while (index2 < index1 ) {</pre>
        myArray[index1] = b[index1] + myArray[index2] -
index1;
        index2 = index2 + 1;
   System.out.println(myArray[index1]);
   index1 = index1 + 1;
```

What is the output of the program?

12.

Consider the following code:

```
public class Quiz5b
  public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 = 0;
    index1 = 1;
    b = myArray;
   while (index1 < 10) {
   myArray[index1] = index1 + 4;
    index2 = 1;
      while (index2 < index1 ) {</pre>
        myArray[index1] = b[index1] + myArray[index2] -
index1;
        index2 = index2 + 1;
    System.out.println(myArray[index1]);
    index1 = index1 + 1;
    }
```

What is the output of the program?

```
public class Quiz5a
 public static void main(String args[])
   int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 = 0;
    index1 = 1;
   b = myArray;
    while (index1 < 10) {
    myArray[index1] = index1 + 1;
    index2 = 1;
    while (index2 < index1 ) {</pre>
     myArray[index1] = b[index2 - 1] + myArray[index2] -
index1;
      index2 = index2 + 1;
    System.out.println(myArray[index2]);
    index1 = index1 + 1;
  }
```

What is the output of the program?

14.

Consider the following code:

```
public class Quiz5b
 public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 =0;
   index1 = 1;
    b = myArray;
    while (index1 < 10) {
    myArray[index1] = index1 + 3;
    index2 = 1;
    while (index2 < index1 ) {</pre>
      myArray[index1] = b[index2 - 1] + myArray[index2] -
index1:
      index2 = index2 + 1;
    System.out.println(myArray[index2]);
    index1 = index1 + 1;
```

What is the output of the program?

```
public class ArrayTraceA
{
   public static void main(String args[])
   {
      int [] myArray = new int[10];
      int index1 = 0, index2 = 0;
      index1 = 1;
      while (index1 < 10) {
       myArray[index1] = index1 + 3;
       index2 = 1;
      while (index2 < index1) {
            myArray[index1] = myArray[index1] + myArray[index2] -
            index1;
            index2 = index2 + 1;
      }
      System.out.println(myArray[index1]);
      index1 = index1 + 1;
      }
    }
}</pre>
```

What is the output?

16.

Consider the following code:

```
public class ArrayTraceB
{
   public static void main(String args[])
   {
      int [] myArray = new int[10];
      int index1 = 0, index2 = 0;
      index1 = 1;
      while (index1 < 10) {
        myArray[index1] = index1 + 4;
      index2 = 1;
      while (index2 < index1) {
            myArray[index1] = myArray[index1] + myArray[index2] - index1;
            index2 = index2 + 1;
      }
      System.out.println(myArray[index1]);
      index1 = index1 + 1;
    }
}</pre>
```

What is the output?

```
public class ArrayTraceA
{
    public static void main(String args[])
    {
        int [] myArray = new int[10];
        int index1 = 0, index2 = 0;
        index1 = 1;
        while (index1 < 10) {
            myArray[index1] = index1 + 3;
            index2 = 1;
            while (index2 < index1) {
                 myArray[index1] = myArray[index1] + myArray[index2] - index1;
                  index2 = index2 + 1;
            }
            System.out.println(myArray[index1]);
            index1 = index1 + 1;
            }
        }
    }
}</pre>
```

What is the output?

```
public class ArrayTraceB
{
   public static void main(String args[])
   {
      int [] myArray = new int[10];
      int index1 = 0, index2 = 0;
      index1 = 1;
      while (index1 < 10) {
      myArray[index1] = index1 + 4;
      index2 = 1;
      while (index2 < index1) {
            myArray[index1] = myArray[index1] + myArray[index2] - index1;
            index2 = index2 + 1;
      }
      System.out.println(myArray[index1]);
      index1 = index1 + 1;
      }
   }
}</pre>
```

What is the output?

```
public class Quiz5a
 public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 = 0;
    index1 = 1;
   b = myArray;
   while (index1 < 10) {
   myArray[index1] = index1 + 2;
    index2 = 1;
      while (index2 < index1 ) {</pre>
        myArray[index1] = b[index1] + myArray[index2] - index1;
        index2 = index2 + 1;
    System.out.println(myArray[index1]);
    index1 = index1 + 1;
    }
```

What is the output of the program?

20.

Consider the following code:

```
public class ArrayTraceB
{
   public static void main(String args[])
   {
      int [] myArray = new int[10];
      int index1 = 0, index2 = 0;
      index1 = 1;
      while (index1 < 10) {
       myArray[index1] = index1 + 4;
      index2 = 1;
      while (index2 < index1) {
            myArray[index1] = myArray[index1] + myArray[index2] - index1;
            index2 = index2 + 1;
      }
      System.out.println(myArray[index1]);
      index1 = index1 + 1;
      }
   }
}</pre>
```

What is the output?

```
public class Quiz5a
{
    public static void main(String args[])
    {
        int [] myArray = new int[10];
        int [] b;
        int index1 = 0, index2 = 0;
        index1 = 1;
        b = myArray;
        while (index1 < 10) {
            myArray[index1] = index1 + 1;
        index2 = 1;
        while (index2 < index1) {
            myArray[index1] = b[index2 - 1] + myArray[index2] - index1;
            index2 = index2 + 1;
        }
        System.out.println(myArray[index2]);
        index1 = index1 + 1;
    }
}</pre>
```

What is the output of the program?

Consider the following code:

```
public class Quiz5a
 public static void main(String args[])
    int [] myArray = new int[10];
    int [] b;
    int index1 = 0, index2 =0;
    index1 = 1;
   b = myArray;
    while (index1 < 10) {
   myArray[index1] += myArray[index2%10]+ 2;
    index2 = 1;
      while (index2 < index1 ) {
        myArray[index1] = b[index2%7] - index1;
        index2 = (index2++) + 1;
    System.out.println(myArray[index1]);
    index1 = (++index1) + 1;
    }
```

What is the output of the program?

23.

```
public class Quiz8a{
```

```
public static void main(String [] args) {
  int I = 0;
  int j = 1;
  String [ ][ ] twoD1 = new String [3][3];
  int [ ][ ] twoD2 = new int [3][3];
  twoD1[0][0] = "b";
  twoD1[0][1] = "c";
  twoD1[0][2] = "d";
  twoD1[1][0] = "e";
  twoD1[1][1] = "p";
  twoD1[1][2] = "x";
  twoD1[2][0] = "y";
  twoD1[2][1] = "g";
  twoD1[2][2] = "h";
  twoD2[0][0] = 11;
  twoD2[0][1] = 12;
  twoD2[0][2] = 32;
  twoD2[1][0] = 23;
  twoD2[1][1] = 12;
  twoD2[1][2] = 9;
  twoD2[2][0] = 2\overline{6};
  twoD2[2][1] = 32;
  twoD2[2][2] = 44;
  While (i < 3) {
    j = 2;
    while (j \ge 0) {
      System.out.println(twoD1[i][j] + twoD2[j][i]);
    ++i;
  }
```

Write the output:

```
public static void main(String [] args){
    int i = 0;
    int j = 1;
    String [ ][ ] twoD1 = new String [3][3];
    int [ ][ ] twoD2 = new int [3][3];
    twoD1[0][0] = "x";
    twoD1[0][1] = "c";
    twoD1[0][2] = "f";
    twoD1[1][0] = "k";
    twoD1[1][1] = "u";
    twoD1[1][2] = "w";
   twoD1[2][0] = "z";
    twoD1[2][1] = "g";
    twoD1[2][2] = "h";
    twoD2[0][0] = 15;
    twoD2[0][1] = 7;
    twoD2[0][2] = 20;
    twoD2[1][0] = 30;
    twoD2[1][1] = 11;
    twoD2[1][2] = 18;
    twoD2[2][0] = 22;
    twoD2[2][1] = 16;
    twoD2[2][2] = 5;
    while (i < 3) {
     j = 2;
      while (j >= 0) {
        System.out.println(twoD1[i][j] + twoD2[j][i]);
       j--;
      ++i;
}
```

Write the output:

25.

```
public class Quiz8a{
 public static void main(String[] args){
          Create matrices
    double[][] matrixA = new double[2][3];
    double[][] matrixB = new double[3][2];
    double[][] matrixC = new double[2][2];
          Fill Matrices
   matrixA[0][0] = 3.0;
    matrixA[0][1] = 2.0;
   matrixA[0][2] = -1.0;
   matrixA[1][0] = 0.0;
   matrixA[1][1] = 4.0;
   matrixA[1][2] = 6.0;
   matrixB[0][0] = 1.0;
   matrixB[0][1] = 0.0;
   matrixB[1][0] = 5.0;
   matrixB[1][1] = 3.0;
```

```
matrixB[2][0] = 6.0;
matrixB[2][1] = 4.0;

// Multiplication C = A.B
for(int i=0; i<2; i++){
    for(int j=0; j<2; j++) {
        for(int k=0; k<3; k++) {
            matrixC[i][j] += matrixA[i][k]*matrixB[k][j];
            System.out.println(matrixC[i][j]);
        }
     }
    }
}</pre>
```

Write the output:

26.

```
public class Quiz8b{
 public static void main(String[] args) {
          Create matrices
    double[][] matrixA = new double[2][3];
    double[][] matrixB = new double[3][2];
    double[][] matrixC = new double[2][2];
          Fill Matrices
   matrixA[0][0] = 2.0;
    matrixA[0][1] = 3.0;
   matrixA[0][2] = -2.0;
   matrixA[1][0] = 1.0;
   matrixA[1][1] = 2.0;
   matrixA[1][2] = 3.0;
   matrixB[0][0] = -1.0;
   matrixB[0][1] = 2.0;
   matrixB[1][0] = 3.0;
   matrixB[1][1] = 2.0;
    matrixB[2][0] = 5.0;
   matrixB[2][1] = 6.0;
        Multiplication C = A.B
    for(int i=0; i<2; i++) {
      for(int j=0; j<2; j++){
        for(int k=0; k<3; k++) {
          matrixC[i][j] += matrixA[i][k]*matrixB[k][j];
          System.out.println(matrixC[i][j]);
    }
```

Write the output: