

Package Expense

Class EMSLogin

java.lang.Object
 java.awt.Component
 java.awt.Container
 java.awt.Window
 java.awt.Frame
 javax.swing.JFrame
 Expense.EMSLogin

All Implemented Interfaces:

ActionListener , ImageObserver , MenuContainer , Serializable , ActionListener , Accessible , RootPaneContainer , WindowConstants

```
public class EMSLogin
extends JFrame
implements ActionListener
```

See Also:

Serialized Form

Nested Class Summary

Nested classes/interfaces inherited from class javax.swing.JFrame

JFrame.AccessibleJFrame

Nested classes/interfaces inherited from class java.awt.Frame

Frame.AccessibleAWTFrame

Nested classes/interfaces inherited from class java.awt.Window

Window.AccessibleAWTWindow , Window.Type

Nested classes/interfaces inherited from class java.awt.Container

Container.AccessibleAWTContainer

Nested classes/interfaces inherited from class java.awt.Component

Component.AccessibleAWTComponent , Component.BaselineResizeBehavior , Component.BltBufferStrategy ,
Component.FlipBufferStrategy

Field Summary

Fields inherited from class javax.swing.JFrame

accessibleContext , rootPane , rootPaneCheckingEnabled

Fields inherited from class java.awt.Frame

ICONIFIED , MAXIMIZED_BOTH , MAXIMIZED_HORIZ , MAXIMIZED_VERT , NORMAL

Fields inherited from class java.awt.Component

BOTTOM_ALIGNMENT , CENTER_ALIGNMENT , LEFT_ALIGNMENT , RIGHT_ALIGNMENT , TOP_ALIGNMENT

Fields inherited from interface java.awt.image.ImageObserver

ABORT , ALLBITS , ERROR , FRAMEBITS , HEIGHT , PROPERTIES , SOMEBITS , WIDTH

Fields inherited from interface javax.swing.WindowConstants

DISPOSE_ON_CLOSE , DO_NOTHING_ON_CLOSE , EXIT_ON_CLOSE , HIDE_ON_CLOSE

Constructor Summary

Constructors

Constructor	Description
EMSLogin()	

Method Summary

All Methods Static Methods Instance Methods Concrete Methods

Modifier and Type	Method	Description
void	actionPerformed(ActionEvent e)	
static void	main(String [] args)	

Methods inherited from class javax.swing.JFrame

addImpl , createRootPane , frameInit , getAccessibleContext , getContentPane , getDefaultCloseOperation , getGlassPane , getGraphics , getJMenuBar , getLayeredPane , getRootPane , getTransferHandler , isDefaultLookAndFeelDecorated , isRootPaneCheckingEnabled , paramString , processWindowEvent , remove , repaint , setContentPane , setDefaultCloseOperation , setDefaultLookAndFeelDecorated , setGlassPane , setIconImage , setJMenuBar , setLayeredPane , setLayout , setRootPane , setRootPaneCheckingEnabled , setTransferHandler , update

Methods inherited from class java.awt.Frame

addNotify , getExtendedState , getFrames , getIconImage , getMaximizedBounds , getMenuBar , getState , getTitle , isResizable , isUndecorated , remove , removeNotify , setBackground , setExtendedState , setMaximizedBounds , setMenuBar , setOpacity , setResizable , setShape , setState , setTitle , setUndecorated

Methods inherited from class java.awt.Window

addPropertyChangeListener , addPropertyChangeListener , addWindowFocusListener , addWindowListener , addWindowStateListener , createBufferStrategy , createBufferStrategy , dispose , getBackground , getBufferStrategy , getFocusableWindowState ,

getFocusCycleRootAncestor , getFocusOwner , getFocusTraversalKeys , getIconImages , getInputContext , getListeners , getLocale , getModalExclusionType , getMostRecentFocusOwner , getOpacity , getOwnedWindows , getOwner , getOwnerlessWindows , getShape , getToolkit , getType , getWarningString , getWindowFocusListeners , getWindowListeners , getWindows , getWindowStateListeners , isActive , isAlwaysOnTop , isAlwaysOnTopSupported , isAutoRequestFocus , isFocusableWindow , isFocusCycleRoot , isFocused , isLocationByPlatform , isOpaque , isShowing , isValidRoot , pack , paint , processEvent , processWindowFocusEvent , processWindowStateEvent , removeWindowFocusListener , removeWindowListener , removeWindowStateListener , setAlwaysOnTop , setAutoRequestFocus , setBounds , setBounds , setCursor , setFocusableWindowState , setFocusCycleRoot , setIconImages , setLocation , setLocation , setLocationByPlatform , setLocationRelativeTo , setMinimumSize , setModalExclusionType , setSize , setSize , setType , setVisible , toBack , toFront

Methods inherited from class java.awt.Container

add , add , add , add , add , add , addContainerListener , applyComponentOrientation , areFocusTraversalKeysSet , doLayout , findComponentAt , findComponentAt , getAlignmentX , getAlignmentY , getComponent , getComponentAt , getComponentAt , getComponentCount , getComponents , getComponentZOrder , getContainerListeners , getFocusTraversalPolicy , getInsets , getLayout , getMaximumSize , getMinimumSize , getMousePosition , getPreferredSize , invalidate , isAncestorOf , isFocusCycleRoot , isFocusTraversalPolicyProvider , isFocusTraversalPolicySet , list , list , paintComponents , print , printComponents , processContainerEvent , remove , removeAll , removeContainerListener , setComponentZOrder , setFocusTraversalKeys , setFocusTraversalPolicy , setFocusTraversalPolicyProvider , setFont , transferFocusDownCycle , validate , validateTree

Methods inherited from class java.awt.Component

add , addComponentListener , addFocusListener , addHierarchyBoundsListener , addHierarchyListener , addInputMethodListener , addKeyListener , addMouseListener , addMouseMotionListener , addMouseWheelListener , checkImage , checkImage , coalesceEvents , contains , contains , createImage , createImage , createVolatileImage , createVolatileImage , disableEvents , dispatchEvent , enableEvents , enableInputMethods , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , firePropertyChange , getBaseline , getBaselineResizeBehavior , getBounds , getBounds , getColorModel , getComponentListeners , getComponentOrientation , getCursor , getDropTarget , getFocusListeners , getFocusTraversalKeysEnabled , getFont , getFontMetrics , getForeground , getGraphicsConfiguration , getHeight , getHierarchyBoundsListeners , getHierarchyListeners , getIgnoreRepaint , getInputMethodListeners , getInputMethodRequests , getKeyListeners , getLocation , getLocation , getLocationOnScreen , getMouseListeners , getMouseMotionListeners , getMousePosition , getMouseWheelListeners , getName , getParent , getPropertyChangeListeners , getPropertyChangeListeners , getSize , getSize , getTreeLock , getWidth , getX , getY , hasFocus , imageUpdate , isBackgroundSet , isCursorSet , isDisplayable , isDoubleBuffered , isEnabled , isFocusable

, isFocusOwner , isFontSet , isForegroundSet , isLightweight , isMaximumSizeSet , isMinimumSizeSet , isPreferredSizeSet , isValid , isVisible , list , list , list , paintAll , prepareImage , prepareImage , printAll , processComponentEvent , processFocusEvent , processHierarchyBoundsEvent , processHierarchyEvent , processInputMethodEvent , processKeyEvent , processMouseEvent , processMouseMotionEvent , processMouseWheelEvent , removeComponentListener , removeFocusListener , removeHierarchyBoundsListener , removeHierarchyListener , removeInputMethodListener , removeKeyListener , removeMouseListener , removeMouseMotionListener , removeMouseWheelListener , removePropertyChangeListener , removePropertyChangeListener , repaint , repaint , repaint , requestFocus , requestFocus , requestFocus , requestFocus , requestFocusInWindow , requestFocusInWindow , requestFocusInWindow , revalidate , setComponentOrientation , setDropTarget , setEnabled , setFocusable , setFocusTraversalKeysEnabled , setForeground , setIgnoreRepaint , setLocale , setMaximumSize , setMixingCutoutShape , setName , setPreferredSize , toString , transferFocus , transferFocusBackward , transferFocusUpCycle

Methods inherited from class java.lang.Object

clone , equals , getClass , hashCode , notify , notifyAll , wait , wait , wait

Methods inherited from interface java.awt.MenuContainer

getFont

Constructor Details

EMSLogin

public EMSLogin()

Method Details

main

```
public static void main(String [] args)
    throws Exception
```

Throws:

Exception

actionPerformed

```
public void actionPerformed(ActionEvent e)
```

Specified by:

actionPerformed in interface ActionListener