

# MERN STACK

DAY – 14

10 July 2026

## JAVASCRIPT

### setInterval()

setInterval() is used to execute a function repeatedly after a specified time interval (in milliseconds). It keeps running until it is stopped using clearInterval().

#### Syntax

```
let intervalId = setInterval(function, delay);
```

#### Parameters

- function – Function to execute repeatedly.
- delay – Time interval in milliseconds (1000 ms = 1 second).

### clearInterval()

clearInterval() stops the repeated execution started by setInterval().

#### Syntax

```
clearInterval(intervalId);
```

## Date Object

The Date object is used to work with dates and times in JavaScript. It can create, display, and manipulate dates and times.

### Creating a Date

#### Current Date and Time

```
let today = new Date();
```

#### Specific Date

```
let d = new Date("2026-07-10");
```

Using Year, Month, Day


```
let d = new Date(2026, 6, 10);
```

## Common Date Methods

| Method            | Description                            |
|-------------------|----------------------------------------|
| getFullYear()     | Returns the year                       |
| getMonth()        | Returns month (0–11)                   |
| getDate()         | Returns day of the month               |
| getDay()          | Returns day of the week (0–6)          |
| getHours()        | Returns hours                          |
| getMinutes()      | Returns minutes                        |
| getSeconds()      | Returns seconds                        |
| getMilliseconds() | Returns milliseconds                   |
| getTime()         | Returns milliseconds since Jan 1, 1970 |

## TASK- STOP WATCH

```
<body>
  <h1 align="center">STOP WATCH</h1>
  <p align="center" id="display"></p>
  <div>
    <button onclick="stop()">Stop</button>
    <button onclick="start()">Start</button>
    <button onclick="reset()">Reset</button>
  </div>
  <script>
    let count = 0;
    let timer = null;
    function counter() {
      count++;
      document.getElementsByTagName("p")[0].innerHTML = count;
    }
    function start() {
      if (timer == null) {
        timer = setInterval(counter, 100);
      }
    }
    function stop() {
      clearInterval(timer);
    }
    function reset() {
      stop();
      count = 0;
      document.getElementsByTagName("p")[0].innerHTML = count;
    }
  </script>
</body>
```



## TASK- DIGITAL CLOCK

```
<div class="clock">
  <h1>Digital Clock</h1>
  <p></p>
</div>

<script>
function clock(){
  let date = new Date();

  let hr = date.getHours();
  let min = date.getMinutes();
  let sec = date.getSeconds();

  if(hr <= 9){
    hr = "0" + hr;
  }
  if(min <= 9){
    min = "0" + min;
  }
  if(sec <= 9){
    sec = "0" + sec;
  }

  document.getElementsByTagName("p")[0].innerHTML =
  hr + " : " + min + " : " + sec;
}

setInterval(clock,1000);
</script>
</body>
```

