

MERN STACK

DAY – 24

22 July 2026

PUT Method

The PUT method is an HTTP request method used to update an existing resource (data) on the server. It sends the updated information from the client (React) to the server (Node.js/Express), and the server updates the corresponding record in the database.

Example:

Before update:

Id: 101
Name: Rahul
Age: 20
Email: rahul@gmail.com

After sending a PUT request:

Id: 101
Name: Rahul
Age: 22
Email: rahul@gmail.com

Only the existing record is updated.

Syntax (Frontend - React)

```
fetch(url, {  
  method: "PUT",  
  headers: {  
    "Content-Type": "application/json"  
  },  
  body: JSON.stringify(data)  
});
```

Example

```
app.put("/api/update/:id", async (req, res) => {  
  const data = await userModel.findByIdAndUpdate(  
    req.params.id,  
    {  
      Name: req.body.name,  
      Email: req.body.mail,  
      Age: req.body.age  
    },  
    { new: true }  
  );  
  if (data) {  
    res.send({ statuscode: 1 });  
  } else {  
    res.send({ statuscode: 0 });  
  }  
});
```

Flag

A flag is a variable used to represent the current state of a program. It is usually a boolean (true or false).

In React, a flag helps decide which action the component should perform.

For example:

flag = false → Add mode

flag = true → Update mode

Syntax of Flag

```
const [flag, setFlag] = useState(false);
```

```
const update = (data) => {
  setname(data.Name);
  setage(data.Age);
  setmail(data.Email);
  setid(data._id);
  setflag(true);
};

const up = async () => {
  const result = await fetch(`http://localhost:9000/api/update/${id}`, {
    method: "PUT",
    headers: {
      "Content-Type": "application/json"
    },
    body: JSON.stringify({ name, age, mail })
  });

  const res = await result.json();

  if (res.statuscode === 1) {
    alert("Data Updated Successfully");

    setname("");
    setage("");
    setmail("");
    setid("");
    setflag(false);

    getdata();
  } else {
    alert("Data not updated");
  }
};
```

```
app.put("/api/update/:id", async (req, res) => {
  const data = await userModel.findByIdAndUpdate({ _id: req.params.id }, {
    $set: {
      Name: req.body.name,
      Email: req.body.mail,
      Age: req.body.age
    }
  });
  if (data) {
    res.send({ statuscode: 1 });
  } else {
    res.send({ statuscode: 0 });
  }
});
```

Data Updated Successfully
 OK

Update User

Name	Age	Email	Actions
ashmeen kaur	22	ab@gmail.com	Delete Update