

TEAM INTERNSHIP PROJECT REPORT

AI-Powered Customer Support & Service Automation

Built on Salesforce CRM with Agentforce AI

Submitted in partial fulfilment of the requirements for
the Virtual Internship Program
Salesforce Certified Administrator with AI Agentforce Specialization
SmartBridge

Submitted By

Team Leader
Aditi Mourya

Team Members
Sonali Singh
Lucky Singh
Ritesh Kumar Gupta

Academic Year: 2025 – 2026

Certificate

This is to certify that the project titled “AI-Powered Customer Support & Service Automation” has been successfully completed as a team project by Aditi Mourya , Sonali Singh, Lucky Singh, and Ritesh Kumar Gupta under the SmartBridge Virtual Internship Program – Salesforce Certified Administrator with AI Agentforce Specialization.

The work embodied in this documentation was carried out collaboratively by the team during the internship period and represents an original effort in the domain of Salesforce CRM customisation and applied Agentforce Generative AI.

This certificate is issued in recognition of the satisfactory completion of the project requirements and the accompanying technical documentation, submitted as part of the SmartBridge Virtual Internship Program.

SmartBridge Program Coordinator / Mentor Signature

Place: Varanasi

Date: _____

Acknowledgement

We, the project team — Aditi Mourya (Team Leader), Sonali Singh, Lucky Singh, and Ritesh Kumar Gupta (Team Members) — would like to express our sincere gratitude to everyone who supported us throughout this project, “AI-Powered Customer Support & Service Automation.”

We are thankful to the mentors and coordinators of the SmartBridge Virtual Internship Program – Salesforce Certified Administrator with AI Agentforce Specialization for the guidance, resources, and structured learning path that made this project possible.

We also thank our respective institutions and faculty members for their continuous encouragement, and the Salesforce Trailhead community for the learning resources that supported our work on custom objects, Flow automation, and Agentforce generative AI.

Aditi Mourya (Team Leader)

Sonali Singh

Lucky Singh

Ritesh Kumar Gupta

Table of Contents

1. Introduction	4
2. Project Overview	4
2.1 Project Information	4
3. Business Problem	5
4. Objectives.....	5
5. Functional Scope	5
5.1 In Scope	5
5.2 Out of Scope	6
6. Business Use Cases	6
7. System Architecture	7
8. Technology Stack.....	8
9. Custom Objects	9
9.1 Customer	9
9.2 Merchandise.....	10
9.3 Orders.....	11
9.4 User Cases	11
10. Data Model.....	13
11. Fields & Relationships	13
12. Validation Rules	13
13. Automation Flows	15
13.1 User Case – V1 (Priority Check).....	15
13.2 User Case Flow – V2 (Case Type Routing)	15
14. Queue Configuration	16
15. Agentforce Setup.....	17
16. AI Components	17
17. Security Configuration	18
18. User Roles.....	18
19. Testing.....	20
20. Deployment.....	20
21. Maintenance, Monitoring & Troubleshooting	21
21.1 Regular System Maintenance	21
21.2 Flow Monitoring	21
21.3 Queue Monitoring	21

21.4 Validation Rule Verification	21
21.5 Agentforce / Prompt Builder Configuration Checks	21
21.6 Common Issues and Resolutions	21
21.7 Performance Optimisation	22
21.8 System Updates	22
21.9 Error Logging.....	22
21.10 Future Maintenance Recommendations.....	22
22. Advantages.....	22
23. Future Scope.....	22
24. Learning Outcomes.....	23
25. Conclusion	23
26. References.....	23

1. Introduction

Customer support teams need to log, prioritise, and resolve customer issues quickly and consistently. Manually managed processes often lead to missing information, inconsistent routing, and delayed resolution.

This project implements a lightweight, Salesforce-native support system built around a custom User Cases object, supported by Customer, Merchandise, and Orders records. Automation (Flow Builder) handles priority checks and queue-based routing, while validation rules protect data quality. A Prompt Builder–driven generative AI template produces a plain-language inspection summary for each case, reducing the manual effort of writing case notes.

This documentation describes the actual configuration built by the team in a Salesforce Developer Edition org: the objects, fields, automation, security, and AI components, together with screenshots captured directly from the working org.

2. Project Overview

The system is delivered as a single Lightning app, “AI-Powered Customer Support,” containing four custom objects — Customer, Merchandise, Orders, and User Cases — along with Reports and Dashboards tabs.




Figure 2.1 – Lightning App with Custom Tabs

The AI-Powered Customer Support app, showing the custom navigation tabs — Customers, Merchandise, Orders, User Cases, Reports, and Dashboards — that make up the working solution.

2.1 Project Information

Attribute	Details
Project Title	AI-Powered Customer Support & Service Automation
Platform	Salesforce CRM (custom objects, Flow Builder, Agentforce Prompt Builder)

Attribute	Details
AI Component	Agentforce Prompt Builder template “MetaDataInspection” (GPT 5 Mini)
Development Environment	Salesforce Developer Edition Org
Internship Program	SmartBridge – Virtual Internship Program (Salesforce Certified Administrator with AI Agentforce Specialization)
Team	Aditi Mourya (Team Leader); Sonali Singh, Lucky Singh, Ritesh Kumar Gupta (Team Members)

3. Business Problem

Manually managed support desks commonly suffer from missing case details, inconsistent prioritisation, and no automatic routing to the right handling team. Writing a clear summary for every case also consumes agent time that could be spent resolving issues.

Problem	Impact
Cases logged without Priority for Damage/Warranty issues	Handling teams cannot judge urgency
No automatic routing to the correct support queue	Cases sit unassigned or are manually redirected
Manual case-note writing for every inspection	Time-consuming and inconsistent in tone/detail

4. Objectives

1. Build a structured data model (Customer, Merchandise, Orders, User Cases) to capture support-relevant information.
2. Enforce mandatory Priority data on Damage and Warranty/Delivery cases using Validation Rules.
3. Automate case handling using Flow Builder — checking priority and routing Damage/Warranty cases to the correct Queue.
4. Use Prompt Builder to automatically generate a professional inspection summary (AI Summary) for each case.
5. Document the system clearly enough for future team members to maintain and extend it.

5. Functional Scope

5.1 In Scope

- Custom objects: Customer, Merchandise, Orders, and User Cases, with the fields shown in Section 9.
- Validation rules enforcing Priority on Damage and Warranty/Delivery cases.
- Two Record-Triggered Flows: a priority-check flow (User Case – V1) and a case-type routing flow (User Case Flow – V2).

- Two Queues — Damage Support Queue and Warranty Support Queue — supporting the User Cases object.
- A Prompt Builder generative AI template (MetaDataInspection) that writes the AI Summary field on a User Case.

5.2 Out of Scope

- Conversational Agentforce chat agent (not implemented — the AI feature is a Prompt Builder field-level generation, not a chat interface).
- Customer-to-Order/Case linkage (Customer object is currently standalone; see Section 23, Future Scope).
- Approval processes, email alerts, and multi-tier profile/permission-set security.
- External system integrations and payment processing.

6. Business Use Cases

ID	Title	Description
UC-01	Log a new User Case	A team member creates a User Case record with Priority, Issue Category, Order, and Product details.
UC-02	Enforce Priority on Damage/Warranty cases	Validation rules block saving a Damage or Warranty/Delivery case if Priority is blank.
UC-03	Automatic queue routing	The User Case Flow – V2 checks the case type and routes Damage cases to the Damage Support Queue and Warranty cases to the Warranty Support Queue.
UC-04	High-priority record update	The User Case – V1 flow checks whether a new case is high priority and updates the record accordingly.
UC-05	AI-generated inspection summary	A user clicks the generate icon on the AI Summary field; the MetaDataInspection prompt template produces a written summary of the case.

7. System Architecture

The solution is built entirely from Salesforce declarative components: custom objects for data, Flows and Validation Rules for automation and data quality, Queues for work distribution, and a Prompt Builder template for AI-generated summaries — all accessed through one Lightning app.




Figure 7.1 – Salesforce Setup Home

The Setup Home page of the Developer Edition org used to build and configure this project, confirming the working environment for all configuration described in this document.




Figure 7.2 – Solution Architecture

Custom tabs feed the four custom objects; Flows and Validation Rules act on User Cases records; routing pushes records into the two support Queues; and the Prompt Builder template reads case data to write back an AI Summary.

8. Technology Stack

Category	Technology	Purpose
CRM Platform	Salesforce (Developer Edition)	Hosts all custom objects and automation
Automation	Flow Builder (Record-Triggered Flows)	Priority checks and queue-based routing
Data Quality	Validation Rules	Mandatory Priority enforcement
Generative AI	Prompt Builder (Standard prompt template, GPT 5 Mini)	Generates the AI Summary field on User Cases
Work Distribution	Queues	Damage Support Queue and Warranty Support Queue
UI	Lightning App, custom Tabs	Customers, Merchandise, Orders, User Cases, Reports, Dashboards

9. Custom Objects

Four custom objects form the data foundation of the project. Each was created and configured directly in Object Manager.

9.1 Customer




Figure 9.1 – Customer Object Details

The Customer object detail page, confirming it is a custom, deployed object with Reports, Activity Tracking, and Field History Tracking enabled.





Figure 9.2 – Customers Custom Tab

The custom “Customers” tab created for the Customer object, giving users direct navigation to customer records from the app.




FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Customer Name	Name	Text(80)		✓
Customer Name	Customer_Name__c	Text(255)		
Customer Type	Customer_Type__c	Picklist		
Email	Email__c	Email		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Phone	Phone__c	Phone		

Figure 9.3 – Customer Fields & Relationships

Fields captured on the Customer object: Customer Name, Customer Type (picklist), Email, and Phone.

Field Label	API Name	Data Type
Customer Name	Customer_Name__c	Text (255)
Customer Type	Customer_Type__c	Picklist
Email	Email__c	Email
Phone	Phone__c	Phone

9.2 Merchandise



FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Active	Active__c	Checkbox		
Category	Category__c	Picklist		
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Merchandise Name	Name	Text(80)		✓
Owner	OwnerId	Lookup(User,Group)		✓
Product Code	Product_Code__c	Text(50)		
Product Name	Product_Name__c	Text(255)		
Warranty (Months)	Warranty_Months__c	Number(3, 0)		


Figure 9.4 – Merchandise Fields & Relationships

Fields captured on the Merchandise object, representing the product catalogue referenced by both Orders and User Cases.

Field Label	API Name	Data Type
Product Name	Product_Name__c	Text (255)

Field Label	API Name	Data Type
Product Code	Product_Code__c	Text (50)
Category	Category__c	Picklist
Active	Active__c	Checkbox
Warranty (Months)	Warranty_Months__c	Number (3,0)

9.3 Orders




FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Order Date	Order_Date__c	Date		
Order Number	Order_Number__c	Auto Number		
Orders Name	Name	Text(80)		✓
Owner	OwnerId	Lookup(User,Group)		✓
Product	Product__c	Lookup(Merchandise)		✓
Status	Status__c	Picklist		

Figure 9.5 – Orders Fields & Relationships

Fields captured on the Orders object. The Product field is a lookup to Merchandise, linking each order to the item purchased.

Field Label	API Name	Data Type
Order Number	Order_Number__c	Auto Number
Order Date	Order_Date__c	Date
Product	Product__c	Lookup (Merchandise)
Status	Status__c	Picklist

9.4 User Cases



FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
AI Summary	AI_Summary__c	Long Text Area(32768)		
Created By	CreatedById	Lookup(User)		
Issue Category	Issue_Category__c	Picklist		
Last Modified By	LastModifiedById	Lookup(User)		
Order	Order__c	Lookup(Merchandise)		✓
Owner	OwnerId	Lookup(User,Group)		✓
Priority	Priority__c	Picklist		
Product	Product__c	Lookup(Merchandise)		✓
Status	Status__c	Picklist		
User Cases Name	Name	Text(80)		

Figure 9.6 – User Cases Fields & Relationships

The full field list on the User Cases object, including the AI Summary long text field and two Merchandise lookups (Order and Product).

Field Label	API Name	Data Type
User Cases Name	Name	Text (80)
Priority	Priority__c	Picklist
Issue Category	Issue_Category__c	Picklist
Status	Status__c	Picklist
Order	Order__c	Lookup (Merchandise)
Product	Product__c	Lookup (Merchandise)
AI Summary	AI_Summary__c	Long Text Area (32,768)




Figure 9.7 – User Case Record Page

A sample “Test User Case” record showing the Priority, Issue Category, and AI Summary fields as they appear to end users, with the generate-summary icon next to AI Summary.

10. Data Model

The data model is intentionally simple: Merchandise acts as shared reference data for both Orders and User Cases, while Customer is currently maintained as an independent object.




Figure 10.1 – Entity-Relationship Diagram

Merchandise is referenced by Orders (Product field) and by User Cases (both the Order and Product lookup fields point to Merchandise). Customer currently has no lookup relationship to the other objects.

11. Fields & Relationships

This section summarises how the custom objects relate to one another through lookup fields, building on the individual field lists presented in Section 9.

Relationship	Type	Notes
Orders → Merchandise	Lookup (Product__c)	Each order references the merchandise item purchased.
User Cases → Merchandise (Order field)	Lookup (Order__c)	Links a case to the relevant merchandise/order context.
User Cases → Merchandise (Product field)	Lookup (Product__c)	Links a case to the specific product involved in the issue.
Customer	Standalone (no lookup yet)	Not yet linked to Orders or User Cases; identified as a future enhancement (Section 23).

12. Validation Rules

Two validation rules on User Cases ensure Priority is always captured for the case types where it matters most.




Figure 12.1 – Validation Rules on User Cases

Both active validation rules on the User Cases object, shown with their error location and error message.

Rule Name	Error Location	Error Message
Damage_Requires_Priority	Priority	Priority is mandatory for Damage cases.
Warranty_Delivery_Requires_Priority	Top of Page	Priority is mandatory for Warranty and Delivery cases.

13. Automation Flows

Two Record-Triggered Flows automate the handling of User Cases.

13.1 User Case – V1 (Priority Check)




Figure 13.1 – User Case – V1 Flow

This flow triggers when a User Case is created, evaluates the “Is High Priority” decision, and updates the record accordingly via the Update Records 1 element.

Trigger: record created on User Cases. Decision “Is High Priority” branches to Update Records 1 (updates the case) on one outcome, or ends directly on the default outcome.

13.2 User Case Flow – V2 (Case Type Routing)




Figure 13.2 – User Case Flow – V2

This flow triggers on create or update of a User Case, assigns an initial value (Case S1), then uses the “Check Case Type” decision to fetch the matching queue and update the case record for Damage or Warranty cases.

Trigger: record created or updated on User Cases. Sequence: Assignment (Case S1) → Decision “Check Case Type” → for Damage Case: Get Damage Queue (Get Records) → Damage record (Update Records) → End; for Warranty Case: Get Warranty Queue (Get Records) → Update Warranty (Update Records) → End; Default Outcome ends the flow without changes.

14. Queue Configuration

Two queues receive routed User Cases records from the V2 flow described above.




Figure 14.1 – Queues Setup

The Damage Support Queue and Warranty Support Queue, both configured to support the User Cases object.

Queue Label	Queue Name (API)	Supported Object
Damage Support Queue	Damage_Support_Queue	User Cases
Warranty Support Queue	Warranty_Support_Queue	User Cases

15. Agentforce Setup

Rather than a conversational chat agent, the team used Salesforce's Prompt Builder — part of the Agentforce/Einstein generative-AI toolset — to build a field-level generative AI template named MetaDataInspection.




Figure 15.1 – Prompt Builder – MetaDataInspection Template

The active Version 1 prompt template, configured with the Standard model type and the GPT 5 Mini model, grounded on three merge fields from User_Cases__c: Name, CreatedDate, and Status__c.

Attribute	Configuration
Template Name	MetaDataInspection
Model Type	Standard
Model	GPT 5 Mini
Grounding Fields	User_Cases__c.Name, User_Cases__c.CreatedDate, User_Cases__c.Status__c
Prompt Instructions	Generate a clear, professional inspection summary explaining the inspection status, inspection date, and key observations, in language suitable for business users.
Output Destination	AI_Summary__c field on the User Case record

16. AI Components

The generative AI capability in this project is delivered entirely through the AI Summary field and its linked Prompt Builder template.




Figure 16.1 – AI Summary Custom Field

The AI Summary field (AI_Summary__c), a Long Text Area configured to hold the generated inspection summary text on each User Case record.

On the record page, a generate icon next to the AI Summary field (visible in Figure 9.7 in Section 9.4) invokes the MetaDataInspection prompt template, sending the case's Name, Created Date, and Status to the GPT 5 Mini model and writing the returned summary back into AI_Summary__c.

- Reduces manual effort in writing consistent, professional case summaries.
- Keeps the AI grounded strictly in the case's own field values, avoiding fabricated details.
- Runs on demand from the record page rather than automatically on every save, giving users control over when a summary is generated.

17. Security Configuration

As a small internship team project built in a single Developer Edition org, security configuration was kept intentionally simple. All configuration and data shown in this document was created under the System Administrator profile, which has full access to the custom objects, fields, flows, and the Prompt Builder template.

- Object- and field-level access for Customer, Merchandise, Orders, and User Cases currently follows the default System Administrator profile used by the team during development.
- Field History Tracking is enabled on the Customer object to maintain a change audit trail.
- Expanding to dedicated profiles, permission sets, and role-based sharing is identified as a future enhancement (Section 23) once the solution moves beyond a single development org.

18. User Roles

Rather than distinct Salesforce security roles, the team divided responsibilities functionally across the project.

Team Member	Role	Responsibilities
Aditi Mourya	Team Leader / Org Administrator	Object and field design, Validation Rules, Flow Builder automation, Prompt Builder configuration, and overall solution ownership.
Sonali Singh	Team Member / Documentation & Testing	Test-case execution, documentation, and quality review of the working configuration.
Lucky Singh	Team Member / Configuration Support	Supporting object/field setup, queue configuration, and validation of automation outcomes.

19. Testing

Testing was performed manually in the Developer Edition org using sample data, covering validation rules, both flows, and the AI summary generation.

ID	Test Scenario	Expected Result	Status
TC-01	Save Damage case without Priority	Damage_Requires_Priority fires; save is blocked.	Pass
TC-02	Save Warranty/Delivery case without Priority	Warranty_Delivery_Requires_Priority fires; save is blocked.	Pass
TC-03	Save Damage case with Priority set	Record saves successfully.	Pass
TC-04	Create a new User Case (V1 flow)	“Is High Priority” decision evaluates and Update Records 1 runs as expected.	Pass
TC-05	Create/update a Damage-type case (V2 flow)	Get Damage Queue retrieves the queue and the case is updated via Damage record.	Pass
TC-06	Create/update a Warranty-type case (V2 flow)	Get Warranty Queue retrieves the queue and the case is updated via Update Warranty.	Pass
TC-07	Generate AI Summary on a case	MetaDataInspection prompt returns a written summary that populates AI_Summary__c.	Pass
TC-08	View Customer, Merchandise, Orders tabs	Each custom tab opens its respective object list view correctly.	Pass

20. Deployment

The project was built and demonstrated in a single Salesforce Developer Edition org. For a production rollout, the team would follow this path:

- Retrieve metadata (objects, fields, flows, validation rules, queues, prompt template) using Salesforce CLI or Change Sets.
- Deploy to a Sandbox for team review and re-run the test cases in Section 19.
- Deploy to Production during a low-traffic window and activate both flows.
- Re-verify the Prompt Builder template and grounding fields after deployment, as generative AI configuration can require re-activation in the target org.

21. Maintenance, Monitoring & Troubleshooting

Keeping the system reliable after go-live requires regular checks across automation, data quality, queues, and the AI component, alongside a clear process for resolving issues when they arise.

21.1 Regular System Maintenance

- Periodically review custom object schema (Customer, Merchandise, Orders, User Cases) for unused fields or picklist values that need cleanup.
- Check Storage and API usage limits in Setup to ensure the org stays within Developer Edition thresholds as data volume grows.

21.2 Flow Monitoring

- Review Flow run history for User Case – V1 and User Case Flow – V2 to confirm they are completing without errors.
- Watch for paused or faulted flow interviews, which typically indicate a missing record or a changed field reference.

21.3 Queue Monitoring

- Check the Damage Support Queue and Warranty Support Queue regularly to confirm cases are being routed and picked up promptly.
- Investigate if cases accumulate in a queue without being actioned, as this may indicate a staffing gap or a broken routing condition.

21.4 Validation Rule Verification

- Periodically re-test Damage_Requires_Priority and Warranty_Delivery_Requires_Priority after any changes to the User Cases page layout or picklist values.
- Confirm error messages still display clearly to end users after any UI changes.

21.5 Agentforce / Prompt Builder Configuration Checks

- Confirm the MetaDataInspection prompt template remains Active and that its grounding fields (Name, CreatedDate, Status__c) still exist and are populated.
- Periodically review generated AI Summary text for accuracy and tone, adjusting prompt instructions if outputs drift.

21.6 Common Issues and Resolutions

Symptom	Likely Cause	Resolution
Case save blocked unexpectedly	Priority left blank on a Damage or Warranty/Delivery case.	Populate Priority before saving, per the validation rule message.
Case not routed to a queue	User Case Flow – V2 is inactive, or Issue Category does not match a Damage/Warranty branch.	Check the flow's Active status and confirm the case's category value.

Symptom	Likely Cause	Resolution
AI Summary not generating	Prompt template inactive, or required grounding fields are blank.	Confirm the MetaDataInspection template is Active and the case has the required field values.
Queue not found by flow	Queue was renamed or deleted after the flow was built.	Verify Damage_Support_Queue / Warranty_Support_Queue still exist under Setup > Queues.

21.7 Performance Optimisation

- Keep Record-Triggered Flows bulk-safe so they continue to perform well if case volume increases or records are loaded in batches.
- Avoid unnecessary Get Records calls inside flows; cache queue IDs where possible to reduce processing time.

21.8 System Updates

- Review Salesforce seasonal release notes for changes affecting Flow Builder, Validation Rules, or Prompt Builder before each release window.
- Re-test the two flows and both validation rules after major org updates or seasonal releases.

21.9 Error Logging

- Use Flow Fault paths and debug logs to capture and review any automation failures rather than relying on user-reported issues alone.
- Maintain a simple issue log (spreadsheet or Salesforce list view) recording date, symptom, cause, and resolution for recurring reference.

21.10 Future Maintenance Recommendations

- Assign a rotating “admin of the week” from the team to review flow health and queue backlogs.
- Introduce scheduled reports on case ageing per queue once Reports and Dashboards are built out (Section 23).

22. Advantages

- Reduces manual effort in categorising and routing Damage and Warranty support cases.
- Improves data quality through validation rules that make Priority mandatory where it matters most.
- Saves agent time by generating a professional case summary automatically via Prompt Builder.
- Fully declarative — maintainable by an administrator without writing code.

23. Future Scope

- Link the Customer object to Orders and User Cases so a full customer history can be viewed on one record.

- Extend the AI layer from a single Prompt Builder field to a conversational Agentforce agent for self-service.
- Introduce dedicated Profiles, Permission Sets, and Sharing Rules as the team grows beyond a single Developer org.
- Add Email Alerts to notify queue members automatically when a case is routed to them.
- Build Reports and Dashboards summarising case volume by category, priority, and queue.

24. Learning Outcomes

- Hands-on experience designing custom Salesforce objects and lookup relationships.
- Practical skill in writing Validation Rule formulas tied to real business conditions.
- Experience building Record-Triggered Flows for decision-based automation and queue routing.
- Direct exposure to Prompt Builder — configuring grounding fields, model selection, and prompt instructions for a generative AI feature.
- Improved teamwork and documentation practices while collaborating on a shared Salesforce org.

25. Conclusion

The AI-Powered Customer Support & Service Automation project demonstrates how a small team can use Salesforce's declarative tools — custom objects, Validation Rules, Flow Builder, Queues, and Prompt Builder — to build a working, AI-assisted support system without writing code.

The solution automates priority validation and case routing for Damage and Warranty cases, and uses a grounded generative AI template to produce professional case summaries. It provides a solid, extensible foundation for the enhancements outlined in Section 23 as the project matures beyond its internship scope.

26. References

- Salesforce Help Documentation — help.salesforce.com
- Salesforce Trailhead — trailhead.salesforce.com (Flow Builder, Validation Rules, and Prompt Builder modules)
- Salesforce Developer Documentation — developer.salesforce.com
- SmartBridge Virtual Internship Program – Salesforce Certified Administrator with AI Agentforce Specialization, course materials