```
mysql> \h

For information about MySQL products and services, visit:
http://www.mysql.com/
For developer information, including the MySQL Reference Manual, visit:
http://dev.mysql.com/
To buy MySQL Enterprise support, training, or other products, visit:
https://shop.mysql.com/

List of all MySQL commands:
Note that all text commands must be first on line and end with ';'
? (\?) Synonym for `help'.
clear (\c) Clear the current input statement.
connect (\r) Reconnect to the server. Optional arguments are db and host.
delimiter (\d) Set statement delimiter.
edit (\e) Edit command with $EDITOR.
ego (\G) Send command to mysql server, display result vertically.
exit (\q) Exit mysql. Same as quit.
go (\g) Send command to mysql server.
help (\h) Display this help.
nopager (\n) Disable pager, print to stdout.
notee (\t) Don't write into outfile.
pager (\P) Set PAGER [to_pager]. Print the query results via PAGER.
print (\p) Print current command.
prompt (\R) Change your mysql prompt.
quit (\q) Quit mysql.
rehash (\#) Rebuild completion hash.
source (\.) Execute an SQL script file. Takes a file name as an argument.
status (\s) Get status information from the server.
system (\!) Execute a system shell command.
tee (\T) Set outfile [to_outfile]. Append everything into given outfile.
use (\u) Use another database. Takes database name as argument.
charset (\C) Switch to another charset. Might be needed for processing binlog with multi-byte charsets.
warnings (\W) Show warnings after every statement.
nowarning (\w) Don't show warnings after every statement.
resetconnection(\x) Clean session context.
query_attributes Sets string parameters (name1 value1 name2 value2 ...) for the next query to pick up.
ssl_session_data_print Serializes the current SSL session data to stdout or file

For server side help, type 'help contents'
```

This course is uploaded by @coding_discussion2

This course is uploaded by @hmaracollege

```
mysql> \c
mysql> show databases;
+--------------------+
| Database |
+--------------------+
| e_learn_batch |
| information_schema |
| mysql |
| performance_schema |
| sys |
+--------------------+
5 rows in set (0.00 sec)

mysql> create database jb2404
-> ;
Query OK, 1 row affected (0.00 sec)

mysql> show databases;
+--------------------+
| Database |
+--------------------+
| e_learn_batch |
| information_schema |
| jb2404 |
| mysql |
| performance_schema |
| sys |
+--------------------+
6 rows in set (0.00 sec)

mysql> use database jb2404;
ERROR 1049 (42000): Unknown database 'database'
mysql> use jb2404;
Database changed
mysql> create table users(user_id int primary key, name varchar(100), city varchar(50) not null , salary int );
Query OK, 0 rows affected (0.01 sec)

mysql> desc users;
+---------+--------------+------+-----+---------+-------+
| Field | Type | Null | Key | Default | Extra |
+---------+--------------+------+-----+---------+-------+
| user_id | int | NO | PRI | NULL | |
| name | varchar(100) | YES | | NULL | |
| city | varchar(50) | NO | | NULL | |
| salary | int | YES | | NULL | |
+---------+--------------+------+-----+---------+-------+
4 rows in set (0.01 sec)
```

This course is uploaded by @hmaracollege

```
mysql> insert into users(user_id,name,city,salary) values(1101,'Vivek Ashok','Delhi',50000);
Query OK, 1 row affected (0.00 sec)

mysql> insert into users(user_id,name,city,salary) values(1102,'Ankit','Kanpur',50000);
Query OK, 1 row affected (0.00 sec)

mysql> insert into users values(1100,'Pankaj','Lucknow',34000);
Query OK, 1 row affected (0.00 sec)

mysql> select * from users;
+---------+-------------+--------+--------+
| user_id | name | city | salary |
+---------+-------------+--------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+-------------+--------+--------+
3 rows in set (0.00 sec)

mysql> insert into users value (5503,'Subham',);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ')' at line 1
mysql> insert into users value (5503,'Subham','Banglore',1231);
Query OK, 1 row affected (0.00 sec)

mysql> select * from users;
+---------+-------------+----------+--------+
| user_id | name | city | salary |
+---------+-------------+----------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 5503 | Subham | Banglore | 1231 |
+---------+-------------+----------+--------+
4 rows in set (0.01 sec)

mysql> select * from users where salary = 50000;
+---------+-------------+--------+--------+
| user_id | name | city | salary |
+---------+-------------+--------+--------+
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+-------------+--------+--------+
2 rows in set (0.00 sec)
```

This course is uploaded by @hmaracollege

This course is uploaded by @hmaracollege

```
mysql> select * from users where salary > = 50000;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '= 50000' at line 1
mysql> select * from users where salary > = 49000;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '= 49000' at line 1
mysql> select * from users where salary > 49000;
+---------+-------------+--------+--------+
| user_id | name | city | salary |
+---------+-------------+--------+--------+
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+-------------+--------+--------+
2 rows in set (0.00 sec)

mysql> select * from users where salary > 10000;
+---------+-------------+---------+--------+
| user_id | name | city | salary |
+---------+-------------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+-------------+---------+--------+
3 rows in set (0.00 sec)

mysql> select * from users where salary = 5000 and city ='Delhi'
-> ;
Empty set (0.00 sec)

mysql> select * from users where salary = 50000 and city ='Delhi'
-> ;
+---------+-------------+-------+--------+
| user_id | name | city | salary |
+---------+-------------+-------+--------+
| 1101 | Vivek Ashok | Delhi | 50000 |
+---------+-------------+-------+--------+
1 row in set (0.00 sec)

mysql> select * from users where salary = 50000 or city ='Delhi'
-> ;
+---------+-------------+--------+--------+
| user_id | name | city | salary |
+---------+-------------+--------+--------+
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+-------------+--------+--------+
2 rows in set (0.00 sec)
```

This course is uploaded by @hmaracollege

```
mysql> select name , city from users;
+------------+----------+
| name | city |
+------------+----------+
| Pankaj | Lucknow |
| Vivek Ashok | Delhi |
| Ankit | Kanpur |
| Subham | Banglore |
+------------+----------+
4 rows in set (0.00 sec)

mysql> select * from users;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 5503 | Subham | Banglore | 1231 |
+---------+------------+----------+--------+
4 rows in set (0.01 sec)

mysql> select * from users where city IN ('Lucknow','Delhi','Kanpur');
+---------+------------+---------+--------+
| user_id | name | city | salary |
+---------+------------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+------------+---------+--------+
3 rows in set (0.00 sec)

mysql> select * from users where salary BETWEEN 34000 AND 60000;
+---------+------------+---------+--------+
| user_id | name | city | salary |
+---------+------------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+------------+---------+--------+
3 rows in set (0.00 sec)

mysql> select * from users where salary BETWEEN 34000 AND 50000;
+---------+------------+---------+--------+
| user_id | name | city | salary |
+---------+------------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+------------+---------+--------+
3 rows in set (0.00 sec)
```

This course is uploaded by
@coding_discussion2

```
mysql> insert into users values (1414,'Abhinav','Lucknow',252555);
Query OK, 1 row affected (0.01 sec)

mysql> insert into users values (1414,'Abhishek','Lucknow',252555);
ERROR 1062 (23000): Duplicate entry '1414' for key 'users.PRIMARY'
mysql> insert into users values (1415,'Abhishek','Lucknow',252555);
Query OK, 1 row affected (0.00 sec)

mysql> select * from users;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 5503 | Subham | Banglore | 1231 |
+---------+------------+----------+--------+
6 rows in set (0.00 sec)

mysql> select * from users where name LIKE 'Ab%';
+---------+----------+---------+--------+
| user_id | name | city | salary |
+---------+----------+---------+--------+
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+----------+---------+--------+
2 rows in set (0.01 sec)

mysql> select * from users where name LIKE '%k';
+---------+------------+---------+--------+
| user_id | name | city | salary |
+---------+------------+---------+--------+
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+------------+---------+--------+
2 rows in set (0.00 sec)

mysql> select * from users where city LIKE '_u%';
+---------+----------+---------+--------+
| user_id | name | city | salary |
+---------+----------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+----------+---------+--------+
3 rows in set (0.00 sec)
```

```
mysql> select * from users where city LIKE '_U%';
+---------+---------+---------+--------+
| user_id | name | city | salary |
+---------+---------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+---------+---------+--------+
3 rows in set (0.00 sec)

mysql> select * from users where city LIKE '_U%';
+---------+---------+---------+--------+
| user_id | name | city | salary |
+---------+---------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+---------+---------+--------+
3 rows in set (0.00 sec)

mysql> select * from usres;
ERROR 1146 (42S02): Table 'jb2404.usres' doesn't exist
mysql> select * from users;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 5503 | Subham | Banglore | 1231 |
+---------+------------+----------+--------+
6 rows in set (0.00 sec)

mysql> select * from users ORDER BY name ASC;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 1102 | Ankit | Kanpur | 50000 |
| 1100 | Pankaj | Lucknow | 34000 |
| 5503 | Subham | Banglore | 1231 |
| 1101 | Vivek Ashok | Delhi | 50000 |
+---------+------------+----------+--------+
6 rows in set (0.00 sec)
```

```
mysql> select * from users ORDER BY name DESC;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1101 | Vivek Ashok | Delhi | 50000 |
| 5503 | Subham | Banglore | 1231 |
| 1100 | Pankaj | Lucknow | 34000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1415 | Abhishek | Lucknow | 252555 |
| 1414 | Abhinav | Lucknow | 252555 |
+---------+------------+----------+--------+
6 rows in set (0.00 sec)

mysql> select * from users ORDER BY salary asc;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 5503 | Subham | Banglore | 1231 |
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+------------+----------+--------+
6 rows in set (0.01 sec)

mysql> select * from users ORDER BY salary desc
-> ;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1100 | Pankaj | Lucknow | 34000 |
| 5503 | Subham | Banglore | 1231 |
+---------+------------+----------+--------+
6 rows in set (0.01 sec)
```

```
mysql> select * from users ORDER BY salary desc asc;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'asc' at line 1
mysql> select * from users ORDER BY salary desc name asc;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'name asc' at line 1
mysql> select * from users ORDER BY salary desc ,name asc;
+---------+-------------+----------+--------+
| user_id | name | city | salary |
+---------+-------------+----------+--------+
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 1102 | Ankit | Kanpur | 50000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1100 | Pankaj | Lucknow | 34000 |
| 5503 | Subham | Banglore | 1231 |
+---------+-------------+----------+--------+
6 rows in set (0.00 sec)

mysql> select * from users ORDER BY salary desc ,name desc;
+---------+-------------+----------+--------+
| user_id | name | city | salary |
+---------+-------------+----------+--------+
| 1415 | Abhishek | Lucknow | 252555 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1100 | Pankaj | Lucknow | 34000 |
| 5503 | Subham | Banglore | 1231 |
+---------+-------------+----------+--------+
6 rows in set (0.01 sec)

mysql> select * from users;
+---------+-------------+----------+--------+
| user_id | name | city | salary |
+---------+-------------+----------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 5503 | Subham | Banglore | 1231 |
+---------+-------------+----------+--------+
6 rows in set (0.00 sec)
```

This course is uploaded by @hmaracollege

This course is uploaded by @hmaracollege

```
mysql> select * from users LIMIT 3;
+---------+------------+---------+--------+
| user_id | name | city | salary |
+---------+------------+---------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
+---------+------------+---------+--------+
3 rows in set (0.00 sec)

mysql> select * from users;
+---------+------------+----------+--------+
| user_id | name | city | salary |
+---------+------------+----------+--------+
| 1100 | Pankaj | Lucknow | 34000 |
| 1101 | Vivek Ashok | Delhi | 50000 |
| 1102 | Ankit | Kanpur | 50000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
| 5503 | Subham | Banglore | 1231 |
+---------+------------+----------+--------+
6 rows in set (0.01 sec)

mysql> select * from users LIMIT 3 OFFSET 2;
+---------+----------+---------+--------+
| user_id | name | city | salary |
+---------+----------+---------+--------+
| 1102 | Ankit | Kanpur | 50000 |
| 1414 | Abhinav | Lucknow | 252555 |
| 1415 | Abhishek | Lucknow | 252555 |
+---------+----------+---------+--------+
3 rows in set (0.00 sec)

mysql>
```