

EXPERIMENT NO.5

Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>TO DO LIST</title>
</head>
<body>
  <label for="task"> Task </label>
  <input type="text" name="task" id="task" placeholder="Enter your task">
  <button onclick="addTask()">Add task</button>

  <table border ="1" align="center" style="margin-top: 20px;">
    <thead>
      <tr>
        <th>Sr. No.</th>
        <th>Task Name</th>
        <th>Date</th>

      </tr>
    </thead>

    <tbody id="taskList">
    </tbody>
  </table>
  <script src="script.js"></script>
</body>
</html>
```

script.ts:

```
function addTask(){
  let taskinput = document.getElementById("task") as HTMLInputElement;
  let task = taskinput.value;
```

```

let date = new Date().toLocaleDateString();
let tasks = JSON.parse(localStorage.getItem("tasks") || "[]");
if(task.trim() === " "){
    alert("Please enter a task.");
    return;
}
else{
    tasks.push(
        {
            task:task,
            date:date
        });
}
localStorage.setItem("tasks",JSON.stringify(tasks));
taskinput.value = "";
displayTasks();
}

function displayTasks(){
    let taskList = document.getElementById("taskList") as HTMLTableSectionElement;
    taskList.innerHTML = " ";
    let tasks = JSON.parse(localStorage.getItem("tasks") || "[]");

    //Display tasks using loop
    for(let i=0;i<tasks.length;i++)
    {
        let row=taskList.insertRow();
        let cell1 = row.insertCell(0);
        let cell2 = row.insertCell(1);
        let cell3 = row.insertCell(2);

        cell1.innerText = (i+1).toString();
        cell2.innerText = tasks[i].task;
        cell3.innerText = tasks[i].date;
    }
}

//display saved tasks when page loads
displayTasks();

```

OUTPUT:

Task

Sr. No.	Task Name	Date
1	meditation	7/9/2026
2	badminton	7/9/2026
3	study	7/9/2026
4	eat	7/9/2026
5	read book	7/9/2026
6	watch movie	7/9/2026
7	coding	7/9/2026
8	soft skill	7/9/2026
9	fitness	7/9/2026