

RSLogix Micro Project Report



Processor Information

Processor Type: Bul.1763 MicroLogix 1100 Series B

Processor Name: PROC1

Total Memory Used: 995 Instruction Words Used - 164 Data Table Words Used

Total Memory Left: 5661 Instruction Words Left

Program Files: 11

Data Files: 10

Program ID: 3f47

I/O Configuration

0	Bul.1763	MicroLogix 1100 Series B
1	1762-IF2OF2	Analog 2 Chan. Input, 2 Chan. Output
2	1762-OA8	8-Output 120/240 VAC
3		
4		

Channel Configuration

CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex

CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex Edit Resource/Owner Timeout: 60
CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex Passthru Link ID: 1
CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex Write Protected: No
CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex Comms Servicing Selection: Yes
CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex Message Servicing Selection: Yes
CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex 1st AWA Append Character: \d
CHANNEL 0 (SYSTEM) - Driver: DF1 Full Duplex 2nd AWA Append Character: \a

Source ID: 1 (decimal)
Baud: 19200
Parity: NONE
Control Line : No Handshaking
Error Detection: CRC
Embedded Responses: Auto Detect
Duplicate Packet Detect: Yes
ACK Timeout(x20 ms): 50
NAK Retries: 3
ENQ Retries: 3

CHANNEL 1 (SYSTEM) - Driver: Ethernet

CHANNEL 1 (SYSTEM) - Driver: Ethernet Edit Resource/Owner Timeout: 60
CHANNEL 1 (SYSTEM) - Driver: Ethernet Passthru Link ID: 1
CHANNEL 1 (SYSTEM) - Driver: Ethernet Write Protected: No
CHANNEL 1 (SYSTEM) - Driver: Ethernet Comms Servicing Selection: Yes
CHANNEL 1 (SYSTEM) - Driver: Ethernet Message Servicing Selection: Yes


Hardware Address: 00:00:00:00:00:00
IP Address: 0.0.0.0
Subnet Mask: 0.0.0.0
Gateway Address: 0.0.0.0
Msg Connection Timeout (x 1mS): 15000
Msg Reply Timeout (x mS): 3000
Inactivity Timeout (x Min): 30
Bootp Enable: Yes
Dhcp Enable No
SNMP Enable: No
HTTP Enable: Yes
Auto Negotiate Enable: Yes
Port Speed Enable: 10/100 Mbps Full Duplex/Half Duplex
Contact:
Location:


Program File List


Name	Number	Type	Rungs	Debug	Bytes
[SYSTEM]	0	SYS	0	No	0
	1	SYS	0	No	0
MAIN	2	LADDER	11	No	226
I / O	3	LADDER	27	No	744
MODE CTRL	4	LADDER	9	No	635
SNS IN CTR	5	LADDER	6	No	113
SIMULATION	6	LADDER	39	No	2034
DEVICE CTR	7	LADDER	6	No	218
CYCLE RST	8	LADDER	2	No	194
HOURLMETER	9	LADDER	8	No	348
ALARMS	10	LADDER	21	No	754


Data File List


Name	Number	Type	Scope	Debug	Words	Elements	Last
OUTPUT	0	O	Global	No	21	7	O:6
INPUT	1	I	Global	No	36	12	I:11
STATUS	2	S	Global	No	0	66	S:65
BINARY	3	B	Global	No	11	11	B3:10
TIMER	4	T	Global	No	63	21	T4:20
COUNTER	5	C	Global	No	3	1	C5:0
CONTROL	6	R	Global	No	3	1	R6:0
INTEGER	7	N	Global	No	23	23	N7:22
FLOAT	8	F	Global	No	2	1	F8:0
LONGINT	9	L	Global	No	2	1	L9:0























0002







0007

Infeed Coonveyor and Bottle Moving Logic

System_Mode
0 = OFF 1= TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5= CYC.R



Fill_Mode
0 = Incomplete
1 = Complete

ONS42

B3:2



ONS

12



System_Mode
0 = OFF 1= TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5= CYC.R

Capping_Mode
0 = Incomplete
1 = Complete





System_Mode
0 = OFF 1= TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5= CYC.R

Cap_Applied

B3:3

7

Sorting_Mode
0 = Incomplete
1 = Complete




Bottle_Positioned


B3:2


13


0008


<END>











0011

FILL VALVE INTRUPT CONTROL LOGICLeak_Bottle_Fault_
AlarmB3:8
3System_Mode
0 = OFF 1 = TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5 = CYC.R

EQU

Equal	N7:0
Source A	0<
Source B	2<

FillLevel_In

GEQ

Grtr Than or Eql (A>=B)	F8:0
Source A	0.0<
Source B	N7:21
	0<

ONS21

B3:6
ONS
4Fill_Mode
0 = Incomplete
1 = Complete


EQU


Equal	N7:3
Source A	0<
Source B	0
	0<


Leak_Bottle_Fault_
AlarmB3:8
3FillValve_Intrpt_Ctr
1B3:1
7Fill_Mode
0 = Incomplete
1 = Complete


MOV

Move	1
Source	1<
Dest	N7:3
	0<









0023

CAP PRESS MOVEMENT INTRUPT CONTROL LOGIC

System_Mode
0 = OFF 1= TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5= CYC.R

Cap_Operation_Done

CapPress_Home_In

ONS31

EQU
Equal
Source A N7:0
0<
Source B 3
3<

B3:3
8B3:0
8B3:6
12
ONS

Capping_ArmRetract_
Jam_Alarm_Delay

T4:15
DN

Capping_Complete_Arm
Jam_Alarm_Delay

T4:16
DN


System_Mode
0 = OFF 1= TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5= CYC.R

EQU
Equal
Source A N7:0
0<
Source B 5
5<


CapPress_Intrpt_Ctrl


B3:1
1

0024



0025





REJECT PUSHER OPERATION DONE LOGIC

System_Mode
0 = OFF 1= TRANSIT
2 = FILL 3 = CAPPING
4 = SORTING 5= CYC.R

Reject_Pusher_Picked_Bottle

Reject_Pusher_Position

ONS38

EQU
Equal
Source A N7:0
0<
4
Source B
4<

B3:5
2

EQU
Equal
Source A N7:9
0<
0
Source B
0<

B3:5
ONS
15

Moving_Reject_Pusher_Inrupt

B3:5
8

Reject_Pusher_Picked_Bottle

B3:5
2

Reject_Push_Done

B3:5
3


Bottles_Rejected


ADD
Add
Source A N7:11
0<
1
Source B
1<
Dest N7:11
0<


Sorting_Mode
0 = Incomplete
1 = Complete


MOV
Move
Source 1
1<
Dest N7:5
0<


0032
















0001

◀END▶





0006

EVALUATION OF TOTAL ELAPSED SECONDS

Seconds_Calculated_
From_Hours

MUL

Multiply

Source A	N7:14
	0<
Source B	3600
	3600<
Dest	N7:15
	0<

Seconds_Calculated_
From_Minutes

MUL

Multiply

Source A	N7:13
	0<
Source B	60
	60<
Dest	N7:16
	0<

Temporary_Seconds

ADD

Add

Source A	N7:15
	0<
Source B	N7:16
	0<
Dest	N7:17
	0<

Elapsed_Seconds


ADD


Add


Source A	N7:17
	0<
Source B	N7:12
	0<
Dest	N7:18
	0<


0007


END











Offset	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0		
O:0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Bul.1763	MicroLogix 1100 Series B
O:0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Bul.1763	MicroLogix 1100 Series B
O:0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Bul.1763	MicroLogix 1100 Series B
O:0.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Bul.1763	MicroLogix 1100 Series B
O:1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1762-IF2OF2 - Analog 2 Chan. Input, 2 Chan. O	
O:1.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1762-IF2OF2 - Analog 2 Chan. Input, 2 Chan. O	
O:2.0									0	0	0	0	0	0	0	0	1762-OA8 - 8-Output 120/240 VAC	

Page 1 (Radix Binary) Saturday, August 01, 2026 - 07:31:04

Main

Processor Mode S:1/0 - S:1/4 = Remote Program Mode
On Power up Go To Run (Mode Behavior) S:1/12 = 0
First Pass S:1/15 = Yes
Free Running Clock S:4 = 0000-0000-0000-0000

Proc

OS Catalog Number S:57 = 1100 User Program Type S:63 = 8001h
OS Series S:58 = A Compiler Revision Number S:64 =
OS FRS S:59 =
Processor Catalog Number S:60 =
Processor Series S:61 = A
Processor FRN S:62 =

Scan Times

Maximum (x10 ms) S:22 = 0
Watchdog (x10 ms) S:3 (high byte) = 10
Last 100 uSec Scan Time S:35 = 0
Scan Toggle Bit S:33/9 = 0

Math

Math Overflow Selected S:2/14 = 0 Math Register (lo word) S:13 = 0
Overflow Trap S:5/0 = 0 Math Register (high word) S:14-S:13 = 0
Carry S:0/0 = 0 Math Register (32 Bit) S:14-S:13 = 0
Overflow S:0/1 = 0
Zero Bit S:0/2 = 0
Sign Bit S:0/3 = 0

Chan 0

Processor Mode S:1/0- S:1/4 = Remote Program Mode
Node Address S:15 (low byte) = 0 Outgoing Msg Cmd Pending S:33/2 = 0
Baud Rate S:15 (high byte) = ?
Channel Mode S:33/3 = 0
Comms Active S:33/4 = 0
Incoming Cmd Pending S:33/0 = 0
Msg Reply Pending S:33/1 = 0

Debug

Suspend Code S:7 = 0
Suspend File S:8 = 0

Errors

Fault Override At Power Up S:1/8 = 0 Fault Routine S:29 = 0
Startup Protection Fault S:1/9 = 0 Major Error S:6 = 0h
Major Error Halt S:1/13 = 0
Overflow Trap S:5/0 = 0 Error Description:
Control Register Error S:5/2 = 0
Major Error Executing User Fault Rtn. S:5/3 = 0
Battery Low S:5/11 = 0
Input Filter Selection Modified S:5/13 = 0
ASCII String Manipulation error S:5/15 = 0

Protection

Deny Future Access S:1/14 = No
Data File Overwrite Protection Lost S:36/10 = False

Mem Module

Memory Module Loaded On Boot S:5/8 = 0
Password Mismatch S:5/9 = 0
Load Memory Module On Memory Error S:1/10 = 0
Load Memory Module Always S:1/11 = 0
On Power up Go To Run (Mode Behavior) S:1/12 = 0
Program Compare S:2/9 = 0
Data File Overwrite Protection Lost S:36/10 = 0

Forces

Forces Enabled S:1/5 = Yes
Forces Installed S:1/6 = No

Offset	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	(Symbol)	Description
B3:0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B3:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

Data File T4 -- TIMER

Offset	EN	TT	DN	BASE	PRE	ACC	(Symbol) Description
T4:0	0	0	0	1.0 sec	3	0	Bottle Arriving At Fill Station_Delay
T4:1	0	0	0	1.0 sec	1	0	Bottle_Moving_Start_Delay_Tmr
T4:2	0	0	0	1.0 sec	1	0	FillValve_Trig_Delay
T4:3	0	0	0	1.0 sec	1	0	CapPress_Retract_Timer
T4:4	0	0	0	1.0 sec	10	0	Capping_arm Move_delay
T4:5	0	0	0	1.0 sec	1	0	Caping_Arm_Home_Position_Return_Delay_Tmr
T4:6	0	0	0	1.0 sec	2	0	Outfeed_Run_Timer
T4:7	0	0	0	.01 sec	10	0	Bottle_Movement_Inc_Delay_Tmr
T4:8	0	0	0	.01 sec	10	0	Capping_Arm_Movement_Inc_Delay_Tmr
T4:9	0	0	0	1.0 sec	0	0	CAPPING TO SORTING MODE DELAY
T4:10	0	0	0	.01 sec	10	0	Reject_Pusher_Move_Delay_Tmr
T4:11	0	0	0	1.0 sec	1	0	RESET TO IDLE MODE SWITCH TIMER
T4:12	0	0	0	1.0 sec	0	0	Caping_Arm_Jam_Alarm_Delay
T4:13	0	0	0	1.0 sec	1	0	Second_Timer
T4:14	0	0	0	1.0 sec	5	0	Leak_Bottle_Fault_Delay_Tmr
T4:15	0	0	0	1.0 sec	7	0	Capping_ArmRetract_Jam_Delay_Tmr
T4:16	0	0	0	1.0 sec	7	0	Capping_CompleteArm_Jam_Alarm_Delay_Tmr
T4:17	0	0	0	1.0 sec	7	0	Reject_ArmRetract_Jam_Alarm_Delay
T4:18	0	0	0	1.0 sec	10	0	Reject_ArmComplete_Jam_Alarm_Delay_Tmr
T4:19	0	0	0	1.0 sec	5	0	Reset Statastic Delay Timer
T4:20	0	0	0	1.0 sec	5	0	Reset_Hourmeter_Delay_Tmr

Offset	CU	CD	DN	OV	UN	UA	PRE	ACC	(Symbol)	Description
C5:0	0	0	0	0	0	0	0	0		

Offset	EN	EU	DN	EM	ER	UL	IN	FD	LEN	POS	(Symbol)	Description
R6:0	0	0	0	0	0	0	0	0	0	0		

Data File N7 (dec) -- INTEGER

Offset	0	1	2	3	4	5	6	7	8	9
N7:0	0	0	0	0	0	0	0	0	0	0
N7:10	0	0	0	0	0	0	0	0	0	0
N7:20	0	0	0							

Data File F8 -- FLOAT

Offset	0	1	2	3	4
F8:0	0				

Data File L9 (dec) -- LONGINT

Offset	0	1	2	3	4
L9:0	0				

Address/Symbol Database

Address	Symbol	Scope	Description	Sym Group	Dev
B3:0/0			System_Start_Trig		
B3:0/1			System_Stop_Trig		
B3:0/2			InfeedConv_Out_Ctrl		
B3:0/3			FillValve_Out_Ctrl		
B3:0/4			CapPress_Out_Ctrl		
B3:0/5			Reject_PusherOut_Ctrl		
B3:0/6			OutfeedConvOut_Ctrl		
B3:0/7			AlarmHornOut_Ctrl		
B3:0/8			CapPress_Home_In		
B3:0/9			RejectPusher_Home_In		
B3:0/10			FillStation_Bottle_Present_In		
B3:0/11			CapPresent_In		
B3:0/12			System_Status 0 = System Off 1 = System Running		
B3:0/13			E_Stop_Active		
B3:0/14			InfeedConv_Trig_Ctrl		
B3:0/15			InfeedConv_Intrpt_Ctrl		
B3:1/0			CapPress_Trig_Ctrl		
B3:1/1			CapPress_Intrpt_Ctrl		
B3:1/2			RejectPusher_Trig_Ctrl		
B3:1/3			RejectPusher_Intrpt_Ctrl		
B3:1/4			OutfeedConv_Trig_Ctrl		
B3:1/5			OutfeedConv_Intrpt_Ctrl		
B3:1/6			FillValve_Trig_Ctrl		
B3:1/7			FillValve_Intrpt_Ctrl		
B3:1/8			AlarmHorn_Trig_Ctrl		
B3:1/9			AlarmHorn_Intrpt_Ctrl		
B3:1/10			FILL MODE 0 = INCOMPLETE 1 = COMPLETE		
B3:1/11			CAPPING MODE 0 = INCOMPLETE 1 = COMPLETE		
B3:1/12			SORTING MODE 0 = INCOMPLETE 1 = COMPLETE		
B3:1/13			CAP PRESENT FAULT MODE 0 = CAP PRESENT 1 = CAP ABSENT		
B3:1/14			SORTING MODE 0= INCOMPLETE 1 = COMPLETE		
B3:1/15			To Packing		
B3:2/0			Cycle Complete		
B3:2/1			System_Start_PB		
B3:2/2			System_Stop_PB		
B3:2/3			E_Stop_PB		
B3:2/4			CapPress_Home_Sensor		
B3:2/5			RejectPusher_Home_Sensor		
B3:2/6			FillStation_Bottle_Present_Sensor		
B3:2/7			CapPresent_Sensor		
B3:2/8			Fill_Station_Bottle_Present_Trig		
B3:2/9			FillStation_Bottle_present_Intrupt		
B3:2/10			Cap_Press_Trig		
B3:2/11			ONS41		
B3:2/12			ONS42		
B3:2/13			Bottle_Positioned		
B3:2/14			ONS		
B3:3/1			Bottle_Move_Trig		
B3:3/2			Bottle_Moving_Intrupt		
B3:3/3			Bottle_Moving		
B3:3/4			Move_Capping_Arm_Trig		
B3:3/5			Start_Moving_Capping_Arm		
B3:3/6			Moving_Capping_Arm_Intrupt		
B3:3/7			Cap_Applied		
B3:3/8			Cap_Operation_Done		
B3:3/9			Cap_Absent_Fault_Trig		
B3:3/10			Cap_Absent_Fault		
B3:3/11			Cap_Absent_Fault_Reset		
B3:3/12			Capping_ArmJam_Fault		
B3:3/13			Capping_ArmJam_Fault_Trig		
B3:3/14			Capping_ArmJam_Fault_Intrpt		
B3:3/15			Bottle_Present		
B3:4/0			ONS1		
B3:4/1			ONS2		
B3:4/2			ONS3		
B3:4/3			ONS4		
B3:4/4			ONS5		
B3:4/5			ONS6		
B3:4/6			ONS7		
B3:4/7			ONS8		
B3:4/8			ONS9		
B3:4/9			ONS10		
B3:4/10			ONS11		
B3:4/11			ONS12		
B3:4/12			ONS13		
B3:4/13			ONS14		
B3:4/14			ONS15		
B3:4/15			ONS16		
B3:5/0			Bottle_Present		
B3:5/1			Reject_Pusher_Move_Trig		
B3:5/2			Reject_Pusher_Picked_Bottle		
B3:5/3			Reject_Push_Done		
B3:5/4					
B3:5/5					

Address/Symbol Database

Address	Symbol	Scope	Description	Sym Group	Dev
B3:5/6			Reject_Pusher_Move_Trig		
B3:5/7			Reject_Pusher_Move		
B3:5/8			Moving_Reject_Pusher_Intrupt		
B3:5/9			Reset_Statistic_HMI_PB		
B3:5/10			ONS40		
B3:5/11			Reset_Hourmeter_HMI_PB		
B3:5/12			ONS41		
B3:5/13			CapStation_Bottle_Present_Sensor		
B3:5/14			CapStation_Bottle_Present_In		
B3:5/15			ONS38		
B3:6/0			ONS17		
B3:6/1			ONS18		
B3:6/2					
B3:6/3			ONS20		
B3:6/4			ONS21		
B3:6/5			ONS22		
B3:6/6			ONS23		
B3:6/7			ONS24		
B3:6/8			ONS27		
B3:6/9			ONS28		
B3:6/10			ONS29		
B3:6/11			ONS30		
B3:6/12			ONS31		
B3:6/13			ONS32		
B3:6/14			ONS33		
B3:6/15			ONS34		
B3:7/0			Reject_Arm_Jam_Fault		
B3:7/1			Reject_Arm_Jam_Fault_Trig		
B3:7/2			Reject_Arm_Jam_Fault_Intrpt		
B3:7/3			Complete_ArmJam_Fault		
B3:7/4			Arm_Retract_Jam_Fault		
B3:7/5			Arm_Retract_Jam_Fault_Trig		
B3:7/6			Arm_Retract_Jam_Fault_Intrupt		
B3:7/7			Complete_Arm_Jam_Fault_Intrupt		
B3:7/8			Complete_Arm_Jam_Fault_Trig		
B3:7/9			Reject_ArmRetract_Jam_Fault_Trig		
B3:7/10			Reject_ArmRetract_Jam_Fault		
B3:7/11			Reject_ArmRetract_Jam_Fault_Intrupt		
B3:7/12			Reject_ArmComplete_Jam_Fault_Trig		
B3:7/13			Reject_ArmComplete_Jam_Fault		
B3:7/14			Reject_ArmComplete_Jam_Fault_Intrupt		
B3:7/15			Leak_Bottle_Fault_Trig		
B3:8/0			Leak_Bottle_Fault		
B3:8/1			Leak_Bottle_Fault_Intrupt		
B3:8/2			Leak_Bottle_Fault_Alarm_Trig		
B3:8/3			Leak_Bottle_Fault_Alarm		
B3:8/4			Leak_Bottle_Fault_Alarm_Notify		
B3:8/5			Alarm_Silence_PB		
B3:8/6			Alarm_Reset_PB		
B3:8/7			Alarm_Silence_In		
B3:8/8			Alarm_Reset_In		
B3:8/9			Retract_Trig		
B3:8/10			Capping_ArmRetract_Jam_Alarm_Trig		
B3:8/11			Capping_ArmRetract_Jam_Alarm		
B3:8/12			Capping_ArmRetract_Jam_Alarm_Notify		
B3:8/13			Capping_Complete_Arm_Jam_Alarm_Trig		
B3:8/14			Capping_CompleteArm_Jam_Alarm		
B3:8/15			Capping_CompleteArm_Jam_Alarm_Notify		
B3:9/0			Reject_ArmRetract_Jam_Alarm_Trig		
B3:9/1			Reject_ArmRetract_Jam_Alarm		
B3:9/2			Reject_ArmRetract_Jam_Alarm_Notify		
B3:9/3			Reject_ArmComplete_Jam_Alarm_Trig		
B3:9/4			Reject_ArmComplete_Jam_Alarm		
B3:9/5			Reject_ArmComplete_Jam_Alarm_Notify		
B3:9/6			Alarm_Present		
B3:10/0			ONS35		
B3:10/1			ONS36		
B3:10/3			ONS37		
B3:10/4			ONS38		
B3:10/5			ONS38		
F8:0			FillLevel_In		
I:0/0			System_Start_PB		
I:0/1			System_Stop_PB		
I:0/2			E_STOP_PB		
I:0/3					
I:0/4					
I:0/5					
I:1.1			FillLevel_Sensor		
I:2/0			System_Start_PB		
I:2/1			System_Stop_PB		
I:2/2			CapPress_Home_Sensor		
I:2/3					
I:2/4					
I:2/5					

Address/Symbol Database

Address	Symbol	Scope	Description	Sym Group	Dev
I:2/6			E_STOP_PB		
L9:0			Temp_Val		
N7:0			System_Mode 0 = OFF 1= TRANSIT 2 = FILL 3 = CAPPING 4 = SORTING 5= CYC.R		
N7:1			Sensor_Input Value		
N7:2			Bottle_Position 0= Start, 280= Fill 580= Capping 920 = Sorting		
N7:3			Fill_Mode 0 = Incomplete 1 = Complete		
N7:4			Capping_Mode 0 = Incomplete 1 = Complete		
N7:5			Sorting_Mode 0 = Incomplete 1 = Complete		
N7:6			Capping_Arm_Position		
N7:7			CAP_FAULT_MOODE		
N7:8			Bottle_Present		
N7:9			Reject_Pusher_Position		
N7:10			Bottles_Packed		
N7:11			Bottles_Rejected		
N7:12			Seconds		
N7:13			Minutes		
N7:14			Hours		
N7:15			Seconds_Calculated_From_Hours		
N7:16			Seconds_Calculated_From_Minutes		
N7:17			Temporary_Seconds		
N7:18			Elapsed_Seconds		
N7:19			BOTTLES_PASSED * 3600		
N7:20			Bottles / Hr		
N7:21			Fill_LVL_SP		
N7:22			Required_Bottles_Out_SP		
N7:23			Bottle_Positioned		
O:0/0			InfeedConv_Out		
O:0/1			FillValve_Out		
O:0/2					
O:0/3					
O:0/4					
O:0/5					
O:2/0			InfeedConv_Out		
O:2/1			FillValve_Out		
O:2/2			CapPress_Out		
O:2/3			RejectPusher_Out		
O:2/4			OutfeedConv_Out		
O:2/5			AlarmHorn_Out		
S:0			Arithmetic_Flags		
S:0/0			Processor_Arithmetic_Carry_Flag		
S:0/1			Processor_Arithmetic_Underflow/Overflow_Flag		
S:0/2			Processor_Arithmetic_Zero_Flag		
S:0/3			Processor_Arithmetic_Sign_Flag		
S:1			Processor_Mode_Status/Control		
S:1/0			Processor_Mode_Bit_0		
S:1/1			Processor_Mode_Bit_1		
S:1/2			Processor_Mode_Bit_2		
S:1/3			Processor_Mode_Bit_3		
S:1/4			Processor_Mode_Bit_4		
S:1/5			Forces_Enabled		
S:1/6			Forces_Present		
S:1/7			Comms_Active		
S:1/8			Fault_Override_at_Powerup		
S:1/9			Startup_Protection_Fault		
S:1/10			Load_Memory_Module_on_Memory_Error		
S:1/11			Load_Memory_Module_Always		
S:1/12			Load_Memory_Module_and_RUN		
S:1/13			Major_Error_Halted		
S:1/14			Access_Denied		
S:1/15			First_Pass		
S:2/0			STI_Pending		
S:2/1			STI_Enabled		
S:2/2			STI_Executing		
S:2/3			Index_Addresssing_File_Range		
S:2/4			Saved_with_Debug_Single_Step		
S:2/5			DH-485_Incoming_Command_Pending		
S:2/6			DH-485_Message_Reply_Pending		
S:2/7			DH-485_Outgoing_Message_Command_Pending		
S:2/15			Comms_Servicing_Selection		
S:3			Current_Scan_Time/ Watchdog_Scan_Time		
S:4			Time_Base		
S:5/0			Overflow_Trap		
S:5/2			Control_Register_Error		
S:5/3			Major_Err_Detected_Executing_UserFault_Routine		
S:5/4			M0-M1_Referenced_on_Disabled_Slot		
S:5/8			Memory_Module_Boot		
S:5/9			Memory_Module_Password_Mismatch		
S:5/10			STI_Overflow		
S:5/11			Battery_Low		
S:6			Major_Error_Fault_Code		
S:7			Suspend_Code		
S:8			Suspend_File		
S:9			Active_Nodes		
S:10			Active_Nodes		

Address/Symbol Database

Address	Symbol	Scope	Description	Sym Group	Dev
S:11			I/O Slot Enables		
S:12			I/O Slot Enables		
S:13			Math Register		
S:14			Math Register		
S:15			Node Address/ Baud Rate		
S:16			Debug Single Step Rung		
S:17			Debug Single Step File		
S:18			Debug Single Step Breakpoint Rung		
S:19			Debug Single Step Breakpoint File		
S:20			Debug Fault/ Powerdown Rung		
S:21			Debug Fault/ Powerdown File		
S:22			Maximum Observed Scan Time		
S:23			Average Scan Time		
S:24			Index Register		
S:25			I/O Interrupt Pending		
S:26			I/O Interrupt Pending		
S:27			I/O Interrupt Enabled		
S:28			I/O Interrupt Enabled		
S:29			User Fault Routine File Number		
S:30			STI Setpoint		
S:31			STI File Number		
S:32			I/O Interrupt Executing		
S:33			Extended Proc Status Control Word		
S:33/0			Incoming Command Pending		
S:33/1			Message Reply Pending		
S:33/2			Outgoing Message Command Pending		
S:33/3			Selection Status User/DF1		
S:33/4			Communicat Active		
S:33/5			Communicat Servicing Selection		
S:33/6			Message Servicing Selection Channel 0		
S:33/7			Message Servicing Selection Channel 1		
S:33/8			Interrupt Latency Control Flag		
S:33/9			Scan Toggle Flag		
S:33/10			Discrete Input Interrupt Reconfigur Flag		
S:33/11			Online Edit Status		
S:33/12			Online Edit Status		
S:33/13			Scan Time Timebase Selection		
S:33/14			DTR Control Bit		
S:33/15			DTR Force Bit		
S:34			Pass-thru Disabled		
S:34/0			Pass-Thru Disabled Flag		
S:34/1			DH+ Active Node Table Enable Flag		
S:34/2			Floating Point Math Flag Disable,Fl		
S:35			Last 1 ms Scan Time		
S:36			Extended Minor Error Bits		
S:36/8			DII Lost		
S:36/9			STI Lost		
S:36/10			Memory Module Data File Overwrite Protection		
S:37			Clock Calendar Year		
S:38			Clock Calendar Month		
S:39			Clock Calendar Day		
S:40			Clock Calendar Hours		
S:41			Clock Calendar Minutes		
S:42			Clock Calendar Seconds		
S:43			STI Interrupt Time		
S:44			I/O Event Interrupt Time		
S:45			DII Interrupt Time		
S:46			Discrete Input Interrupt- File Number		
S:47			Discrete Input Interrupt- Slot Number		
S:48			Discrete Input Interrupt- Bit Mask		
S:49			Discrete Input Interrupt- Compare Value		
S:50			Processor Catalog Number		
S:51			Discrete Input Interrupt- Return Number		
S:52			Discrete Input Interrupt- Accumulat		
S:53			Reserved/ Clock Calendar Day of the Week		
S:55			Last DII Scan Time		
S:56			Maximum Observed DII Scan Time		
S:57			Operating System Catalog Number		
S:58			Operating System Series		
S:59			Operating System FRN		
S:61			Processor Series		
S:62			Processor Revision		
S:63			User Program Type		
S:64			User Program Functional Index		
S:65			User RAM Size		
S:66			Flash EEPROM Size		
S:67			Channel 0 Active Nodes		
S:68			Channel 0 Active Nodes		
S:69			Channel 0 Active Nodes		
S:70			Channel 0 Active Nodes		
S:71			Channel 0 Active Nodes		
S:72			Channel 0 Active Nodes		
S:73			Channel 0 Active Nodes		
S:74			Channel 0 Active Nodes		

Address/Symbol Database

Address	Symbol	Scope	Description	Sym Group	Dev
S:75			Channel 0 Active Nodes		
S:76			Channel 0 Active Nodes		
S:77			Channel 0 Active Nodes		
S:78			Channel 0 Active Nodes		
S:79			Channel 0 Active Nodes		
S:80			Channel 0 Active Nodes		
S:81			Channel 0 Active Nodes		
S:82			Channel 0 Active Nodes		
S:83			DH+ Active Nodes		
S:84			DH+ Active Nodes		
S:85			DH+ Active Nodes		
S:86			DH+ Active Nodes		
T4:0			Bottle Arriving At Fill Station_Delay		
T4:0/DN			Bottle Arrived Fill Station		
T4:1			Bottle Moving Start Delay_Tmr		
T4:1/DN			Bottle Moving Start Delay		
T4:2			FillValve Trig Delay		
T4:2/DN			FillValve Trig_Delay		
T4:3			CapPress Retract_Timer		
T4:3/DN			CapPress Trig		
T4:3/EN			Timer Hold In		
T4:4			Capping arm Move delay		
T4:4/DN			Capping_Arm Movement_Inc_Delay		
T4:5			Caping_Arm Home_Position_Return_Delay_Tmr		
T4:5/DN			Caping_Arm Home_Positon_Return_Delay		
T4:6			Outfeed_Run_Timer		
T4:6/DN			Outfed Intrrupt Signal		
T4:7			Bottle_Movement_Inc_Delay_Tmr		
T4:7/DN			Bottle_Movement_Inc_Delay		
T4:8			Capping_Arm Movement_Inc_Delay_Tmr		
T4:8/DN			Capping_Arm Movement_Inc_Delay		
T4:9			CAPPING TO SORTING MODE DELAY		
T4:9/DN			CAPING TO SORTING TRIG		
T4:10			Reject Pusher Move_Delay_Tmr		
T4:10/DN			Reject Pusher_Move_Delay		
T4:11			RESET TO IDLE MODE SWITCH TIMER		
T4:12			Caping Arm Jam Alarm Delay		
T4:13			Second Timer		
T4:13/DN			Second_Inc		
T4:14			Leak Bottle_Fault_Delay_Tmr		
T4:14/DN			Leak Bottle_Fault_Delay		
T4:15			Capping_ArmRetract_Jam_Delay_Tmr		
T4:15/DN			Capping_ArmRetract_Jam_Alarm_Delay		
T4:16			Capping_CompleteArm_Jam_Alarm_Delay_Tmr		
T4:16/DN			Capping_Complete_Arm_Jam_Alarm_Delay		
T4:17			Reject_ArmRetract_Jam_Alarm_Delay		
T4:17/DN					
T4:18			Reject_ArmComplete_Jam_Alarm_Delay_Tmr		
T4:18/DN					
T4:19			Reset_Statactic_Delay_Timer		
T4:19/DN					
T4:20			Reset_Hourmeter_Delay_Tmr		
T4:20/DN					
U:3			Inputs/Outputs		
U:4			Mode_Control		
U:5			Sensor In Control		
U:6			Simulation		
U:7			Device_Control		
U:8			Cycle_Reset		
U:9			Hourmeter		
U:10			ALARMS		

Instruction Comment Database

Address	Instruction	Description
---------	-------------	-------------

Symbol Group Database

Group_Name	Description
------------	-------------