INTRODUCTION TO WEB TECHNOLOGIES

CSS Layout & Responsive Design

Comprehensive MCQ Question Bank

169 multiple-choice questions covering all the requested topics, including concept checks, code interpretation, calculations and scenario-based questions.

Topics: Backgrounds • Borders • Margins • Padding • Box Model • Display • Positioning • Flexbox • Responsive Units • Viewport • Responsive Web Design • Media Queries

Instructions
Choose the one best answer (A, B, C or D) for each question. Try all questions before checking the answer key at the end. Each question carries one mark for self-practice.

Note: This is a broad practice bank based on the topics in your syllabus and the StudyDesk notes. It is not a prediction or guarantee of the exact examination questions.

A. Backgrounds and Borders

Q1. Which CSS property sets the background colour of an element?

A. background-image

B. background-color

C. color-background

D. bg-color

Q2. Which property is used to set a background image?

A. background-image

B. background-src

C. image-background

D. background-file

Q3. What is the default behaviour of a CSS background image if background-repeat is not specified?

A. It never repeats

B. It repeats

C. It stretches to fill

D. It is fixed

Q4. Which value prevents a background image from repeating?

A. repeat

B. repeat-x

C. no-repeat

D. none

Q5. Which value repeats a background image horizontally only?

A. repeat-y

B. repeat-x

C. no-repeat

D. space

Q6. Which property controls the initial position of a background image?

A. background-origin

B. background-position

C. background-attachment

D. background-size

Q7. Which property controls whether a background image scrolls with the page or stays fixed?

A. background-repeat

B. background-position

C. background-attachment

D. background-clip

Q8. What does opacity: 0.5 mean?

A. Fully opaque

B. 50% transparent

C. Fully transparent

D. 50% larger

Q9. Which opacity value makes an element fully transparent?

A. 0

B. 0.5

C. 1

D. 100

Q10. Which opacity value makes an element fully opaque?

A. 0

B. 0.1

C. 0.5

D. 1

Q11. Which CSS property specifies the style of a border?

A. border-type

B. border-style

C. border-line

D. outline-style

Q12. Which of the following is a valid border-style value?

A. dotted

B. curved

C. thick

D. round

Q13. Which property sets the colour of a border?

A. border-paint

B. border-color

C. border-fill

D. border-background

Q14. Which property sets border thickness?

A. border-size

B. border-weight

C. border-width

D. border-thickness

Q15. Which shorthand can set border width, style and colour together?

A. border

B. border-all

C. outline

D. box-border

Q16. Which property rounds the corners of an element's border?

A. corner-radius

B. border-round

C. border-radius

D. radius

Q17. Which declaration creates a 2px solid green border?

A. border: green 2px;

B. border: 2px solid green;

C. border-style: 2px green solid;

D. border-width: solid 2px green;

Q18. Which border style displays two parallel lines?

A. double

B. dashed

C. groove

D. solid

Q19. Which border style displays small dots?

A. dashed

B. dotted

C. double

D. solid

Q20. What does border-style: none do?

A. Adds an invisible 1px border

B. Removes the border

C. Rounds the border

D. Changes border colour to white

B. Margins, Padding and Box Model

Q21. Where is padding located?

A. Outside the margin

B. Between content and border

C. Outside the border

D. Between two elements

Q22. Where is margin located?

A. Between content and padding

B. Inside the border

C. Outside the border

D. Inside the content

Q23. Which property creates space between an element's content and its border?

A. margin

B. padding

C. gap-only

D. spacing

Q24. Which property creates space outside an element's border?

A. padding

B. content

C. margin

D. border-spacing

Q25. Which shorthand applies 10px to all four padding sides?

A. padding: 10px;

B. padding: 10;

C. padding: all 10px;

D. padding: 10px 10;

Q26. In margin: 10px 20px, what does 10px represent?

A. Left and right

B. Top and bottom

C. Top only

D. Bottom only

Q27. In padding: 10px 20px 30px 40px, what is the left padding?

A. 10px

B. 20px

C. 30px

D. 40px

Q28. In the four-value shorthand, which order is used?

A. Left, top, right, bottom

B. Top, right, bottom, left

C. Top, bottom, left, right

D. Right, left, top, bottom

Q29. Which declaration is commonly used to horizontally centre a block with a specified width?

A. padding: auto

B. align: auto

C. margin: auto

D. position: center

Q30. In the CSS box model, which part is outermost?

A. Content

B. Padding

C. Border

D. Margin

Q31. What is the correct box model order from inside to outside?

A. Content, border, padding, margin

B. Content, padding, border, margin

C. Padding, content, margin, border

D. Margin, border, content, padding

Q32. Which part of the box model contains text or an image?

A. Margin

B. Border

C. Content

D. Padding

Q33. Which part lies between padding and margin?

A. Content

B. Border

C. Outline

D. Gap

Q34. What is the default value of box-sizing?

A. border-box

B. content-box

C. padding-box

D. margin-box

Q35. With box-sizing: content-box, declared width applies to which part?

A. Content only

B. Content plus padding

C. Content plus border

D. Entire margin box

Q36. With box-sizing: border-box, declared width includes which parts?

A. Content only

B. Content and margin

C. Content, padding and border

D. Padding and margin only

Q37. An element has width 300px, left/right padding 20px each and left/right border 5px each. What is its total width using content-box, excluding margins?

A. 300px

B. 330px

C. 350px

D. 360px

Q38. Which global rule commonly makes element sizing easier?

A. * { box-sizing: border-box; }

B. * { display: block; }

C. body { box-sizing: margin-box; }

D. * { width: auto; }

C. Display Properties

Q39. Which display value makes an element start on a new line and generally take available width?

A. inline

B. block

C. none

D. contents

Q40. Which display value lets an element remain in the text flow without starting a new line?

A. block

B. flex

C. inline

D. grid

Q41. Which display value combines inline flow with the ability to set width and height like a block?

A. inline-block

B. inline-flex-only

C. block-inline

D. float

Q42. What happens when display: none is applied?

A. Element becomes transparent but keeps space

B. Element is removed from layout

C. Element moves behind other elements

D. Element becomes inline

Q43. What happens with visibility: hidden?

A. Element and its space are removed

B. Element is hidden but its layout space remains

C. Element becomes transparent and clickable

D. Element moves to the end

Q44. Which display value creates a flex container?

A. display: flex

B. display: block-flex

C. position: flex

D. flex: display

Q45. Which display value creates a grid container?

A. display: table-only

B. display: grid

C. position: grid

D. grid: display

D. CSS Positioning

Q46. What is the default CSS position value?

A. relative

B. absolute

C. fixed

D. static

Q47. Do top, right, bottom and left offsets position a static element?

A. Yes, always

B. No

C. Only on mobile

D. Only with flexbox

Q48. A relatively positioned element is shifted relative to what?

A. The viewport

B. Its original position

C. The nearest absolute element

D. The document's bottom

Q49. An absolutely positioned element is positioned relative to what?

A. Always the viewport

B. Its nearest positioned ancestor

C. The previous sibling

D. The browser toolbar

Q50. An absolutely positioned element is removed from what?

A. CSS cascade

B. Normal document flow

C. DOM tree

D. Containing block

Q51. A fixed element is positioned relative to what?

A. Its nearest flex item

B. The viewport

C. Its original position

D. The body text

Q52. What generally happens to a fixed element when the page scrolls?

A. It scrolls normally

B. It stays at the same viewport position

C. It disappears

D. It becomes static

Q53. How does position: sticky behave before it reaches its scroll threshold?

A. Like absolute

B. Like relative

C. Like fixed

D. Like static only

Q54. Which declaration is commonly needed to make a sticky header stick to the top?

A. position: sticky; top: 0;

B. position: fixed; bottom: 0;

C. display: sticky; top: auto;

D. position: relative; bottom: 0;

Q55. Which property specifies the top offset of a positioned element?

A. y-position

B. top

C. vertical

D. margin-top only

Q56. Which positioning type initially remains in normal document flow and can then stick during scrolling?

A. absolute

B. fixed

C. sticky

D. static

Q57. What is Flexbox mainly designed for?

A. Database storage

B. One-dimensional layout

C. Image editing

D. Creating HTML tags

E. Flexbox

Q58. Which declaration turns an element into a flex container?

A. flex: 1

B. display: flex

C. position: flex

D. flex-direction: display

Q59. The direct children of a flex container are called what?

A. Flex lines

B. Flex items

C. Grid tracks

D. Inline boxes

Q60. What is the default flex-direction?

A. column

B. row

C. row-reverse

D. column-reverse

Q61. Which flex-direction arranges items vertically from top to bottom?

A. row

B. row-reverse

C. column

D. column-reverse

Q62. Which property changes the main axis direction?

A. align-items

B. flex-direction

C. justify-content

D. flex-wrap

Q63. Which property controls whether flex items wrap onto additional lines?

A. flex-wrap

B. flex-flow

C. flex-grow

D. align-content

Q64. What is the default value of flex-wrap?

A. wrap

B. wrap-reverse

C. nowrap

D. auto

Q65. Which justify-content value places items in the centre of the main axis?

A. center

B. stretch

C. baseline

D. wrap

Q66. Which justify-content value puts space between items but not at the outer edges?

A. space-around

B. space-between

C. space-evenly

D. flex-end

Q67. Which justify-content value distributes equal space around each item?

A. space-between

B. space-around

C. flex-start

D. stretch

Q68. Which justify-content value distributes equal gaps between items and at both ends?

A. space-evenly

B. space-between

C. baseline

D. flex-start

Q69. Which property aligns flex items along the cross axis on a single line?

A. justify-content

B. align-items

C. flex-grow

D. order

Q70. In a default row flex container, what is the cross axis?

A. Horizontal

B. Vertical

C. Diagonal

D. There is no cross axis

Q71. In a default row flex container, what is the main axis?

A. Vertical

B. Horizontal

C. Diagonal

D. Circular

Q72. Which align-items value can align items along their text baselines?

A. baseline

B. space-between

C. wrap

D. row

Q73. Which property distributes multiple flex lines along the cross axis?

A. align-content

B. flex-grow

C. order

D. justify-items

Q74. Which flex item property changes its visual order?

A. order

B. flex-flow

C. align-content

D. position

Q75. What is the default value of flex-grow?

A. 1

B. 0

C. -1

D. auto

Q76. What does flex-grow control?

A. How much an item can grow into available space

B. The item's border width

C. The order of HTML elements

D. The cross-axis direction

Q77. What does flex-shrink control?

A. How much an item can shrink when space is insufficient

B. How much an item grows

C. The font size

D. The line wrapping direction

Q78. Which shorthand combines flex-grow, flex-shrink and flex-basis?

A. flex-flow

B. flex

C. flex-box

D. flex-layout

Q79. Which property combines flex-direction and flex-wrap?

A. flex-flow

B. flex-item

C. flex-size

D. flex-axis

Q80. Which layout method is primarily two-dimensional, handling rows and columns?

A. Flexbox

B. CSS Grid

C. Inline layout

D. Static positioning

Q81. What does the CSS unit px represent?

A. Percentage of viewport width

B. CSS pixel

C. Root font size

D. Viewport height

Q82. What does 1vw represent?

A. 1% of viewport width

B. 1% of viewport height

C. 1 pixel

D. Root font size

F. Responsive Units and Viewport

Q83. What does 1vh represent?

A. 1% of viewport width

B. 1% of viewport height

C. 1 em

D. 1 rem

Q84. Which unit is relative to the root element's font size?

A. em

B. rem

C. vw

D. px

Q85. Which unit is relative to the current element's font size?

A. rem

B. vh

C. em

D. vw

Q86. Which unit is commonly used for a width relative to its containing block?

A. %

B. px only

C. rem only

D. vh only

Q87. Which of these is an absolute CSS length unit in the usual introductory comparison?

A. %

B. em

C. rem

D. px

Q88. If the viewport height is 800px, what is 10vh?

A. 8px

B. 10px

C. 80px

D. 800px

Q89. If the viewport width is 1000px, what is 25vw?

A. 25px

B. 100px

C. 250px

D. 400px

Q90. What is the viewport?

A. The HTML source code

B. The visible area of a web page in the browser

C. The entire computer screen including desktop

D. The browser's bookmarks area

Q91. Which meta tag helps a page adapt its layout width to a device screen?

A. <meta charset='UTF-8'>

B. <meta name='viewport' content='width=device-width, initial-scale=1.0'>

C. <meta name='screen' content='fixed'>

D. <viewport width='device'>

Q92. What does width=device-width do in the viewport meta tag?

A. Sets width to 1000px

B. Matches the layout viewport width to the device width

C. Sets browser zoom to 2

D. Locks the page width

Q93. What does initial-scale=1.0 specify?

A. Initial zoom level

B. Maximum screen width

C. Font size

D. Image resolution

Q94. Which approach helps prevent horizontal overflow on small screens?

A. Use fixed widths larger than the screen

B. Use flexible widths and responsive layouts

C. Disable the viewport meta tag

D. Set every element to 1000px

Q95. What is Responsive Web Design?

A. A language for backend programming

B. An approach that adapts webpages to different screen sizes and devices

C. A browser extension

D. A method of compressing images only

G. Responsive Web Design and Media Queries

Q96. Which CSS rule helps images scale down within their containers?

A. img { width: 1000px; }

B. img { max-width: 100%; height: auto; }

C. img { display: none; }

D. img { min-width: 100vw; }

Q97. What is a breakpoint in responsive design?

A. A point where a browser crashes

B. A screen width where layout styles change

C. A line break in HTML

D. A fixed image size

Q98. Which CSS rule begins a media query?

A. @responsive

B. @media

C. @screen-size

D. @viewport

Q99. What does max-width: 600px mean in a media query?

A. Viewport is at least 600px wide

B. Viewport is 600px wide or narrower

C. Element must be exactly 600px wide

D. Viewport height is 600px

Q100. What does min-width: 768px mean in a media query?

A. Viewport is 768px wide or wider

B. Viewport is 768px wide or narrower

C. Element height is 768px

D. Screen resolution is exactly 768px

Q101. Which media feature checks whether the viewport is wider than it is tall?

A. orientation: portrait

B. orientation: landscape

C. max-height

D. aspect: fixed

Q102. Which media feature applies when the viewport is taller than it is wide?

A. orientation: landscape

B. orientation: portrait

C. display: column

D. width: vertical

Q103. Which media query targets screens with a maximum width of 600px?

A. @media (min-width: 600px)

B. @media (max-width: 600px)

C. @media (height: 600px)

D. @media (min-height: 600px)

Q104. In a mobile-first design, which styles are generally written first?

A. Styles for the largest desktop

B. Base styles for smaller screens

C. Only print styles

D. Styles for 4K screens

Q105. Which media query is commonly used to add a wider-screen layout from 768px upward?

A. @media (max-width: 768px)

B. @media (min-width: 768px)

C. @media (orientation: portrait)

D. @media (height: 768px)

Q106. Which is the best description of a responsive breakpoint?

A. A CSS border

B. A condition that triggers a layout/style change

C. A unit of measurement

D. A flex item

H. Mixed, Code-Based and Scenario Questions

Q107. A flex container has flex-direction: row. Which property centres its items horizontally in the usual left-to-right layout?

A. align-items: center

B. justify-content: center

C. align-content: center only

D. flex-wrap: center

Q108. A flex container has flex-direction: column. Which property centres its items horizontally across the cross axis?

A. justify-content: center

B. align-items: center

C. flex-direction: center

D. order: center

Q109. An element has display: inline. Which statement is generally correct?

A. It always starts on a new line

B. It flows within a line and takes only needed width

C. It is removed from layout

D. It automatically becomes a flex container

Q110. Which property can be used to give an element rounded corners even if no visible border is specified?

A. border-radius

B. border-style

C. background-repeat

D. box-sizing

Q111. Which statement about margin and background is correct?

A. Margin is filled by the element's background

B. Margin is transparent outside the border

C. Margin is inside the content

D. Margin is the same as border

Q112. Which statement about padding is correct?

A. Padding lies outside the border

B. Padding is between content and border

C. Padding is always transparent

D. Padding is the same as margin

Q113. Which value of display hides an element while removing its layout space?

A. inline

B. block

C. none

D. flex

Q114. Which positioning value should be used when an element must remain in the same place on screen while scrolling?

A. static

B. relative

C. fixed

D. sticky

Q115. Which positioning value is commonly used for a badge positioned inside a card whose parent is set to position: relative?

A. absolute

B. static

C. sticky

D. float

Q116. Which statement best describes Flexbox's main axis?

A. It is always horizontal

B. It is determined by flex-direction

C. It is always vertical

D. It is determined by align-items

Q117. Which statement best describes align-items and justify-content?

A. Both always affect the same axis

B. justify-content aligns on main axis; align-items on cross axis

C. align-items controls main axis; justify-content controls cross axis

D. Neither affects flex alignment

Q118. Which responsive unit should be considered when sizing an element relative to the viewport's height?

A. vw

B. vh

C. rem

D. em

Q119. Which responsive unit should be considered when sizing an element relative to the viewport's width?

A. vh

B. vw

C. em

D. rem

Q120. A webpage looks too wide on a phone because its content uses a large fixed width. Which is the best general fix?

A. Remove all CSS

B. Use flexible sizing and suitable media queries

C. Set viewport width to 1200px

D. Use position: fixed on every element

Q121. Which HTML element can be used with source media conditions to offer different image sources?

A. <picture>

B. <canvas> only

C. <video>

D. <section>

Q122. Which property makes an element a flex container but does not itself specify the direction?

A. display

B. flex-direction

C. justify-content

D. order

Q123. Which value of flex-direction reverses a row's item order?

A. row-reverse

B. column

C. wrap-reverse

D. space-reverse

Q124. Which value of flex-direction reverses a column's item order?

A. row-reverse

B. column-reverse

C. wrap-reverse

D. reverse-column

Q125. Which property controls the space distribution along the main axis?

A. justify-content

B. align-items

C. border-spacing

D. position

Q126. Which CSS unit is based on the root font size rather than the current element's font size?

A. em

B. rem

C. %

D. vh

Q127. If html font-size is 16px, what is 2rem under the usual default assumption?

A. 8px

B. 16px

C. 32px

D. 64px

Q128. Which declaration sets the background image not to repeat and places it at the centre?

A. background-repeat: repeat; background-position: left;

B. background-repeat: no-repeat; background-position: center;

C. background-image: center; background-repeat: none;

D. background-position: no-repeat;

Q129. Which CSS property is used to specify the stacking order of positioned elements?

A. z-index

B. order

C. flex-grow

D. opacity

Q130. Which statement about an absolutely positioned element is true?

A. It always keeps its original space in normal flow

B. It is removed from normal flow

C. It can only be positioned inside body

D. It is always fixed to viewport

Q131. Which value is the default for flex-shrink?

A. 0

B. 1

C. 2

D. auto

Q132. Which CSS property can create a gap between flex items?

A. gap

B. border-width

C. outline

D. opacity

Q133. Which statement about display: inline-block is correct?

A. It always occupies full width

B. It stays inline in flow but accepts width and height

C. It removes the element from layout

D. It creates a grid

Q134. Which property controls how a background image repeats along both axes?

A. background-repeat

B. background-attachment

C. background-position

D. background-color

Q135. Which property sets a background image's scroll attachment behaviour?

A. background-position

B. background-attachment

C. background-size

D. background-origin

Q136. Which box-sizing value makes a declared width include padding and border?

A. content-box

B. border-box

C. margin-box

D. outer-box

Q137. If an element has width: 200px and box-sizing: border-box, what does 200px include?

A. Content only

B. Content, padding and border

C. Content and margin

D. Margin only

Q138. Which media query is appropriate for applying a style only to a viewport 600px or smaller?

A. @media (max-width: 600px)

B. @media (min-width: 600px)

C. @media (max-width: 100%)

D. @media (viewport: small)

Q139. Which is a likely reason to use flex-wrap: wrap?

A. To force all items into one line

B. To allow items to move to another line when space is insufficient

C. To reverse item order

D. To align items vertically

Q140. What is the effect of flex-direction: column-reverse?

A. Items form a horizontal row in reverse

B. Items form a vertical column in reverse order

C. Items wrap into columns

D. Items are hidden

Q141. Which term describes the axis perpendicular to the flex container's main axis?

A. Main axis

B. Cross axis

C. Viewport axis

D. Border axis

Q142. Which CSS property can make a fixed-width block centre horizontally when its left and right margins are auto?

A. margin

B. padding

C. border

D. opacity

Q143. Which of the following is a valid shorthand for a 1px black solid border?

A. border: 1px solid black;

B. border: black 1px;

C. border: solid black;

D. border: 1px black;

Q144. Which declaration creates a dotted red border 3px wide?

A. border: 3px dotted red;

B. border: red dotted;

C. border-style: 3px red;

D. border-width: dotted 3px;

Q145. What does background-position: center do?

A. Repeats the image

B. Places the background image centrally

C. Fixes the image during scrolling

D. Changes image transparency

Q146. Which of these is not a common CSS display value discussed in basic layout?

A. block

B. inline

C. inline-block

D. viewport

Q147. Which of these is not a CSS position value?

A. static

B. relative

C. absolute

D. wrap

Q148. Which of these is not a Flexbox container property?

A. flex-direction

B. flex-wrap

C. justify-content

D. border-radius

Q149. Which of these is not a responsive CSS length unit?

A. vw

B. vh

C. rem

D. @media

Q150. A card's text is too close to its border. Which property should be increased?

A. margin

B. padding

C. position

D. opacity

Q151. Two cards are too close to each other. Which property is the most direct choice to increase their outside separation?

A. margin

B. padding

C. border-radius

D. background-position

Q152. A navigation bar's items should sit in one horizontal row with space between them. Which is a suitable setup?

A. display: flex; justify-content: space-between;

B. display: block; align-items: space-between;

C. position: fixed; flex-wrap: center;

D. display: none;

Q153. A page should show one column on narrow phones and a row on wider screens. Which technique is suitable?

A. Only opacity

B. Flexbox combined with a media query

C. Only border-radius

D. Only background-attachment

Q154. A floating help button should remain visible at the bottom-right while scrolling. Which position is suitable?

A. static

B. relative

C. fixed

D. sticky

Q155. A title should stick to the top only after scrolling reaches it. Which position is suitable?

A. absolute

B. sticky

C. static

D. inline

Q156. A child should be placed at the top-right corner of a card. What is a common parent-child setup?

A. Parent relative; child absolute

B. Parent static; child inline

C. Parent fixed; child block

D. Parent flex; child hidden

Q157. A picture should shrink on smaller screens without becoming distorted. Which CSS is suitable?

A. width: 1000px; height: 1000px;

B. max-width: 100%; height: auto;

C. min-width: 100vw; height: 100vh;

D. opacity: 0.5;

Q158. A box's declared width should include its padding and border. Which declaration is appropriate?

A. box-sizing: content-box;

B. box-sizing: border-box;

C. display: border-box;

D. width: margin-box;

Q159. You need to hide an element and have following elements occupy its former space. Which declaration should you use?

A. visibility: hidden;

B. display: none;

C. opacity: 0;

D. position: sticky;

Q160. You need to hide an element but preserve its layout space. Which declaration should you use?

A. display: none;

B. visibility: hidden;

C. position: absolute;

D. flex: none;

Q161. The layout should change when a viewport becomes at least 900px wide. Which condition is appropriate?

A. max-width: 900px

B. min-width: 900px

C. max-height: 900px

D. orientation: portrait

Q162. The layout should change when a viewport is no wider than 480px. Which condition is appropriate?

A. min-width: 480px

B. max-width: 480px

C. min-height: 480px

D. orientation: landscape

Q163. A flex row needs items vertically centred. Which declaration is suitable?

A. justify-content: center;

B. align-items: center;

C. flex-direction: center;

D. order: center;

Q164. A flex column needs items centred vertically along its main axis. Which declaration is suitable?

A. justify-content: center;

B. align-items: center;

C. flex-wrap: center;

D. display: center;

Q165. An element should be 50% of the width of its containing block. Which unit is suitable?

A. vh

B. vw

C. %

D. px only

Q166. The root font size is 16px. What is 1.5rem?

A. 8px

B. 16px

C. 24px

D. 32px

Q167. A viewport is 1200px wide. What is 10vw?

A. 10px

B. 12px

C. 120px

D. 1200px

Q168. A viewport is 900px high. What is 20vh?

A. 18px

B. 90px

C. 180px

D. 200px

Q169. A flex layout has too little room and should let items move onto another line. Which property-value pair is suitable?

A. flex-wrap: wrap;

B. flex-direction: center;

C. align-items: wrap;

D. order: wrap;

Answer Key

Answers are listed by question number. Use this section after completing the question bank.

1. B	**2.** A	**3.** B	**4.** C	**5.** B
6. B	**7.** C	**8.** B	**9.** A	**10.** D
11. B	**12.** A	**13.** B	**14.** C	**15.** A
16. C	**17.** B	**18.** A	**19.** B	**20.** B
21. B	**22.** C	**23.** B	**24.** C	**25.** A
26. B	**27.** D	**28.** B	**29.** C	**30.** D
31. B	**32.** C	**33.** B	**34.** B	**35.** A
36. C	**37.** C	**38.** A	**39.** B	**40.** C
41. A	**42.** B	**43.** B	**44.** A	**45.** B
46. D	**47.** B	**48.** B	**49.** B	**50.** B
51. B	**52.** B	**53.** B	**54.** A	**55.** B
56. C	**57.** B	**58.** B	**59.** B	**60.** B
61. C	**62.** B	**63.** A	**64.** C	**65.** A
66. B	**67.** B	**68.** A	**69.** B	**70.** B
71. B	**72.** A	**73.** A	**74.** A	**75.** B
76. A	**77.** A	**78.** B	**79.** A	**80.** B
81. B	**82.** A	**83.** B	**84.** B	**85.** C
86. A	**87.** D	**88.** C	**89.** C	**90.** B
91. B	**92.** B	**93.** A	**94.** B	**95.** B
96. B	**97.** B	**98.** B	**99.** B	**100.** A
101. B	**102.** B	**103.** B	**104.** B	**105.** B
106. B	**107.** B	**108.** B	**109.** B	**110.** A
111. B	**112.** B	**113.** C	**114.** C	**115.** A
116. B	**117.** B	**118.** B	**119.** B	**120.** B
121. A	**122.** A	**123.** A	**124.** B	**125.** A
126. B	**127.** C	**128.** B	**129.** A	**130.** B
131. B	**132.** A	**133.** B	**134.** A	**135.** B
136. B	**137.** B	**138.** A	**139.** B	**140.** B
141. B	**142.** A	**143.** A	**144.** A	**145.** B
146. D	**147.** D	**148.** D	**149.** D	**150.** B
151. A	**152.** A	**153.** B	**154.** C	**155.** B

156. A	**157.** B	**158.** B	**159.** B	**160.** B
161. B	**162.** B	**163.** B	**164.** A	**165.** C
166. C	**167.** C	**168.** C	**169.** A	