Darshan UNIVERSITY

योग: कर्मसु कौशलम्

Python Programming - 2301CS404

Lab - 10

Roll No : 324

Name : Aditya Chauhan

01) WAP to read and display the contents of a text file. (also try to open the file in some other directory)

- in the form of a string

- line by line

- in the form of a list

In [8]:
```
fp = open('new.txt')
# print(fp.read())
# print(fp.readline())
print(fp.readlines())
fp.close()
```

```
['Hello World 1.\n', 'Hello World 2.\n', 'Hello World 3.\n', 'Hello World 4.\n', 'He
llo World 5.\n']
```

02) WAP to create file named "new.txt" only if it doesn't exist.

In [1]:
```
fp = open('new.txt','x')
```

03) WAP to read first 5 lines from the text file.

In [15]:
```
fp = open('new.txt')
for i in range(5):
```

```
    print(fp.readline())

fp.close()
```

```
Hello World 1.

Hello World 2.

Hello World 3.

Hello World 4.

Hello World 5.
```

04) WAP to find the longest word(s) in a file.

In [18]:
```
fp = open('new.txt')
s = fp.readline()
l = s.split()
longWord = l[0]
for i in l:
    if len(longWord) < len(i) :
        longWord = i
print(longWord)
fp.close()
```

```
asdfghjk
```

05) WAP to count the no. of lines, words and characters in a given text file.

In [27]:
```
fp = open('new.txt')
words = 0
lenChar = 0
data = fp.readlines()
for i in data:
    words+=len(i.split())
    lenChar+=len(i)
print(len(data),words,lenChar)
fp.close()
```

```
2 6 27
```

06) WAP to copy the content of a file to the another file.

In [42]:
```
fp1 = open('new.txt')
fp2 = open('new2.txt','w')

fp2.write(fp1.read())

fp1.close()
fp2.close()
```

07) WAP to find the size of the text file.

In [30]:
```
fp = open('new.txt')
fp.read()
print(fp.tell())
fp.close()
```

27

08) WAP to create an UDF named frequency to count occurances of the specific word in a given text file.

In [32]:
```
fp = open('new.txt')
ans = fp.read().count('World')
print(ans)
fp.close()
```

5

09) WAP to get the score of five subjects from the user, store them in a file. Fetch those marks and find the highest score.

In [51]:
```
highest = 0
fp = open('temp.txt','w')
for i in range(5):
    fp.write(input("Enter Marks:")+'\n')
fp.close()

fp = open('temp.txt')
l = fp.readlines()
# print(l[1])
for i in l:
    # print(i)
    if int(highest) < int(i):
        highest = i
fp.close()
print(int(highest))
```

96

10) WAP to write first 100 prime numbers to a file named primenumbers.txt

(Note: each number should be in new line)

In [41]:
```
count = 0
num = 2
fp = open('primenumbers.txt','w')
while True:
    for i in range(2,num):
        if num % i == 0:
            break
```

```
    else:
        count+=1
        fp.write(str(num)+'\n')
    if count == 100:
        break
    num+=1
fp.close()
```

11) WAP to merge two files and write it in a new file.

In [43]:
```
fp1 = open('new.txt')
fp2 = open('temp.txt')
fp3 = open('new2.txt','w')

fp3.write(fp1.read()+fp2.read())

fp3.close()
fp2.close()
fp1.close()
```

12) WAP to replace word1 by word2 of a text file. Write the updated data to new file.

In [44]:
```
fp1 = open('new.txt')
fp2 = open('temp.txt','w')
fp2.write(fp1.read().replace('Hello','Hi'))
fp2.close()
fp1.close()
```

13) Demonstrate tell() and seek() for all the cases(seek from beginning-end-current position) taking a suitable example of your choice.

In [69]:
```
fp = open('new.txt','br')

# data = fp.read(2)
# fp.tell()
# fp.seek(0,0)
# data = fp.readline()
# print(data)
# fp.seek(0,0)
fp.read(2)

fp.seek(3,1)
# data = fp.read(5)
print(fp.tell())
fp.close()
```

5

seek(offset,from_where)

0 - beginning of the file

1 - current position of the file pointer

2 - end of file

In [ ]:

```

```