Practical No : 13

Q.1] Write a program to display a message using an external controller.

index.html :-

```
<!DOCTYPE html>
<html ng-app="myApp">
<head>
   <title>External Controller Example</title>

   <script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.2/angular.min.js"></script>

   <script src="controller13.1.js"></script>
</head>

<body ng-controller="myCtrl">

   <h2>{{message}}</h2>

</body>
</html>
```

controller13.1.js :

```
var app = angular.module("myApp", []);

app.controller("myCtrl", function($scope){
   $scope.message = "Welcome to AngularJS External Controller!";
});
```

Output : -

2. Write a program to create a table of students and apply orderBy filter to sort names.

Index2.html

```
<!DOCTYPE html>
<html ng-app="myApp">
<head>
   <title>Student Table with orderBy</title>
   <script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.2/angular.min.js"></script>
   <script src="studentController.js"></script>
</head>
<body ng-controller="studentCtrl">

<h2>Student Details</h2>

<table border="1">
<tr>
   <th>Name</th>
   <th>Roll No</th>
   <th>Marks</th>
</tr>

<tr ng-repeat="s in students | orderBy:'name'">
   <td>{{s.name}}</td>
   <td>{{s.roll}}</td>
   <td>{{s.marks}}</td>
</tr>
</table>

</body>
</html>
```



studentController.js :-

```
var app = angular.module("myApp", []);
app.controller("studentCtrl", function($scope){

   $scope.students = [
      {name:"Khushi", roll:3, marks:78},
      {name:"Vishal", roll:1, marks:85},
      {name:"Atharva", roll:5, marks:90},
      {name:"Anannya", roll:2, marks:70},
      {name:"Vinanti", roll:4, marks:88}
   ];
});
```

3. Write a program to display text in uppercase and lowercase using filters.

Index3.html :-

```
<!DOCTYPE html>
<html ng-app="myApp">
<head>
   <title>Uppercase Lowercase Filter</title>

   <script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.2/angular.min.js"></script>
   <script src="controller13.3.js"></script>
</head>

<body ng-controller="textCtrl">

<h2>Text Filters Example</h2>

Enter Text :
<input type="text" ng-model="msg">

<p>Uppercase : {{msg | uppercase}}</p>
<p>Lowercase : {{msg | lowercase}}</p>

</body>
</html>
```

controller13.3.js :-

```
var app = angular.module("myApp", []);

app.controller("textCtrl", function($scope){
   $scope.msg = "wake up to the reality";
});
```

Output :-