Practical No.03

Q.1] Create json object emp with name and age properties and display them.

```
<!DOCTYPE HTML>
<HTML>
<BODY>
<P ID = "SHOW"></P>
<SCRIPT>
var emp = {
        "Name" : "DYP", "Age" : 19
        };
document.getElementById("SHOW").innerHTML = "Name :
"+emp.Name +"<br>"+"Age : "+emp.Age;
</SCRIPT>
</BODY>
</HTML>
```

Output :-

Q.2] Create jSON object person with “Name, age, and city ” with default values and display them.

```
<!DOCTYPE HTML>
<HTML>
<BODY>
<P ID = "SHOW"></P>
<SCRIPT>
var person = {
        "Name" : "DYP",
         "Age" : 19,
        "City" : "Sangli"
        };

document.getElementById("SHOW").innerHTML = "Name : "+person.Name +"<br>"+"Age : "+person.Age+"<br>"+"City : "+person.City;

</SCRIPT>
</BODY>
</HTML>
```

Output :-

Q.3] Create JSON object student with roll number, name and marks. Assign values and display them.

```
<!DOCTYPE HTML>
<HTML>
<BODY>
<P ID = "SHOW"></P>
<SCRIPT>
var Student = {
        "RollNumber" :3262,
         "Name" : "DYP",
         "Marks" :89
        };

document.getElementById("SHOW").innerHTML = "Roll Number :
"+Student.RollNumber+"<br>"+"Name :
"+Student.Name+"<br>"+"Marks : "+Student.Marks;

</SCRIPT>
</BODY>
</HTML>
```

Output :-