1. Write a program to create two activities – Login Activity and Welcome Activity.
2. How is data (like username) passed between activities using Intent?

AndroidManifest.xml

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:tools="http://schemas.android.com/tools">

  <application
    android:allowBackup="true"
    android:dataExtractionRules="@xml/data_extraction_rules"
    android:fullBackupContent="@xml/backup_rules"
    android:icon="@mipmap/ic_launcher"
    android:label="@string/app_name"
    android:roundIcon="@mipmap/ic_launcher_round"
    android:supportsRtl="true"
    android:theme="@style/Theme.AppPr18ExpliciteIntent">
    <activity
      android:name=".WelcomeActivity"
      android:exported="false">
    </activity>
    <activity
      android:name=".LoginActivity"
      android:exported="true">
      <intent-filter>
        <action android:name="android.intent.action.MAIN" />

        <category android:name="android.intent.category.LAUNCHER" />
      </intent-filter>
    </activity>
  </application>

</manifest>
```

activity_main.XML:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:orientation="vertical"
    android:gravity="center"
```

```
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".LoginActivity">

<TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="User Login"
    android:textSize="30dp"
    android:textColor="#2196F3"
    />

<TextView
    android:id="@+id/textView2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_gravity="left"
    android:layout_margin="10dp"
    android:textSize="15dp"
    android:text="User Name" />

<EditText
    android:id="@+id/editTextText"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:ems="10"
    android:layout_margin="10dp"
    android:inputType="text"
    android:hint="Enter User Name"
    android:text="" />

<TextView
    android:id="@+id/textView3"
    android:layout_width="match_parent"
    android:layout_margin="10dp"
    android:textSize="15dp"
    android:layout_height="wrap_content"
    android:text="Password" />

<EditText
    android:id="@+id/editTextTextPassword"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="10dp"
    android:ems="10"
    android:hint="Enter Password"
    android:inputType="textPassword" />
```

```
    <Button
        android:id="@+id/btnLogin"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_margin="10dp"
        android:text="Login" />

</LinearLayout>
```

LoginActivity.JAVA:

```
package com.example.apppr18expliciteintent;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

public class LoginActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        EditText edtUNm = findViewById(R.id.editTextText);
        EditText edtPw = findViewById(R.id.editTextTextPassword);
        Button btnLogin = findViewById(R.id.btnLogin);

        btnLogin.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                btnLogin.setOnClickListener(new View.OnClickListener() {
                    @Override
                    public void onClick(View v) {
                        String strUserNm =
edtUNm.getText().toString().trim();
                        String strPass = edtPw.getText().toString().trim();

                        if(strUserNm.isEmpty() || strPass.isEmpty()) {
                            Toast.makeText(LoginActivity.this, "User name or
password is not entered! ", Toast.LENGTH_SHORT).show();
                            return;
                        }
```

```
  if (strUserNm.equals("admin") && strPass.equals("1234")) {

                        Intent onjIntent = new Intent(LoginActivity.this,
WelcomeActivity.class);
                             onjIntent.putExtra("Key1", strUserNm);
                             startActivity(onjIntent);
                         } else {
                             Toast.makeText(getApplicationContext(), "Login
Failed", Toast.LENGTH_SHORT).show();
                         }
                     }
                 });
             }
         });
     }
}
```

activity_welcome.XML:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:id="@+id/main"
   android:orientation="vertical"
   android:gravity="center"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   tools:context=".WelcomeActivity">

   <TextView
      android:id="@+id/txtWelcome"
      android:layout_width="wrap_content"
      android:layout_height="wrap_content"
      android:textSize="30dp"
      android:text="" />
</LinearLayout>
```

WelcomeActivity.JAVA:

```
package com.example.apppr18expliciteintent;

import android.os.Bundle;
import android.widget.TextView;
import androidx.appcompat.app.AppCompatActivity;

public class WelcomeActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_welcome);

        TextView txt = findViewById(R.id.txtWelcome);
        String strUserNm = getIntent().getStringExtra("Key1");
        txt.setText("Welcome " + strUserNm + "!");
    }
}
```

OUTPUT: