Practical No. 23

1. **Write test cases for copy & paste in MS Word using Selenium IDE.**

```
package WinAppDriver.WinAppDriver;

import org.openqa.selenium.By;
import org.openqa.selenium.Keys;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.remote.DesiredCapabilities;
import org.testng.annotations.*;
import io.appium.java_client.windows.WindowsDriver;

import java.net.URL;
import java.util.concurrent.TimeUnit;

public class mswordcp {

   WindowsDriver<WebElement> driver;

   @BeforeClass
   public void startUp() throws Exception {
      DesiredCapabilities capabilities = new DesiredCapabilities();
      capabilities.setCapability("app", "C:\\Program Files\\Microsoft
Office\\root\\Office16\\WINWORD.EXE");
      capabilities.setCapability("platformName", "Windows");
      capabilities.setCapability("deviceName", "WindowsPC");

      driver = new WindowsDriver<>(new URL("http://127.0.0.1:4723"), capabilities);
      driver.manage().timeouts().implicitlyWait(5, TimeUnit.SECONDS);
      driver.manage().window().maximize();
      Thread.sleep(3000); // wait for Word to fully load
   }

   @Test
   public void copyPasteAndClose() throws InterruptedException {

      WebElement newButton = driver.findElement(By.name("New"));
      newButton.click();
      Thread.sleep(2000);

      WebElement blankDocButton = driver.findElement(By.name("Blank document"));
      blankDocButton.click();
      Thread.sleep(3000);
      WebElement doc = driver.findElementByClassName("_WwG");
      doc.click();
      String text = "Selenium Windows Automation Copy-Paste Test.";
      doc.sendKeys(text);
      doc.sendKeys(Keys.chord(Keys.CONTROL, "a"));
      doc.sendKeys(Keys.chord(Keys.CONTROL, "c"));
      doc.sendKeys(Keys.ENTER);
      doc.sendKeys(Keys.chord(Keys.CONTROL, "v"));
```

```
        Thread.sleep(2000);

        doc.sendKeys(Keys.chord(Keys.ALT, Keys.F4));
        Thread.sleep(1000);


        try {
            WebElement dontSave = driver.findElementByName("Don't Save");
            dontSave.click();
        } catch (Exception e) {

        }

        System.out.println("Copy-paste completed and Word closed successfully.");
    }

    @AfterClass
    public void tearDown() {
        if (driver != null) {
            driver.quit();
        }
    }
}
```



2. **Test the "Insert Table" option available in the MS Word. Write the suitable test cases. Run the Test cases using Selenium IDE**.

```
package WinAppDriver.WinAppDriver;

import org.openqa.selenium.By;
import org.openqa.selenium.Keys;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.remote.DesiredCapabilities;
import org.testng.annotations.*;
import io.appium.java_client.windows.WindowsDriver;

import java.net.URL;
import java.util.concurrent.TimeUnit;

public class MSWordSaveTests {

    WindowsDriver<WebElement> driver;

    @BeforeClass
    public void startUp() throws Exception {
        DesiredCapabilities capabilities = new DesiredCapabilities();
        capabilities.setCapability("app", "C:\\Program Files\\Microsoft
Office\\root\\Office16\\WINWORD.EXE");
        capabilities.setCapability("platformName", "Windows");
        capabilities.setCapability("deviceName", "WindowsPC");

        driver = new WindowsDriver<>(new URL("http://127.0.0.1:4723"), capabilities);
        driver.manage().timeouts().implicitlyWait(5, TimeUnit.SECONDS);
        driver.manage().window().maximize();
        Thread.sleep(3000); // wait for Word to fully load
    }

    @Test
    public void typeAndSaveDocument() throws InterruptedException {

        WebElement newButton = driver.findElement(By.name("New"));
        newButton.click();
        Thread.sleep(2000);

        WebElement blankDocButton = driver.findElement(By.name("Blank document"));
        blankDocButton.click();
        Thread.sleep(3000); // wait for document to open

        WebElement doc = driver.findElementByClassName("_WwG");
        doc.click();
        doc.sendKeys("This is a test document to save using WinAppDriver.");
        Thread.sleep(1000);
        doc.sendKeys(Keys.chord(Keys.CONTROL, "s"));
        Thread.sleep(1000);
```

```
        try {
            WebElement fileNameBox = driver.findElement(By.className("Edit")); //
filename input box
            fileNameBox.click();
            Thread.sleep(500);

            fileNameBox.sendKeys("C:\\Users\\Public\\Desktop\\WordDocument.docx");
            fileNameBox.sendKeys(Keys.ENTER);
            Thread.sleep(2000);
        } catch (Exception e) {
            System.out.println("Save As dialog did not appear, maybe file was already
saved.");
        }
        doc.sendKeys(Keys.chord(Keys.ALT, Keys.F4));
        Thread.sleep(2000);

        try {
            WebElement dontSave = driver.findElement(By.name("Don't Save"));
            dontSave.click();
        } catch (Exception e) {
        }
        System.out.println("Word document typed, saved automatically, and closed
successfully.");
    }
    @AfterClass
    public void tearDown() {
        if (driver != null) {
            driver.quit();
        }
    }
}
```



3. **Test the "Insert Table" option available in the MS Word. Write the suitable test cases. Run the Test cases using Selenium IDE.**

```
package WinAppDriver.WinAppDriver;


import org.openqa.selenium.By;

import org.openqa.selenium.Keys;

import org.openqa.selenium.WebElement;

import org.openqa.selenium.remote.DesiredCapabilities;

import org.testng.annotations.*;

import io.appium.java_client.windows.WindowsDriver;

import java.net.URL;

import java.util.concurrent.TimeUnit;

public class MSwordinserttable {

   WindowsDriver<WebElement> driver;

   @BeforeClass

   public void startUp() throws Exception {


      DesiredCapabilities capabilities = new DesiredCapabilities();

      capabilities.setCapability("app","C:\\Program Files\\Microsoft
Office\\root\\Office16\\WINWORD.EXE");

      capabilities.setCapability("platformName","Windows");

      capabilities.setCapability("deviceName","WindowsPC");


      driver = new WindowsDriver<>(new URL("http://127.0.0.1:4723"), capabilities);

      driver.manage().timeouts().implicitlyWait(5, TimeUnit.SECONDS);

      driver.manage().window().maximize();

      Thread.sleep(3000);

   }


   @Test

   public void insertTableSaveAndClose() throws InterruptedException {
```

```
driver.findElement(By.name("New")).click();
Thread.sleep(2000);

driver.findElement(By.name("Blank document")).click();
Thread.sleep(3000);
WebElement doc = driver.findElementByClassName("_WwG");
doc.click();
driver.findElement(By.name("Insert")).click();
Thread.sleep(1000);
driver.findElement(By.name("Table")).click();
Thread.sleep(1000);
driver.findElement(By.name("2x2 Table")).click();
Thread.sleep(2000);
driver.findElement(By.name("File Tab")).click();
Thread.sleep(1000);
driver.findElement(By.name("Save As")).click();
Thread.sleep(1000);
driver.findElement(By.name("More options")).click();
Thread.sleep(2000);
driver.findElement(By.name("This PC")).click();
Thread.sleep(1000);
driver.findElement(By.name("Desktop")).click();
Thread.sleep(1000);
WebElement fileName = driver.findElement(By.className("Edit"));
fileName.clear();
fileName.sendKeys("WordTableFile");
Thread.sleep(1000);
driver.findElement(By.name("Save")).click();
Thread.sleep(2000);
doc.sendKeys(Keys.chord(Keys.ALT, Keys.F4));
Thread.sleep(2000);
```

```
        System.out.println("Table inserted, file saved on Desktop, and Word closed.");
    }
    @AfterClass
    public void tearDown() {
        if (driver != null) {
            driver.quit();
        }
    }
}
```