Practical No. 22

1. **Test the "View" option available in Notepad application. Attached the recorded script**

```
package WinAppDriver.WinAppDriver;

import org.openqa.selenium.By;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.remote.DesiredCapabilities;
import org.testng.annotations.AfterClass;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.Test;
import io.appium.java_client.windows.WindowsDriver;

import java.awt.Desktop;
import java.io.File;
import java.io.IOException;
import java.net.URL;
import java.util.concurrent.TimeUnit;

public class NotepadTest {

   WindowsDriver<WebElement> driver;

   @BeforeClass
   public void startUp() throws IOException, InterruptedException {
   Desktop desktop = Desktop.getDesktop();
      desktop.open(new File("C:\\Program Files (x86)\\Windows Application
Driver\\WinAppDriver.exe"));
      Thread.sleep(3000);

      DesiredCapabilities capabilities = new DesiredCapabilities();
      capabilities.setCapability("app", "C:\\Windows\\System32\\notepad.exe");
      capabilities.setCapability("platformName", "Windows");
      capabilities.setCapability("deviceName", "WindowsPC");

      driver = new WindowsDriver<>(new URL("http://127.0.0.1:4723"), capabilities);
      System.out.println("Session ID: " + driver.getSessionId());
      driver.manage().timeouts().implicitlyWait(5, TimeUnit.SECONDS);
   }

   @Test
   public void testViewMenuOptions() throws InterruptedException {
     driver.findElement(By.className("RichEditD2DPT"))
      .sendKeys("WinAppDriver Notepad Automation Example");

      driver.findElement(By.name("View")).click();
      Thread.sleep(2000);
      driver.findElement(By.xpath("//MenuItem[@Name='Zoom']")).click();
```

Practical No. 22

```
    driver.findElement(By.xpath("//MenuItem[@Name='Zoom in']")).click();
    driver.findElement(By.name("View")).click();
    Thread.sleep(2000);
    driver.findElement(By.xpath("//MenuItem[@Name='Zoom']")).click();
    driver.findElement(By.xpath("//MenuItem[@Name='Zoom out']")).click();

}
@AfterClass
public void tearDown() throws InterruptedException {

    if (driver != null) {
        driver.close();

        try {
            driver.findElement(By.name("Don't Save")).click();
        } catch (Exception e) {
            System.out.println("No save dialog appeared.");
        }
        driver.quit();
    }
    System.out.println("Notepad closed successfully");
}
```



Practical No. 22

2. Test the procedure of opening and closing Notepad application using the selenium IDE and attached screen shots.

```
package WinAppDriver.WinAppDriver;
import java.net.URL;
import org.openqa.selenium.remote.DesiredCapabilities;
import io.appium.java_client.windows.WindowsDriver;
public class Noteopenclose {
 public static void main(String[] args) {
  try {
     DesiredCapabilities cap = new DesiredCapabilities();
     cap.setCapability("app", "C:\\Windows\\System32\\notepad.exe");
     cap.setCapability("platformName", "Windows");
     cap.setCapability("deviceName", "WindowsPC");
     WindowsDriver driver = new WindowsDriver<>(new URL("http://127.0.0.1:4723"), cap);
     System.out.println("Notepad opened");
     Thread.sleep(5000);
     driver.quit();
     System.out.println("Notepad closed");
  } catch (Exception e)
 { e.printStackTrace();
  }
 }
}
```



Practical No. 22

3. **Test the basic "login" functionality for any application using selenium IDE .Write down the related test cases or attached the screen shots.**

1. **User Name & Password verification**



2. **Empty field error message verification**