

Experiment – 05

Name: Aditya Pratap Singh

Section: 24AIT_KRG-1_B

UID: 24BAI70438

Semester: 5th

Branch: BE-CSE(AIML)

Subject: Advanced Database
Management System

Question 1:

A website maintains records of users who have registered on the platform and the status of confirmation requests sent to them. A confirmation request can either be successfully completed or may expire without completion. For each registered user, calculate the confirmation rate, which is defined as:

$$\text{Confirmation Rate} = \frac{\text{Number of Successful Confirmations}}{\text{Total Confirmation Requests}}$$

If a user has never received any confirmation request, their confirmation rate should be considered 0. Display the user ID along with the confirmation rate rounded to 2 decimal places. The result can be returned in any order.

Signups		Confirmations			Output	
user_id	time_stamp	user_id	time_stamp	action	user_id	confirmation_rate
3	2020-03-21 10:16:13	3	2021-01-06 03:30:46	timeout	2	0.50
7	2020-01-04 13:57:59	3	2021-07-14 14:00:00	timeout	3	0.00
2	2020-07-29 23:09:44	7	2021-06-12 11:57:29	confirmed	6	0.00
6	2020-12-09 10:39:37	7	2021-06-13 12:58:28	confirmed	7	1.00

Solution:

```
SELECT
  S.USER_ID,
  ROUND(
    AVG(
      CASE
        WHEN ACTION = 'confirmed' THEN 1
        ELSE 0
      END
    ),
    2
  ) AS CONFIRMATION_RATE
FROM SIGNUPS AS S
LEFT JOIN CONFIRMATIONS AS C
  ON S.USER_ID = C.USER_ID
GROUP BY S.USER_ID;
```

Question 2:

A ride-booking company maintains information about trip requests and the users involved in those trips. Some users may be restricted from using the platform, while others are active participants. Each trip can either be completed successfully or cancelled by one of the participants. For each day between 2013-10-01 and 2013-10-03, determine the proportion of canceled trips among all valid trips. A trip should be considered valid only when both the customer and the driver associated with that trip are active users. The final result should display the date and the calculated cancellation rate rounded to two decimal places.

We need to calculate: But only consider trips where: Date between

Cancellation Rate **Client is NOT banned** and 2013-10-01

= **AND** And

Cancelled Trips **Driver is NOT banned** 2013-10-03

Total Valid Trips

Users			Trips						Output
users_id	banned	role	id	client_id	driver_id	city_id	status	request_at	
1	No	client	1	1	10	1	completed	2013-10-01	Day
2	Yes	client	2	2	11	1	cancelled_by_driver	2013-10-01	
3	No	client	3	3	12	6	completed	2013-10-01	Cancellation Rate
4	No	client	4	4	13	6	cancelled_by_client	2013-10-01	2013-10-01
10	No	driver	5	1	10	1	completed	2013-10-02	0.33
11	No	driver	6	2	11	6	completed	2013-10-02	2013-10-02
12	No	driver	7	3	12	6	completed	2013-10-02	0.00
13	No	driver							2013-10-03
									0.50

Solution:

```
SELECT
  T.REQUEST_AT AS DAY,
  ROUND(
    AVG(
      CASE
        WHEN T.STATUS IN ('cancelled_by_driver', 'cancelled_by_client')
        THEN 1
        ELSE 0
      END
    ),
    2
  ) AS CANCELLATION_RATE
FROM TRIPS AS T
JOIN USERS AS U
  ON U.USERS_ID = T.CLIENT_ID
JOIN USERS AS D
  ON D.USERS_ID = T.DRIVER_ID
WHERE U.BANNED = 'No'
  AND D.BANNED = 'No'
  AND T.REQUEST_AT BETWEEN '2013-10-01' AND '2013-10-03'
```

GROUP BY DAY;