

Q2)

```
CREATE OR REPLACE FUNCTION log_customer_changes()
RETURNS TRIGGER AS $$
BEGIN
    IF TG_OP = 'INSERT' THEN
        INSERT INTO customer_audit(customer_id, customer_name, action, action_time)
        VALUES(NEW.customer_id, NEW.customer_name, 'ADDED', CURRENT_TIMESTAMP);
        RETURN NEW;
    ELSIF TG_OP = 'DELETE' THEN
        INSERT INTO customer_audit(customer_id, customer_name, action, action_time)
        VALUES(OLD.customer_id, OLD.customer_name, 'REMOVED', CURRENT_TIMESTAMP);
        RETURN OLD;
    END IF;
END;
$$ LANGUAGE plpgsql;
CREATE TRIGGER customer_audit_trigger
AFTER INSERT OR DELETE ON bank_customer
FOR EACH ROW
EXECUTE FUNCTION log_customer_changes();

INSERT INTO bank_customer VALUES (3, 'Amit', 60000);
DELETE FROM bank_customer
WHERE customer_id = 1;
SELECT * FROM customer_audit;
```

☰

+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing

	audit_id [PK] integer	customer_id integer	customer_name character varying (50)	action character varying (20)	action_time timestamp without time zone	
1	1	3	Amit	ADDED	2026-09-28 15:41:21.7253	