

Scenario 1

Metrics- Faithfulness

Input (User question):What is selenium

Actual output (Models Actual output):Selenium is a web automation framework for testing web application

Retrieval context -Selenium is a web automation framework for testing web application

The screenshot displays a web application interface for evaluating Faithfulness. The interface is divided into several sections:

- Query/User Input:** A text box containing the query "What is selenium".
- LLM Output/Actual Output From LLM:** A text box containing the output "Selenium is a web automation framework for testing web application".
- Retrieval From RAG Or From Document:** A text box containing the retrieval context "Selenium is a web automation framework for testing web application".
- Buttons:** A green button labeled "Click for Evaluation" is positioned below the retrieval context.
- Response Section:** A box containing the evaluation results:
 - METRIC:** FAITHFULNESS
 - SCORE:** 1.0000
 - VERDICT:** FAITHFUL
- EXPLANATION:** A text box stating "The score is 1.00 because there are no contradictions found, indicating the actual output perfectly aligns with the retrieval context."
- EVALUATION INPUT:** A section showing the query and output used for evaluation.

Scenario 2

Metrics-Faithfulness

Input:What is selenium

Actual output (Models Actual output):Selenium is a web automation framework for testing web application

Retrieval context-Selenium is a rare element

The screenshot shows the DeepEval web interface for LLM evaluation. The browser tabs include 'Assignments/Week5Assignmen...', 'New Tab', 'Github Links - Feb 2026 (Genu...', 'Faithfulness | Confidential AI Do...', 'LLM Evaluation', and 'Ask Gemini'. The address bar shows 'localhost:5174'. The interface has a purple header with 'Active Framework: DeepEval'. Below this, a purple box lists metrics: '✓ DeepEval - Metrics: Faithfulness, Answer Relevancy, Contextual Precision, Contextual Recall, PII Leakage, Bias, Hallucination'. The 'Metric' dropdown is set to 'Faithfulness'. The 'Query/User Input' field contains 'What is selenium'. The 'LLM Output/Actual Output From LLM' field contains 'Selenium is a web automation framework for testing web application'. The 'Retrieval From RAG Or From Document' field contains 'Selenium is a rare element' with a trash icon. A '+ Add Context' button is below. A green 'Click for Evaluation' button is in the center. The 'Response' section at the bottom shows: METRIC: FAITHFULNESS, SCORE: 0.0000, and VERDICT: NOT_FAITHFUL.

Active Framework: DeepEval

✓ DeepEval - Metrics: Faithfulness, Answer Relevancy, Contextual Precision, Contextual Recall, PII Leakage, Bias, Hallucination

Metric *
Faithfulness

Query/User Input *
What is selenium

LLM Output/Actual Output From LLM *
Selenium is a web automation framework for testing web application

Retrieval From RAG Or From Document *
Selenium is a rare element

+ Add Context

Click for Evaluation

Response

METRIC	SCORE	VERDICT
FAITHFULNESS	0.0000	NOT_FAITHFUL


Scenario 3

Metrics-Faithfulness

Input (User question):What is selenium

Actual output (Models Actual output):Selenium is a automation framework for testing web and desktop application

Retrieval context -Selenium is a web automation framework for testing web application(From Mongo)



Scenario 4

Baahubali is brave.

Baahubali fights Bhallaladeva.

Baahubali is brave.

Baahubali fights Bhallaladeva.

Baahubali goes to space.

Assignments/Week5Assignmen... x New Tab x Github Links - Feb 2026 (Gens... x Faithfulness | Confident AI Do... x LLM Evaluation x + Ask Gemini

localhost:5174

Query/User Input *

Who is bahubali in Bahubali movie?

LLM Output/Actual Output From LLM *

Bahubali is brave.
Bahubali fights Bhallaladeva.

Retrieval From RAG Or From Document *

Bahubali is brave.

Bahubali fights Bhallaladeva.

Bahubali goes to space.

+ Add Context

Click for Evaluation

Response

METRIC	SCORE	VERDICT
FAITHFULNESS	1.0000	FAITHFUL

EXPLANATION

The score is 1.00 because there are no contradictions found in the actual output, indicating perfect alignment with the retrieval context.

EVALUATION INPUT

Query:

Scenario 5

Velu is a Kabaddi player.

Velu saves Dhanalakshmi from Muthupandi.

Velu hides her in Chennai.

Velu later becomes the Chief Minister of Tamil Nadu.

Assignments/Week5Assignme...New TabGithub Links - Feb 2026 (Gens...Faithfulness | Confidential AI Do...LLM EvaluationAsk Gemini

localhost:5174

Velu is a Kabaddi player.
Velu saves Dhanalakshmi from Muthupandi.
Velu hides her in Chennai.

Retrieval From RAG Or From Document *

Velu is a Kabaddi player.

Velu saves Dhanalakshmi from Muthupandi.

Velu hides her in Chennai.

Velu later becomes the Chief Minister of Tamil Nadu.

+ Add Context

Click for Evaluation

Response

METRIC

FAITHFULNESS

SCORE

0.6667

VERDICT

PARTIAL

EXPLANATION

The score is 0.67 because although the actual output largely aligns with the retrieval context, there are minor contradictions such as ambiguity in pronoun

Velu later becomes the Chief Minister of Tamil Nadu.

+ Add Context

Click for Evaluation

Response

METRIC

FAITHFULNESS

SCORE

0.6667

VERDICT

PARTIAL

EXPLANATION

The score is 0.67 because although the actual output largely aligns with the retrieval context, there are minor contradictions such as ambiguity in pronoun usage ('her') which slightly deviates from the specifics provided in the context.

EVALUATION INPUT

Query:
Who is velu in gilli movie?

Output:
Velu is a Kabaddi player. Velu saves Dhanalakshmi from Muthupandi. Velu hides her in Chennai.

Scenario 6

Retrieved Context

Baahubali is brave.

Baahubali fights Bhallaladeva.

LLM output

Baahubali is brave.

Baahubali fights Bhallaladeva.

Baahubali goes to space.

who is bahubali in bahubali movie?

LLM Output/Actual Output From LLM *

Baahubali is brave.
Baahubali fights Bhallaladeva.
bahubali will go to space

Retrieval From RAG Or From Document *

Baahubali is brave. Baahubali fights Bhallaladeva.

+ Add Context

Click for Evaluation

Response		
METRIC	SCORE	VERDICT
FAITHFULNESS	0.6667	PARTIAL

Scenario 7

User story (Retrieved context)

Description: As a bank customer, I want to transfer money from my account to another account so that I can securely send funds to other beneficiaries.

Acceptance Criteria Initiate Transfer Given the user is logged into the application When the user navigates to the “Fund Transfer” section Then the user should see an option to transfer to another account Enter Beneficiary Details Given the user selects “Transfer to Other Account” When the user enters account number, IFSC code, and beneficiary name Then the system should validate the details format before proceeding Add / Select Beneficiary Given the beneficiary is not already saved When the user chooses to add a new beneficiary Then the system should allow saving beneficiary details after validation And show success confirmation Enter Transfer Amount Given valid beneficiary details are provided When the user enters the

transfer amount Then the system should validate: Amount is greater than zero Amount does not exceed available balance Amount is within daily transfer limit Review Transfer Details Given all inputs are valid When the user proceeds to review Then the system should display a summary including: Sender account Beneficiary details Transfer amount Charges (if any) Authentication Given the user confirms the transfer When the system prompts for OTP / PIN Then the user must successfully authenticate to proceed Successful Transfer Given authentication is successful When the transaction is processed Then the system should: Display success message Generate transaction reference ID Update account balance Send notification (SMS/Email) Failure Handling Given a transaction failure occurs When the transfer is not completed Then the system should: Display failure message with reason Ensure no amount is deducted Allow retry option

LLM Output

Positive Test Cases

1. Successful Fund Transfer

- **Precondition:** User is logged in with sufficient balance
 - **Steps:**
 1. Navigate to Fund Transfer
 2. Select/Add beneficiary
 3. Enter valid amount
 4. Confirm transfer with OTP
 - **Expected Result:**
 - Transfer is successful
 - Transaction ID is generated
 - Balance is deducted correctly
-

2. Transfer to Existing Beneficiary

- **Steps:**
 1. Select an already saved beneficiary
 2. Enter valid amount
 3. Complete authentication
 - **Expected Result:**
 - Transfer completes successfully
-

3. Add New Beneficiary and Transfer

- **Steps:**
 1. Add new beneficiary with valid details
 2. Save beneficiary
 3. Initiate transfer
 - **Expected Result:**
 - Beneficiary added successfully
 - Transfer is successful
-

4. Transfer Within Daily Limit

- **Steps:**
 1. Enter amount within allowed daily transfer limit
 2. Proceed with transaction
 - **Expected Result:**
 - Transaction completes successfully
-

5. OTP Verification Success

- **Steps:**
 1. Initiate transfer
 2. Enter correct OTP
 - **Expected Result:**
 - Authentication succeeds
 - Transfer completes
-

6. Correct Balance Update

- **Steps:**
 1. Complete a successful transfer
 - **Expected Result:**
 - Account balance reflects deducted amount accurately
-

Negative Test Cases

1. Insufficient Balance

- **Steps:**
 1. Enter amount greater than available balance
 - **Expected Result:**
 - Error message: "Insufficient balance"
 - Transfer is blocked
-

2. Invalid Account Number

- **Steps:**
 1. Enter incorrect account number format
 - **Expected Result:**
 - Validation error displayed
 - User cannot proceed
-

3. Invalid IFSC Code

- **Steps:**
 1. Enter incorrect IFSC code
 - **Expected Result:**
 - Error message shown
 - Transfer blocked
-

4. Empty Mandatory Fields

- **Steps:**
 1. Leave fields like amount or beneficiary blank
 - **Expected Result:**
 - Mandatory field validation errors displayed
-

5. Amount is Zero or Negative

- **Steps:**
 1. Enter 0 or negative amount
- **Expected Result:**

- Error message: “Enter valid amount”
-

6. Exceed Daily Transfer Limit

- **Steps:**
 1. Enter amount exceeding daily limit
 - **Expected Result:**
 - Error message displayed
 - Transaction blocked
-

7. Incorrect OTP

- **Steps:**
 1. Enter wrong OTP
 - **Expected Result:**
 - Authentication fails
 - Transfer not processed
-

8. OTP Expired

- **Steps:**
 1. Enter OTP after expiration time
 - **Expected Result:**
 - Error message: “OTP expired”
-

9. Network Failure During Transaction

- **Steps:**
 1. Simulate network failure during processing
 - **Expected Result:**
 - Transaction status shown as failed/pending
 - No duplicate debit
-

10. Duplicate Transaction Submission

- **Steps:**

1. Click submit multiple times

- **Expected Result:**

- Only one transaction is processed
 - No duplicate deduction
-

11. Unauthorized Access

- **Steps:**

1. Attempt transfer without login/session timeout

- **Expected Result:**

- Redirect to login page
-

12. Beneficiary Not Added Properly

- **Steps:**

1. Try transferring to unsaved/invalid beneficiary

- **Expected Result:**

- Transfer is blocked
-

13. System Timeout During Transfer

- **Steps:**

1. Let session expire during transfer

- **Expected Result:**

- User prompted to re-login
- No transaction processed

AssignmentsNew TabGithub LinksFaithfulnessLLM EvaluationWeek7_AssignTestleafFund TransferAsk Geminilocalhost:5174

METRIC

FAITHFULNESS

SCORE

0.5000

VERDICT

PARTIAL

EXPLANATION

The score is 0.50 because there are no apparent contradictions, indicating a moderate level of faithfulness, and it's great to see that the actual output seems to align with the retrieval context.

EVALUATION INPUT

Query:

Generate positive and negative test cases

Output:

Positive Test Cases 1. Successful Fund Transfer Precondition: User is logged in with sufficient balance Steps: Navigate to Fund Transfer Select/Add beneficiary Enter valid amount Confirm transfer with OTP Expected Result: Transfer is successful Transaction ID is generated Balance is deducted correctly 2. Transfer to Existing Beneficiary Steps: Select an already saved beneficiary Enter valid amount Complete authentication Expected Result: Transfer completes successfully 3. Add New Beneficiary and Transfer Steps: Add new beneficiary with valid details Save beneficiary Initiate transfer Expected Result: Beneficiary added successfully Transfer is successful 4. Transfer Within Daily Limit Steps: Enter amount within allowed daily transfer limit Proceed with transaction Expected Result: Transaction completes successfully 5. OTP Verification Success Steps: Initiate transfer Enter correct OTP Expected Result: Authentication succeeds Transfer completes 6. Correct Balance Update Steps: Complete a successful transfer Expected Result: Account balance reflects deducted amount accurately ❌ Negative Test Cases 1. Insufficient Balance Steps: Enter amount greater than available balance Expected Result: Error message: "Insufficient balance" Transfer is blocked 2. Invalid Account Number Steps: Enter incorrect account number format Expected Result: Validation error displayed User cannot proceed 3. Invalid IFSC Code Steps: Enter incorrect IFSC code Expected Result: Error message shown Transfer blocked 4. Empty Mandatory Fields Steps: Leave fields like amount or beneficiary blank Expected Result: Mandatory field validation errors displayed 5. Amount is Zero or Negative Steps: Enter 0 or negative amount Expected Result: Error message: "Enter valid amount" 6. Exceed Daily Transfer Limit Steps: Enter