

Chit 11 — Database Trigger: Row Level AFTER Trigger

Note: Same Library and Library_Audit tables as Chit 10.

AFTER UPDATE Trigger

```
CREATE OR REPLACE TRIGGER trg_library_after_update
AFTER UPDATE ON Library
FOR EACH ROW
BEGIN
    INSERT INTO Library_Audit
        (Book_Id, Book_Name, Author, Qty, Action, Changed_On)
    VALUES
        (:OLD.Book_Id, :OLD.Book_Name, :OLD.Author,
         :OLD.Qty, 'UPDATE', SYSDATE);
END;
/
```

AFTER DELETE Trigger

```
CREATE OR REPLACE TRIGGER trg_library_after_delete
AFTER DELETE ON Library
FOR EACH ROW
BEGIN
    INSERT INTO Library_Audit
        (Book_Id, Book_Name, Author, Qty, Action, Changed_On)
    VALUES
        (:OLD.Book_Id, :OLD.Book_Name, :OLD.Author,
         :OLD.Qty, 'DELETE', SYSDATE);
END;
/
```

Test Triggers

```
UPDATE Library SET Qty = 8 WHERE Book_Id = 1;
DELETE FROM Library WHERE Book_Id = 2;
SELECT * FROM Library_Audit;
```