

JIBBLE ADMIN PANEL PRODUCT REQUIREMENTS DOCUMENT (PRD)

Version: 1.0

Date: 2026-05-04

1. PRODUCT OVERVIEW

Product name: Jibble Admin Panel

Type: Web-based administration console for the Jibble ecosystem

Primary users: Head Admin (founder/owner), Global Admins, Community Admins, Read-only Analysts (later phase)

Purpose:

The Jibble Admin Panel is a secure web application used to manage all communities (colleges, offices, bootcamps, etc.), admins, Circle co

Core idea:

- Only approved admins can access the admin panel.
- A single Head Admin (you) acts as the top-level owner who can add or remove other admins and see their activity.
- Admins use the panel to configure communities (circles), control which components (Events, Anonymous, Groups, Matching, Tasks, etc.

2. OBJECTIVES AND GOALS

2.1 Business Objectives

- Centralize control of all Jibble communities (colleges, organizations) in one secure admin interface.
- Allow the Head Admin to delegate management to trusted admins while retaining full oversight and control.
- Make it easy to onboard new colleges/organizations and configure their Circle experience using prebuilt components.
- Provide clear analytics on user growth, engagement, and community health (DAU, MAU, active circles, etc.).
- Support future monetization (e.g., promoted events, premium analytics) by exposing the relevant admin tools.

2.2 User Goals (Admin Personas)

- Head Admin:
 - Manage the entire system: admins, communities, component library, global configs.
 - See activity logs for all other admins.
 - Monitor key metrics at a global level.
- Global Admin:
 - Help Head Admin manage communities and resolve issues.
 - Create/edit communities, configure Circle components, and oversee moderation.
- Community Admin (College/Org Admin):
 - Manage a specific community (college or organization).
 - Configure that community's Circle components.
 - View community-level analytics and moderate local content.
- Analyst (later phase):
 - View dashboards and export reports without changing configurations.

3. ROLES AND PERMISSIONS MODEL

3.1 Role Definitions

1) Head Admin

- Single primary owner account (you).
- Full permissions across the entire system.
- Can add, edit, and remove all other admin accounts.
- Can change roles of other admins (promote/demote).
- Can see all admin activity logs.
- Can access and modify any community configuration.

2) Global Admin

- Appointed by Head Admin.
- Permissions:
 - Manage all communities (create, edit, archive) except deleting ones locked by Head Admin.
 - Configure component library and Circle components per community (unless restricted by Head Admin for specific communities).
 - View global analytics dashboards (users, communities, DAU/MAU, etc.).
 - View admin activity logs (but cannot see Head Admin's secure actions labels, only timestamps and general description).
- Cannot:
 - Remove or edit the Head Admin account.
 - Change Head Admin role.

3) Community Admin

- Scoped to one or more specific communities (e.g., a college or company).
- Permissions:
 - Edit community details (name, logo, description, type: college, office, bootcamp, etc.).
 - Configure Circle components only for their assigned communities.
 - View analytics for their communities (local DAU/MAU, posts, events, reports).
 - Process reports and moderate content for their communities.
- Cannot:
 - See or edit other communities they do not own.
 - Manage global component library.
 - Manage other admins (except inviting local moderators, later phase).

4) Read-Only Analyst (later phase)

- View-only access for analytics.
- No configuration or moderation permissions.

3.2 Permission Matrix (High-Level)

- Manage Admin Accounts:
 - Head Admin: CREATE / READ / UPDATE / DELETE (all admins & roles).
 - Global Admin: READ only.
 - Community Admin: No access.
- Manage Communities:
 - Head Admin: CRUD for all communities.
 - Global Admin: CRUD for most communities (except ones marked restricted by Head Admin).
 - Community Admin: UPDATE their own communities only.
- Configure Circle Components:
 - Head Admin: Global and per-community configuration.
 - Global Admin: Global and per-community configuration (subject to restrictions).
 - Community Admin: Per-community configuration only for assigned communities.
- View Analytics:
 - Head Admin: Global + per-community.
 - Global Admin: Global + per-community.
 - Community Admin: Assigned communities only.
- View Admin Activity Logs:
 - Head Admin: Full visibility of all admin actions.
 - Global Admin: All actions except some sensitive Head Admin actions may be anonymized.
 - Community Admin: No access.

4. SCOPE AND NON-SCOPE (ADMIN PANEL)

In-scope (v1):

- Secure login for admins (separate from user-facing mobile auth).
- Role-based access control for Head Admin, Global Admins, Community Admins.
- Admin account management (create, edit, deactivate, role changes) by Head Admin.
- Community management: create, edit, archive colleges/organizations.
- Circle component configuration per community (attach/detach components).
- Component library management (prebuilt modules like Events, Anonymous, Groups, Matching, Tasks, etc.).
- Content and user moderation views (reports, actions).
- Analytics dashboards:
 - User metrics (total users, DAU, MAU, retention basics).
 - Community metrics (number of communities, active communities, per-community DAU/MAU).
 - Circle component usage (how often Events, Anonymous, Groups, etc. are used).
- Admin activity logging and viewing (who did what and when).

Out-of-scope (v1):

- Public user-facing web app.
- Advanced BI-style analytics (cohort analysis, funnels, etc.).
- Complex admin notification systems (basic email alerts only if needed).
- Payment/billing configuration (handled later with separate tooling).

5. KEY FEATURES

5.1 Admin Authentication & Access Control

Description:

A secure login system for admins only, separate from end-user authentication.

Requirements:

- Email/password login for admin accounts.
- Strong password rules + optional 2FA (later phase).
- Admin login rate limiting and IP logging.
- Password reset via email.
- Session management with JWT or secure cookies.
- Automatic session expiry and re-authentication prompts.

5.2 Admin Account Management (Head Admin Only)

Description:

Head Admin manages all admin-level users from a single screen.

Requirements:

- Admin List:
 - Table with: Name, Email, Role (Head/Global/Community/Analyst), Status (Active/Inactive), Last Login, Assigned Communities.
 - Filters by role, status, and search by name/email.
- Create Admin:
 - Form fields: name, email, initial role, assigned communities (for Community Admin), notes.
 - Send invitation email with temporary password or activation link.
- Edit Admin:
 - Change role (e.g., Community Admin → Global Admin).
 - Update assigned communities.

- Activate/deactivate account.
- Remove Admin:
 - Ability to deactivate or revoke admin role.
 - Optionally transfer community responsibilities to another admin.
- Constraints:
 - Head Admin account cannot be deleted or downgraded by any other admin.

5.3 Admin Activity Logs & Monitoring

Description:

Head Admin (and partially Global Admin) can see all important actions done by admins.

Requirements:

- Activity log entries should include:
 - Actor (admin user).
 - Timestamp.
 - Action type (e.g., "Created community", "Changed role", "Edited components", "Suspended user").
 - Target entity (community, user, component, etc.).
 - Optional metadata (old value → new value).
- Activity Log Screen:
 - Filters by admin, date range, action type, community.
 - Search by email, community name.
 - Pagination or infinite scroll.
- Visibility rules:
 - Head Admin: sees full logs.
 - Global Admin: sees logs except for sensitive Head Admin-only operations (e.g., billing if added later).
 - Community Admin: no access.

5.4 Community Management

Description:

Create and manage communities (colleges, offices, bootcamps, etc.), which correspond to Circles in the mobile app.

Requirements:

- Communities List:
 - Columns: Name, Type (College/Office/Bootcamp/etc.), Status, Member count, Active Components.
 - Filter by type, status, region.
- Create Community:
 - Fields: name, slug, type, logo, description, region/country, default language.
 - Select default components (from component library) to be attached at creation.
- Edit Community:
 - Update any of the above fields.
 - Change status: Active/Paused/Archived.
- Archive Community:
 - Prevent new sign-ups into that community.
 - Existing data remains for analytics; read-only access for admins.
- Behavior with Mobile App:
 - When a user selects a community during onboarding, they are mapped to this community's ID.
 - Mobile app uses community configuration to render Circle tabs.

5.5 Circle Component Library & Configuration

Description:

A library of prebuilt modules that can be attached as components to each community's Circle.

Example components:

- Anonymous: anonymous posting feed.
- Events: event listings and RSVPs.
- Groups: group directory + group feeds and chats.
- Matching: skill-based matchmaking.
- Tasks: basic tasks/todos for office or project teams.
- Announcements: official posts from admins.
- Jobs/Internships: opportunities board.
- Resources: links and documents.
- Marketplace: buy/sell/exchange.
- Polls: survey and polls.
- Q&A: structured question/answer board.
- Custom Page: simple content or external link.

Requirements:

- Component Library Screen (Head/Global Admin):
 - List of all component templates with name, description, category, allowed community types, status.
 - Add/Edit components (for future extension), including labels and capabilities.
- Community Components Screen (per community):
 - Left panel: available components from library.
 - Right panel: active components for this community (ordered list representing tabs order in mobile app).
 - Add/remove components via toggle or drag-and-drop.
 - Save configuration to backend.
- Rules:
 - Default college template: Anonymous, Events, Groups, Matching pre-selected.
 - Offices/companies: no default; admin chooses components.
 - Head/Global Admin can define which components are allowed for each community type.

5.6 User Management (View & Control)

Description:

Admins can view user-level information and take basic actions (suspend, reset, etc.).

Requirements:

- Users List Screen:
 - Columns: Name, Username, Email, Community, Role (if any), Status (Active/Suspended), Join Date, Last Active.
 - Filters: community, status, date range, text search.
- User Detail Screen:
 - Basic profile: name, username, community, year/branch (if college), roles.
 - Activity summary: number of posts, comments, reports against them, groups.
 - Actions:
 - Suspend/unsuspend account.
 - Reset password (send reset email).
 - View recent reports involving this user.
- Permissions:
 - Head/Global Admin: can act on any user.
 - Community Admin: can act only on users in their own community.

5.7 Content Moderation Console

Description:

Central place to process reports and moderate posts, comments, stories, groups, etc.

Requirements:

- Reports Queue Screen:
 - List of open reports with type (post/comment/story/chat/profile/group/event), reporter, reason, timestamp, community.
 - Filters by type, community, status (Open/Resolved), severity.
- Report Detail View:
 - Show reported content, context (e.g., full post, comment thread).
 - Show history of previous reports for same user/content.
 - Actions:
 - Hide or delete content.
 - Warn user (send warning message/email).
 - Suspend user (temporary or permanent).
 - Mark report as resolved/closed with resolution notes.
- Audit:
 - All actions taken in moderation console are logged in admin activity logs.

5.8 Analytics & Reporting

Description:

Dashboards for Head Admin and other admins to see system health and usage.

Key metrics:

- Global metrics (Head/Global Admin):
 - Total users.
 - DAU (Daily Active Users) and MAU (Monthly Active Users).
 - Number of active communities.
 - Average posts per user per week.
 - Total messages sent per day.
 - Total events created and RSVPs.
- Community metrics (Head/Global/Community Admin):
 - Users in that community.
 - DAU/MAU in community.
 - Posts per day/week.
 - Active groups, events, and match cards.
 - Number of anonymous posts and associated reports.
- Component usage metrics:
 - For each component (e.g., Events, Anonymous, Groups, Matching, Tasks):
 - How many communities have it enabled.
 - Usage stats (e.g., events created, anonymous posts per day, tasks completed).

Requirements:

- Analytics Dashboard Screen:
 - Tabs: Overview, Communities, Components.
 - Filters: date range (last 7 days, 30 days, custom), community selection.
 - Charts (basic) and tables (precise numbers).
- Data export (later phase):
 - CSV export for selected views (Overview, Community metrics).

5.9 Settings & System Configuration

Description:

Global configuration for the Jibble platform managed by Head Admin and Global Admins.

Requirements:

- Global Settings Screen:
 - Toggle features on/off globally (e.g., temporary disable new registrations).
 - Configure global limits (max communities, max posts/day per user, etc.).
 - Manage default templates for new communities (college template, office template, etc.).

6. USER FLOWS & NAVIGATION (ADMIN PANEL)

6.1 High-Level Navigation

Top-level navigation (example):

- Dashboard
- Admins
- Communities
- Components
- Users
- Moderation
- Analytics
- Settings

6.2 Example Flow: Head Admin Adds a New Community Admin

1. Head Admin logs into admin panel.
2. Navigates to "Admins" section.
3. Clicks "Add Admin".
4. Fills in name, email, role = Community Admin, assigns one or more communities.
5. Clicks "Create" → system sends invitation email.
6. The action is logged in activity logs.

6.3 Example Flow: Configure Circle Components for a Community

1. Admin goes to "Communities" → selects a community.
2. Opens "Components" tab.
3. Sees active components on the right, available components on the left.
4. Drags "Tasks" and "Announcements" into active list, removes "Marketplace" if not needed.
5. Saves configuration.
6. Mobile app Circle screen updates to reflect new component tabs.

6.4 Example Flow: Head Admin Reviews Admin Activity

1. Head Admin opens "Analytics" → "Admin Activity" or "Activity Logs".
2. Filters by date range (e.g., last 7 days).
3. Sees a list of admin actions (who changed what, when).
4. Clicks an entry to see details (old value vs new value).

7. UX & DESIGN PRINCIPLES (ADMIN PANEL)

- Web-first, responsive design (desktop-optimized, usable on tablet).
- Clean, minimal interface focused on data tables, filters, and clear actions.
- Consistent use of colors and typography aligned with Jibble brand.
- Clear status indicators (e.g., Active/Inactive, Enabled/Disabled).
- Strong emphasis on confirmation dialogs for destructive actions (delete, suspend, remove admin).

8. SECURITY, PRIVACY, AND AUDIT

- All admin panel traffic over HTTPS.
- Strong authentication and session management.
- Role-based access control enforced at backend route level.
- Audit logs for all sensitive actions (admin changes, community changes, moderation actions).
- Principle of least privilege for all roles.
- Protection against basic web threats (CSRF, XSS, SQL injection, etc.).

9. NON-FUNCTIONAL REQUIREMENTS

- Availability: Admin panel should target >99% uptime (backed by backend uptime).
- Performance: Key pages (Admins, Communities, Analytics summary) should load within 2–3 seconds on a normal connection.
- Scalability: Support hundreds of communities and tens of thousands of users across them.
- Observability: Logging and basic monitoring for admin panel usage and errors.

10. ASSUMPTIONS AND RISKS

Assumptions:

- The Head Admin is trusted and will manage admin roles responsibly.
- Community Admins are vetted by the Head/Global Admins.
- Internet connectivity for admins is stable.

Risks:

- Misconfigured roles (e.g., giving too much access to a Community Admin) leading to unintended changes.
- Analytics may initially be basic and need iterative improvement.
- High moderation workload as communities scale.

END OF DOCUMENT