

1. What is the default mode when opening a file using open()?

- A. w
- B. rw
- C. r
- D. a

Correct Answer: C. r

2. What will this code output?

try:

```
print(1/0)
```

except:

```
print("A")
```

finally:

```
print("B")
```

- A. A
- B. A B
- C. Error
- D. Only B

Correct Answer: B. A B

3. Which of the following is used to open a file for both reading and writing?

- A. rw
- B. r+
- C. w+
- D. a+

Correct Answer: B. r+

4. What will the output be?

try:

```
raise ValueError("error")
```

except Exception:

```
print("Caught")
```

- A. Error
- B. ValueError

C. Caught

D. None

Correct Answer: C. Caught

5. What happens if file.close() is not called?

A. File is never closed

B. Python auto-closes it

C. Data might not save

D. Error occurs immediately

Correct Answer: C. Data might not save

6. What will be printed?

```
print(False and 1/0)
```

A. False

B. ZeroDivisionError

C. True

D. None

Correct Answer: A. False

7. Choose the correct option:

```
with open("test.txt", "w") as f:
```

```
    f.write("test")
```

```
print(f.closed)
```

A. True

B. False

C. Error

D. None

Correct Answer: A. True

8. Which of these modes overwrites the file?

A. a

B. r+

C. w

D. a+

Correct Answer: C. w

9. What is the output?

try:

```
1 + '1'
```

except TypeError:

```
print("Type Error")
```

- A. Error
- B. Type Error
- C. None
- D. 11

Correct Answer: B. Type Error

10. File is best automatically closed using:

- A. file.close()
- B. try-finally
- C. with open()
- D. close(file)

Correct Answer: C. with open()

11. What will this print?

try:

```
print("A")
```

except:

```
print("B")
```

else:

```
print("C")
```

finally:

```
print("D")
```

- A. A C D
- B. A B D
- C. A D
- D. B C D

Correct Answer: A. A C D

12. What does this do?

```
file = open("data.txt", "r")
```

```
file.write("Hi")
```

- A. Writes "Hi"
- B. Throws TypeError
- C. Throws IOError
- D. Throws UnsupportedOperation

Correct Answer: D. Throws UnsupportedOperation

13. Output of this?

```
try:
```

```
    int("abc")
```

```
except ValueError:
```

```
    print("Handled")
```

- A. abc
- B. Error
- C. Handled
- D. None

Correct Answer: C. Handled

14. Output?

```
print(0 or 5)
```

- A. 0
- B. 5
- C. Error
- D. None

Correct Answer: B. 5

15. Which will not raise an exception?

```
open("abc.txt", "a")
```

- A. Raises FileNotFoundError
- B. Raises IOError
- C. No error
- D. PermissionError

Correct Answer: C. No error

16. Result of this?

```
x = [1, 2, 3]
```

```
print(x and x[0])
```

A. [1, 2, 3]

B. 1

C. Error

D. None

Correct Answer: B. 1

17. Which statement is false about finally?

A. It always runs

B. Runs even if exception occurs

C. Skipped when exception is unhandled

D. Runs even after return in try

Correct Answer: C. Skipped when exception is unhandled

18. Output?

```
try:
```

```
    print(10 // 0)
```

```
except ZeroDivisionError:
```

```
    print("Zero")
```

```
finally:
```

```
    print("End")
```

A. Zero

B. Zero End

C. Error

D. End

Correct Answer: B. Zero End

19. What will readlines() return?

A. String

B. List of lines

C. Tuple

D. Int

Correct Answer: B. List of lines

20. Output of this short-circuit logic?

```
print(True or 1/0)
```

- A. True
- B. Error
- C. 0
- D. None

Correct Answer: A. True

21. File opened in "a" mode always:

- A. Deletes content
- B. Adds new content to end
- C. Raises error
- D. Only reads

Correct Answer: B. Adds new content to end

22. What is printed?

```
try:
```

```
    x = 1 / 0
```

```
except ZeroDivisionError as e:
```

```
    print(type(e).__name__)
```

- A. ZeroDivisionError
- B. e
- C. Exception
- D. Error

Correct Answer: A. ZeroDivisionError

23. Which mode creates a new file and fails if it exists?

- A. x
- B. w
- C. a
- D. r

Correct Answer: A. x

24. Output of this logic?

```
print([] or "Python")
```

- A. []
- B. Python
- C. Error
- D. None

Correct Answer: B. Python

25. Which error is raised by int("ten")?

- A. SyntaxError
- B. TypeError
- C. ValueError
- D. NameError

Correct Answer: C. ValueError

26. Output?

```
try:  
    raise KeyboardInterrupt  
except:  
    print("Caught")
```

- A. KeyboardInterrupt
- B. Error
- C. Caught
- D. Nothing

Correct Answer: C. Caught

27. What is the type of exception caught by this?

```
try:  
    open("abc.txt", "r")  
except Exception as e:  
    print(type(e).__name__)
```

- A. IOError
- B. FileNotFoundError
- C. ValueError
- D. None

Correct Answer: B. FileNotFoundError

28. What will this result in?

with open("abc.txt", "r") as f:

```
f.write("Hello")
```

- A. Writes Hello
- B. ValueError
- C. FileNotFoundError
- D. io.UnsupportedOperation

Correct Answer: D. io.UnsupportedOperation

29. What is the best way to ensure file is always closed?

- A. Use file.close() in finally
- B. Use with block
- C. Use exit() after write()
- D. Use gc.collect()

Correct Answer: B. Use with block

30. Output?

```
def f():
```

```
    try:
```

```
        return 1
```

```
    finally:
```

```
        return 2
```

```
print(f())
```

- A. 1
- B. 2
- C. Error
- D. None

Correct Answer: B. 2

Let me know if you'd like:

- A PDF or DOCX quiz sheet

- **Answer key sheet**
- More MCQs on specific Python topics like OOP, list comprehensions, decorators, etc.