DOM1:

```
let heart = document.getElementById('heart');
let likesCount = document.getElementById('likesCount');
let likes = parseInt(likesCount.textContent);

console.log(heart.textContent);
console.log(likesCount.textContent);
console.log(likes);


let content = heart.textContent;
let count = 2;

heart.addEventListener('click', ()=>{

    if(count%2 === 0){
        heart.innerHTML = "&#10084;";
        likes++;
        count++;
        likesCount.textContent = likes + " " + "likes";
    }else{
       heart.innerHTML = "&#9825;";
       count++;
       likes--;
       likesCount.textContent = likes + " " + "likes";
    }

})
```

DOM2:

```
let addBtn = document.getElementById('addBtn');
let stepper = document.getElementById('stepper');
let cartTotal = document.getElementById('cartTotal');
let qty = document.getElementById('qty');

let decreaseBtn = document.getElementById('decreaseBtn');
let increaseBtn = document.getElementById('increaseBtn');

// let price = parseInt(cartTotal.textContent) //It will not work, why ?
let price = 250;
let count = 0;
console.log(cartTotal.textContent);

addBtn.addEventListener('click', ()=>{
    addBtn.classList.add("hidden");
    stepper.classList.remove('hidden');
    // price = price + 250;
    cartTotal.textContent = "₹" + " " + price;
    count++;
    qty.textContent = count;
})
```

```
decreaseBtn.addEventListener('click', ()=>{
    if(price>250){
        price = price - 250;
        cartTotal.textContent = "₹" + " " + price;
        count--;
        qty.textContent = count;
    }else{
            addBtn.classList.remove("hidden");
            stepper.classList.add('hidden');
    }
})

increaseBtn.addEventListener('click', ()=>{
    price = price + 250;
    cartTotal.textContent = "₹" + " " + price;
    count++;
    qty.textContent = count;

})
```

DOM3:

```
let addToCartBtn = document.getElementById('addToCartBtn');
let wishlistIcon = document.getElementById('wishlistIcon');
let cartCount = document.getElementById('cartCount');
let count = 0;


console.log(addToCartBtn.textContent);

addToCartBtn.addEventListener('click', ()=>{

    addToCartBtn.textContent = "Added";
    console.log(addToCartBtn.textContent);
    addToCartBtn.style.backgroundColor = "aqua";
    addToCartBtn.style.color = "green";
    wishlistIcon.innerHTML = "&#10084;";
    count++;
    cartCount.textContent = count;
```

```
})
```

DOM4:

```
let themeBtn = document.getElementById('themeBtn');
let bookBtn = document.getElementById('bookBtn');
const rideCard = document.getElementById("rideCard");
const status = document.getElementById("status");

themeBtn.addEventListener('click', () => {

    document.body.classList.toggle("dark");
```

```
    rideCard.classList.toggle("dark");
    if (rideCard.classList.contains("dark")) {
        themeBtn.textContent = "☀ Light Mode";

    } else {
        themeBtn.textContent = "   Dark Mode";
    }
})

bookBtn.addEventListener("click", function () {
    bookBtn.setAttribute("disabled", "true"); // button becomes unclickable
    status.textContent = "   Searching for a driver...";

    //**********Async JS*********//
    setTimeout(function () {
        status.textContent = "   Driver found! Arriving in 3 mins";
        rideCard.classList.add("confirmed");
        bookBtn.textContent = "Booked";
    }, 1500);
});
```

DOM5:

```
const stars = document.querySelectorAll(".star");
const ratingText = document.getElementById("ratingText");

stars.forEach(function (star) {
  star.addEventListener("click", function () {
    const selectedIndex = parseInt(star.getAttribute("data-index"));

    stars.forEach(function (s) {
      const sIndex = parseInt(s.getAttribute("data-index"));
      if (sIndex <= selectedIndex) {
        s.classList.add("filled");
      } else {
        s.classList.remove("filled");
      }
    });

    ratingText.textContent = "You rated " + selectedIndex + "/5";
  });
});
```

DOM6:

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Box Color Change</title>
    <link rel="stylesheet" href="style.css">
    <script defer src="index.js"></script>
</head>
<body>
    <div class="box" style="background-color: red;"></div>
    <div class="box" style="background-color: green;"></div>
    <div class="box" style="background-color: blue;"></div>
    <div class="box" style="background-color: yellow;"></div>

</body>
</html>
```

Style.css

```
body {
        display: flex;
        justify-content: center;
        align-items: center;
        height: 100vh;
        margin: 0;
    }

    .box {
        width: 100px;
        height: 100px;
        margin: 10px;
        cursor: pointer;
    }
```

Index.js

```
const boxes = document.querySelectorAll('.box');

// It will not work as this of arrow function inside event listener
// will not point that selected box. It will point global object.
    boxes.forEach((box) => {
        box.addEventListener('click',()=>{
            const color = this.style.backgroundColor;
            document.body.style.backgroundColor = color;
        });
    });


    // boxes.forEach(box => {
    //     box.addEventListener('click', function () {
    //         const color = this.style.backgroundColor;
    //         document.body.style.backgroundColor = color;
    //     });
    // });
```