

7.4.11

Aditya Appana - EE25BTECH11004

October 1, 2025

Question

If the chord $y = mx + 1$ of the circle $x^2 + y^2 = 1$ subtends an angle of measure 45° at the major segment of the circle then the value of m is

- ① $2 \pm \sqrt{2}$ ② $-2 \pm \sqrt{2}$ ③ $-1 \pm \sqrt{2}$ ④ none of these

Solution

The given line subtends an angle 45° at the major segment of the circle. Therefore, it will subtend $2 \times 45^\circ = 90^\circ$ at the centre of the circle.

The line $y = mx + 1$ can be expressed as:

$$\begin{pmatrix} m \\ -1 \end{pmatrix}^T \mathbf{x} + 1 = 0 \quad (1)$$

This line always passes through $\begin{pmatrix} 0 \\ 1 \end{pmatrix}$, which lies on the circle $x^2 + y^2 = 1$ (since $0^2 + 1^2 = 1$). Therefore one point of intersection is $\begin{pmatrix} 0 \\ 1 \end{pmatrix}$.

Let the other point of intersection be $\mathbf{P}$. $\mathbf{P}$ will be a $\pm 90^\circ$ rotation of $\begin{pmatrix} 0 \\ 1 \end{pmatrix}$ about the origin.

Solution

The rotation matrix is:

$$\begin{pmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{pmatrix}. \quad (2)$$

Therefore:

$$\mathbf{P} = \begin{pmatrix} 0 \\ 1 \end{pmatrix} \begin{pmatrix} \cos(\pm 90) & -\sin(\pm 90) \\ \sin(\pm 90) & \cos(\pm 90) \end{pmatrix} \quad (3)$$

$$\mathbf{P} = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \text{ or } \begin{pmatrix} -1 \\ 0 \end{pmatrix} \quad (4)$$

Solution

$$\text{If } \mathbf{P} = \begin{pmatrix} 1 \\ 0 \end{pmatrix}, m = \frac{0 - 1}{1 - 0} = -1 \quad (5)$$

$$\text{If } \mathbf{P} = \begin{pmatrix} -1 \\ 0 \end{pmatrix}, m = \frac{0 - 1}{-1 - 0} = 1 \quad (6)$$

$$m = \pm 1 \quad (7)$$

Therefore, **d)** is the correct answer.

codes permalink

Plot




Figure: Plot