

Cucumber Report

04-Jun-2024, 2:13:52 pm

Start : Jun 04, 2:13:45.127 pm

End : Jun 04, 2:13:50.406 pm

Duration : 5.279 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 1
FAILED - 8
SKIPPED - 0


PASSED - 7
FAILED - 8
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Workspace</u>	1.372 s	5	0	5	0	19	5	5	9
<u>Negitive scenarios for postman workspace</u>	3.894 s	4	1	3	0	11	2	3	6

#	Feature Name	Scenario Name
1	<u>Workspace</u>	<u>To get the list of workspaces</u>
2		<u>To create a workspace</u>
3		<u>Get the newly created workspace</u>
4		<u>To update the workspace</u>
5		<u>Delete the newly created workspace</u>
6	<u>Negative scenarios for postman workspace</u>	<u>To get the workspace with wrong id</u>
7		<u>To create a workspace with wrong type</u>
8		<u>Try to delete workspace with invalid id</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>@PositiveScenarios</i>	5	0	5	0	1	0	1	0
<i>@NegativeScenarios</i>	4	1	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Workspace</u>	5	0	5	0	1.372 s
2	<u>Negative scenarios for postman workspace</u>	4	1	3	0	3.894 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Workspace</u>	<u>To get the list of workspaces</u>	4	1	1	2	1.275 s
2		<u>To create a workspace</u>	4	1	1	2	0.005 s
3		<u>Get the newly created workspace</u>	4	1	1	2	0.004 s
4		<u>To update the workspace</u>	3	1	1	1	0.009 s
5		<u>Delete the newly created workspace</u>	4	1	1	2	0.004 s
6	<u>Negative scenarios for postman workspace</u>	<u>To get the workspace with wrong id</u>	3	0	1	2	0.003 s
7		<u>To create a workspace with wrong type</u>	3	0	1	2	0.003 s
8		<u>Try to delete workspace with invalid id</u>	3	0	1	2	0.004 s
9		<u>Check the error meassage when given a wrong URL</u>	2	2	0	0	3.868 s

Workspace

FAILED	DURATION - 1.372 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 19 Pass - 5 Fail - 5 Skip - 9	
/ 2:13:45.127 pm // 2:13:46.499 pm /					



To get the list of workspaces

<div>FAILED</div> <div>DURATION - 1.275 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 2:13:45.140 pm // 2:13:46.415 pm /</div>				
<div>Workspace</div>				
<div>@PositiveScenarios</div>				

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.010 s
2	When pass the endpoint java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)	FAILED	1.213 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240) at io.restassured.internal.RequestSpecificationImpl.baseUrl(RequestSpecificationImpl.groovy:704) at steps.Workspace.pass_the_endpoint(Workspace.java:34) at ?.pass the endpoint(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:8) * Not displayable characters are replaced by '?'.		
3	Then validate the status code	SKIPPED	0.001 s
4	And Check the body	SKIPPED	0.000 s



To create a workspace

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:13:46.453 pm // 2:13:46.458 pm /				
Workspace				
@PositiveScenarios				

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.001 s
2	When Send the body with "Aditya" "personal" "Hello Practice" java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUrl(RequestSpecificationImpl.groovy:704) at steps.Workspace.send_the_body_with(Workspace.java:67) at ?.Send the body with "Aditya" "personal" "Hello Practice"(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:13)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then validate the status code 200		
3	Then validate the status code 200	SKIPPED	0.000 s
4	Then validate the body data	SKIPPED	0.000 s

Get the newly created workspace

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:13:46.465 pm // 2:13:46.469 pm /				
Workspace				
@PositiveScenarios				

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.001 s
2	When Pass the body along with the newly create id <pre>java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704) at steps.Workspace.pass_the_body_along_with_the_newly_create_id(Workspace.java:93) at ?.Pass the body along with the newly create id(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then validate the status code 200 or not	SKIPPED	0.000 s
4	And validate the body	SKIPPED	0.000 s

To update the workspace

<div>FAILED</div> <div>DURATION - 0.009 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:13:46.481 pm // 2:13:46.490 pm /</div>				
<div>Workspace</div>				
<div>@PositiveScenarios</div>				



#	Step / Hook Details	Status	Duration						
1	Given Enter the baseURL	PASSED	0.001 s						
2	<div>When Pass the body along with the new data</div> <table><tr><td>name</td><td>type</td><td>description</td></tr><tr><td>AdityaTeja</td><td>personal</td><td>QA</td></tr></table> <div>java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUrl(RequestSpecificationImpl.groovy:704) at steps.Workspace.pass_the_body_along_with_the_new_data(Workspace.java:127) at ?.Pass the body along with the new data(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:26) * Not displayable characters are replaced by '?'. </div>	name	type	description	AdityaTeja	personal	QA	FAILED	0.007 s
name	type	description							
AdityaTeja	personal	QA							
3	Then validate the status code and body	SKIPPED	0.001 s						

Delete the newly created workspace



FAILED	DURATION - 0.004 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 2:13:46.495 pm // 2:13:46.499 pm /				
Workspace				
@PositiveScenarios				

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.001 s
2	When Send the body along with id to delete the data <pre> java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704) at steps.Workspace.delete_code(Workspace.java:139) at ?.Send the body along with id to delete the data(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:32) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then check the status code 200 or nott	SKIPPED	0.000 s
4	And get the body again and validate the code	SKIPPED	0.000 s

Negative scenarios for postman workspace



FAILED	DURATION - 3.894 s	Scenarios		Steps	
/ 2:13:46.512 pm // 2:13:50.406 pm /		Total - 4		Total - 11	
		Pass - 1		Pass - 2	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 6	

To get the workspace with wrong id

FAILED	DURATION - 0.003 s		Steps	
/ 2:13:46.513 pm // 2:13:46.516 pm /			Total - 3	
Negative scenarios for postman workspace			Pass - 0	
@NegativeScenarios			Fail - 1	
			Skip - 2	



#	Step / Hook Details	Status	Duration
1	When post wrong workspace id along with the url <pre> java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704) at steps.Workspaceneg.post_wrong_workspace_id_along_with_the_url(Workspaceneg.java:27) at ?.post wrong workspace id along with the url(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspaceneg.feature:10) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	Then check the status code 404	SKIPPED	0.000 s
3	And check the error message and key are displayed	SKIPPED	0.000 s

To create a workspace with wrong type

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:13:46.522 pm // 2:13:46.525 pm /				
Negative scenarios for postman workspace				
@NegativeScenarios				

#	Step / Hook Details	Status	Duration
1	When Send the body with wrong type "Aditya" "QA" "Hello Practice" <pre> java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704) at steps.Workspaceneg.send_the_body_with_wrong_type(Workspaceneg.java:56) at ?.Send the body with wrong type "Aditya" "QA" "Hello Practice"(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspaceneg.feature:15) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	Then check the status code 400 or not	SKIPPED	0.000 s
3	Then validate the body of the data	SKIPPED	0.000 s

Try to delete workspace with invalid id

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:13:46.530 pm // 2:13:46.534 pm /				
Negative scenarios for postman workspace				
@NegativeScenarios				

#	Step / Hook Details	Status	Duration
1	When Send the body with invalid id <pre> java.lang.IllegalArgumentException: Base URI cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704) at steps.Workspaceneg.send_the_body_with_invalid_id(Workspaceneg.java:76) at ?.Send the body with invalid id(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspaceneg.feature:24) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
2	Then check the response code 404	SKIPPED	0.000 s
3	And validate the error message	SKIPPED	0.001 s

Check the error meassage when given a wrong URL


PASSED

DURATION - 3.868 s

/ 2:13:46.538 pm // 2:13:50.406 pm /

Negative scenarios for postman workspace

@NegativeScenarios



Step	Duration (s)
1	2.541
2	1.326


Steps

Total - 2

Pass - 2

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	When Send the wrong URL in path	PASSED	2.541 s
2	Then Check the status code along with error message	PASSED	1.326 s