Cucumber Report

| Start : Jun 04, 2:02:07.867 pm	End : Jun 04, 2:02:13.551 pm	Duration : 5.684 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 8 SKIPPED - 0	PASSED - 7 FAILED - 8 SKIPPED - 15

Features: 2

Scenarios: 9

Steps: 30

Pass %: 0 %

Pass %: 11 %

Pass %: 23 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Workspace	_1.361 s_	5	0	5	0	19	5	5	9
Negitive scenarios for postman workspace	_4.311 s_	4	1	3	0	11	2	3	6

#	Feature Name	Scenario Name
1	*Workspace*	*To get the list of workspaces*
2		*To create a workspace*
3		*Get the newly created workspace*
4		*To update the workspace*
5		*Delete the newly created workspace*
6	*Negitive scenarios for postman workspace*	*To get the workspace with wrong id*
7		*To create a workspace with wrong type*
8		*Try to delete workspace with invalid id*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PositiveScenarios	5	0	5	0	1	0	1	0
@NegitiveScenarios	4	1	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Workspace	5	0	5	0	1.361 s
2	Negitive scenarios for postman workspace	4	1	3	0	4.311 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Workspace	To get the list of workspaces	4	1	1	2	1.264 s
2		To create a workspace	4	1	1	2	0.007 s
3		Get the newly created workspace	4	1	1	2	0.004 s
4		To update the workspace	3	1	1	1	0.010 s
5		Delete the newly created workspace	4	1	1	2	0.004 s
6	Negitive scenarios for postman workspace	To get the workspace with wrong id	3	0	1	2	0.004 s
7		To create a workspace with wrong type	3	0	1	2	0.003 s
8		Try to delete workspace with invalid id	3	0	1	2	0.003 s
9		Check the error meassage when given a wrong URL	2	2	0	0	4.283 s

Workspace

FAILED	DURATION - 1.361 s	Scenarios		Steps	
		Total - 5		Total - 19	
/ 2:02:07.867 pm // 2:02:09.228 pm /		Pass - 0	5	Pass - 5	19
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 9	

To get the list of workspaces

FAILED	DURATION - 1.264 s		Steps	
/ 2:02:07.874 pm // 2:02:09.138 pm /			Total - 4	
			Pass - 1	4
Workspace			Fail - 1	
@PositiveScenarios			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.009 s
2	When pass the endpoint	FAILED	1.215 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240) at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704) at steps.Workspace.pass_the_endpoint(Workspace.java:34) at ?.pass the endpoint(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:8) * Not displayable characters are replaced by '?'.		
3	Then validate the status code	SKIPPED	0.002 s
4	And Check the body	SKIPPED	0.000 s

To create a workspace

FAILED	DURATION - 0.007 s
/ 2:02:09.179 pm // 2:02:09.186 pm /	
Workspace	
@PositiveScenarios	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

| #	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.001 s
2	When Send the body with "Aditya" "personal" "Hello Practice"	FAILED	0.004 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	   at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	   at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	   at steps.Workspace.send_the_body_with(Workspace.java:67)
	   at ?.Send the body with "Aditya" "personal" "Hello Practice"(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:13)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
3	Then validate the status code 200	SKIPPED	0.000 s
4	Then validate the body data	SKIPPED	0.000 s

Get the newly created workspace

FAILED	DURATION - 0.004 s
/ 2:02:09.193 pm // 2:02:09.197 pm /	
Workspace	
@PositiveScenarios	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.000 s
2	When Pass the body along with the newly create id	FAILED	0.002 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	  at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	  at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	  at steps.Workspace.pass_the_body_along_with_the_newly_create_id(Workspace.java:93)
	  at ?.Pass the body along with the newly create id(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:22)
	* Not displayable characters are replaced by '?'.		

3	Then validate the status code 200 or not	SKIPPED	0.000 s
4	And validate the body	SKIPPED	0.000 s

To update the workspace

FAILED	DURATION - 0.010 s
/ 2:02:09.209 pm // 2:02:09.219 pm /	
Workspace	
@PositiveScenarios	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.001 s
2	When Pass the body along with the new data	FAILED	0.008 s

name	type	description
AdityaTeja	personal	QA

java.lang.IllegalArgumentException: Base URI cannot be null
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
   at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
   at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
   at steps.Workspace.pass_the_body_along_with_the_new_data(Workspace.java:127)
   at ?.Pass the body along with the new data(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:26)
* Not displayable characters are replaced by '?'.

| 3 | Then validate the status code and body | SKIPPED | 0.001 s |

Delete the newly created workspace

FAILED	*DURATION - 0.004 s*

/ 2:02:09.224 pm // 2:02:09.228 pm /

Workspace

@PositiveScenarios

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given Enter the baseURL	PASSED	0.000 s
2	When Send the body along with id to delete the data	FAILED	0.002 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	    at steps.Workspace.delete_code(Workspace.java:139)
	    at ?.Send the body along with id to delete the data(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspace.feature:32)
	* Not displayable characters are replaced by '?'.		

3	Then check the status code 200 or nott	SKIPPED	0.001 s
4	And get the body again and validate the code	SKIPPED	0.000 s

Negitive scenarios for postman workspace

FAILED	DURATION - 4.311 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0	4	Steps Total - 11 Pass - 2 Fail - 3 Skip - 6	11
/ 2:02:09.240 pm // 2:02:13.551 pm /					

To get the workspace with wrong id

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 2:02:09.240 pm // 2:02:09.244 pm /				
Negitive scenarios for postman workspace				
@NegitiveScenarios				

#	Step / Hook Details	Status	Duration
1	When post worng workspace id along with the url	FAILED	0.003 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	    at steps.Workspaceneg.post_worng_workspace_id_along_with_the_url(Workspaceneg.java:27)
	    at ?.post worng workspace id along with the url(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspaceneg.feature:10)
	* Not displayable characters are replaced by '?'.		

2	Then check the status code 404	SKIPPED	0.000 s
3	And check the error message and key are displayed	SKIPPED	0.000 s

To create a workspace with wrong type

FAILED	DURATION - 0.003 s		Steps
/ 2:02:09.250 pm // 2:02:09.253 pm /			Total - 3
			Pass - 0
Negitive scenarios for postman workspace			Fail - 1
			Skip - 2
@NegitiveScenarios			

#	Step / Hook Details	Status	Duration
1	When Send the body with wrong type "Aditya" "QA" "Hello Practice"	FAILED	0.002 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	    at steps.Workspaceneg.send_the_body_with_wrong_type(Workspaceneg.java:56)
	    at ?.Send the body with wrong type "Aditya" "QA" "Hello Practice"(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspaceneg.feature:15)
	* Not displayable characters are replaced by '?'.		

2	Then check the status code 400 or not	SKIPPED	0.001 s
3	Then validate the body of the data	SKIPPED	0.000 s

Try to delete workspace with invalid id

FAILED	*DURATION - 0.003 s*	
/ 2:02:09.259 pm // 2:02:09.262 pm /		
Negitive scenarios for postman workspace		
@NegitiveScenarios		

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| #	Step / Hook Details	Status	Duration
1	When Send the body with invalid id	FAILED	0.002 s

	java.lang.IllegalArgumentException: Base URI cannot be null
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)
	    at io.restassured.internal.common.assertion.AssertParameter$notNull.callStatic(Unknown Source)
	    at io.restassured.internal.RequestSpecificationImpl.baseUri(RequestSpecificationImpl.groovy:704)
	    at steps.Workspaceneg.send_the_body_with_invalid_id(Workspaceneg.java:76)
	    at ?.Send the body with invalid id(file:///C:/Users/agaddam/eclipse-workspace/WorkSpace/src/test/resources/feature/workspaceneg.feature:24)
	* Not displayable characters are replaced by '?'.		

2	Then check the response code 404	SKIPPED	0.000 s
3	And validate the error message	SKIPPED	0.000 s

Check the error meassage when given a wrong URL

PASSED	DURATION - 4.283 s

/ 2:02:09.268 pm // 2:02:13.551 pm /

Negitive scenarios for postman workspace

@NegitiveScenarios

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	When Send the wrong URL in path	PASSED	2.858 s
2	Then Check the status code along with error message	PASSED	1.425 s