

TASK 7: ADVANCED MULTI-PAGE STREAMLIT APPLICATION

Enterprise Clinical Decision Support, Batch Ingestion & Performance Analytics

Course / Subject: Deep Learning Deployment & Integration	Task Target: Task 7 - Multi-Page Streamlit App
Frameworks & Stack: Streamlit 1.64, PyTorch 2.14, Plotly, Scikit-Learn	Dataset Processed: Backend/health_activity_data.csv (Un-modified)

1. Project Overview & Multi-Page Architecture

Task 7 expands the clinical decision system into a full-scale, multi-page deep learning application using Streamlit's `st.navigation` architecture. The platform ingests patient records directly from `Backend/health_activity_data.csv` without modification and serves the PyTorch 3-Layer `DeepHealthRiskNet` neural network.

Summary of 5 Modular Application Pages (Updated Navigation Order):

- Page 1 (Overview): Executive project summary, dataset feature specifications, and layer-by-layer neural network inspector.
- Page 2 (Clinical Risk Predictor): Single-patient diagnostic engine with icon-rich forms, dynamic BMI meter, spider/radar chart, and recommendations.
- Page 3 (Cohort CSV Ingestion & Report): Drag-and-drop CSV uploader for cohort inference, summary risk distribution pie charts, and exportable CSVs.
- Page 4 (Model Performance Dashboard): Interactive Plotly Confusion Matrix heatmap, ROC-AUC curves, feature histograms, and classification metrics (91.40% Accuracy).
- Page 5 (System Status): Real-time PyTorch Model Engine health probe, latency benchmarking, and model architecture specifications.

2. Multi-Page Screenshots & Visual Documentation

Below are 5 figure placeholders corresponding to the updated navigation sequence of the Task 7 application.




Figure 1: Page 1: Executive Overview & Neural Net Inspector

Single Patient Clinical Risk Predictor

Input patient physiological parameters to run real-time forward pass inference on `deepnet_classifier`.

Quick Clinical Presets: Custom / Manual Input

Demographics & Body Metrics

- Age (years): 45
- Height (cm): 170.00
- Weight (kg): 75.00
- Calculated BMI: 25.95 kg/m²
- Overweight: ☒

Daily Activity & Nutrition

- Daily Steps: 6500
- Calories Intake (kcal): 2400
- Hours of Sleep: 6.00

Vital Signs

- Heart Rate (bpm): 78
- Systolic BP (mmHg): 128
- Diastolic BP (mmHg): 82

Lifestyle & Medical Pre-conditions

- Exercise (hours/week): 2.00
- Alcohol (units/week): 4
- Active Smoker: ☐
- Diagnosed Diabetic: ☐

Run Neural Network Inference





Figure 2:Page 2: Single Patient Clinical Predictor & Radar Chart






Figure 3:— Page 3: Cohort Batch Ingestion & Report Exporter




Figure 4:Page 4: Model Analytics Dashboard (Confusion Matrix & ROC)





Figure 5: Page 5: System Health Inspector & Latency Benchmark

3. Empirical Results & Dataset Evaluation

Model evaluation metrics were computed on Backend/health_activity_data.csv (1,002 patient samples). Evaluating against the PyTorch Multi-Condition Risk Score target yields an overall classification accuracy of 91.40%.

Clinical Risk Class	Precision	Recall	F1-Score
● Low Risk	94.2%	95.1%	94.6%
● Moderate Risk	88.5%	89.2%	88.8%
● High Risk	91.0%	90.5%	90.7%
● Critical Risk	97.8%	96.9%	97.3%

4. Analytical Observations

1. Intuitive Navigation Flow: Re-ordering Cohort Batch Ingestion to Page 3 and Model Performance Analytics to Page 4 creates a logical workflow from data input to analytics.
2. Robust Cohort Processing: The batch ingestion engine processes 1,000+ patient records in under 150 ms using matrix vectorization.
3. Verified Model Accuracy: The PyTorch neural network achieves 91.40% classification accuracy on Backend/health_activity_data.csv.

5. Source Code Listings

Complete source code listings for app.py and utils.py are provided below.

Source Code Listing: app.py

```

"""
app.py
-----
Task 7: Advanced Multi-Page Streamlit Deep Learning Application.
Main Entry Point configuring page navigation using views/ directory.
Prevents _mpa_v1 auto-discovery URL collisions on Streamlit Cloud.
"""

import streamlit as st
from utils import ModelConnector

# 1. Configure Global Page Specs
st.set_page_config(
    page_title="Clinical DL Platform | Task 7",
    page_icon="🏥",
    layout="wide",
    initial_sidebar_state="expanded"
)

# 2. Shared Connector Resource
@st.cache_resource
def get_connector():
    return ModelConnector()

connector = get_connector()

```

```

# 3. Configure Multi-Page Navigation System using views/ subfolder
pages = {
    "Navigation Menu": [
        st.Page("views/1_Overview.py", title="Executive Overview & Neural Net", icon="🏠",
url_path="overview"),
        st.Page("views/2_Prediction.py", title="Single Patient Clinical Predictor", icon="🧠",
url_path="prediction"),
        st.Page("views/3_Batch_Processing.py", title="Cohort CSV Ingestion & Report", icon="📁",
url_path="batch-cohort"),
        st.Page("views/4_Analytics.py", title="Model Performance Dashboard", icon="📊",
url_path="analytics-dashboard"),
        st.Page("views/5_System_Status.py", title="System Health & Diagnostics", icon="⚙️",
url_path="system-status"),
    ]
}

# Sidebar Global Info Header
st.sidebar.title("🏥 Clinical DL System")
st.sidebar.caption("PyTorch DeepHealthRiskNet Platform")
st.sidebar.divider()

st.sidebar.subheader("🔌 Connection Engine")
st.sidebar.success("🟢 PyTorch DL Engine Active")
st.sidebar.caption("Direct in-memory neural network inference mode.")

st.sidebar.divider()
st.sidebar.info("💡 **Task 7 Multi-Page App**: Select a page from the Navigation Menu above to view Overview, Risk Prediction, Batch Cohort Ingestion, Analytics Dashboard, or System Health.")

# Run Navigation System
pg = st.navigation(pages)
pg.run()

```

Source Code Listing: utils.py

```

"""
utils.py
-----
Task 7 Helper Utilities:
1. PyTorch Model Connector (Direct PyTorch Model Loading & Flask REST API mode).
2. Un-modified Dataset Ingestion (Backend/health_activity_data.csv).
3. Analytics Engine (Confusion Matrix, ROC curves, Feature Distributions, F1/Accuracy scores).
4. Batch Inference Engine for cohort evaluation.
"""

import os
import sys
import json
import time
import numpy as np
import pandas as pd
from sklearn.metrics import confusion_matrix, classification_report, roc_curve, auc

```

```

# Dynamically add Backend to sys.path
CURR_DIR = os.path.abspath(os.path.dirname(__file__))
BACKEND_DIR = os.path.abspath(os.path.join(CURR_DIR, "../Backend"))
if BACKEND_DIR not in sys.path:
    sys.path.insert(0, BACKEND_DIR)

DATASET_PATH = os.path.join(BACKEND_DIR, "health_activity_data.csv")

FEATURE_NAMES = [
    "age", "height_cm", "weight_kg", "bmi",
    "daily_steps", "calories_intake", "hours_of_sleep",
    "heart_rate", "systolic_bp", "diastolic_bp",
    "exercise_hours_per_week", "alcohol_consumption_per_week",
    "smoker", "diabetic"
]

FEATURE_LABELS = {
    "age": "👴 Age (years)",
    "height_cm": "📏 Height (cm)",
    "weight_kg": "⚖️ Weight (kg)",
    "bmi": "📊 BMI (kg/m²)",
    "daily_steps": "👣 Daily Steps",
    "calories_intake": "🍲 Calories Intake (kcal)",
    "hours_of_sleep": "😴 Sleep (hours)",
    "heart_rate": "❤️ Heart Rate (bpm)",
    "systolic_bp": "💧 Systolic BP (mmHg)",
    "diastolic_bp": "🩺 Diastolic BP (mmHg)",
    "exercise_hours_per_week": "🏃 Exercise (hours/week)",
    "alcohol_consumption_per_week": "🍷 Alcohol (units/week)",
    "smoker": "🚬 Smoker",
    "diabetic": "🩹 Diabetic"
}

RISK_CLASSES = ["Low Risk", "Moderate Risk", "High Risk", "Critical Risk"]

RISK_METADATA = {
    "Low Risk": {"badge": "🟢 Low Risk", "color": "#28a745", "icon": "🟢", "desc": "Patient exhibits optimal physiological metrics with minimal risk factors."},
    "Moderate Risk": {"badge": "🟡 Moderate Risk", "color": "#ffc107", "icon": "🟡", "desc": "Patient displays mild risk indicators requiring lifestyle monitoring."},
    "High Risk": {"badge": "🔴 High Risk", "color": "#fd7e14", "icon": "🔴", "desc": "Significant clinical risk markers detected. Medical checkup recommended."},
    "Critical Risk": {"badge": "🟠 Critical Risk", "color": "#dc3545", "icon": "🟠", "desc": "Severe health risk parameters identified. Immediate clinical intervention required."}
}

class ModelConnector:
    """Handles inference via direct PyTorch Model engine."""

    def __init__(self):
        self.direct_engine = None
        self._init_direct_engine()

    def _init_direct_engine(self):
        try:

```

```

        from model_loader import get_model_engine
        self.direct_engine = get_model_engine()
    except Exception as e:
        self.direct_engine = None

def predict_direct(self, feature_vector):
    if not self.direct_engine:
        self._init_direct_engine()
    if not self.direct_engine:
        raise RuntimeError("Direct PyTorch Model Engine is not available.")

    start_time = time.time()
    results = self.direct_engine.predict([feature_vector])
    latency_ms = round((time.time() - start_time) * 1000, 2)
    res_data = results[0]
    res_data["latency_ms"] = latency_ms
    res_data["mode"] = "Direct PyTorch Engine 🚀"
    return res_data

def predict_batch_direct(self, feature_matrix):
    if not self.direct_engine:
        self._init_direct_engine()
    if not self.direct_engine:
        raise RuntimeError("Direct PyTorch Model Engine is not available.")

    start_time = time.time()
    results = self.direct_engine.predict(feature_matrix)
    latency_ms = round((time.time() - start_time) * 1000, 2)
    return results, latency_ms

def load_dataset():
    """Robustly loads health_activity_data.csv without modifying or renaming it."""
    possible_paths = [
        os.path.join(CURR_DIR, "health_activity_data.csv"),
        os.path.join(BACKEND_DIR, "health_activity_data.csv"),
        os.path.abspath("health_activity_data.csv"),
        os.path.abspath("../Backend/health_activity_data.csv"),
        os.path.abspath("Backend/health_activity_data.csv")
    ]
    for p in possible_paths:
        if os.path.exists(p):
            return pd.read_csv(p)
    raise FileNotFoundError(f"Dataset file 'health_activity_data.csv' not found. Checked: {possible_paths}")

def calculate_bmi(weight_kg, height_cm):
    if height_cm <= 0:
        return 0.0
    height_m = height_cm / 100.0
    return round(weight_kg / (height_m ** 2), 2)

def compute_dataset_analytics(connector):
    """Computes model evaluation analytics on health_activity_data.csv."""
    df = load_dataset()

    features_list = []
    scores = []

```

```

for idx, row in df.iterrows():
    bp_str = str(row.get("Blood_Pressure", "120/80"))
    sys_bp, dia_bp = map(float, bp_str.split("/")) if "/" in bp_str else (120.0, 80.0)

    smoker_val = 1.0 if str(row.get("Smoker", "No")).strip().lower() in ["yes", "1", "true"] else 0.0
    diabetic_val = 1.0 if str(row.get("Diabetic", "No")).strip().lower() in ["yes", "1", "true"] else
0.0
    heart_disease_val = 1.0 if str(row.get("Heart_Disease", "No")).strip().lower() in ["yes", "1",
"true"] else 0.0

    age_val = float(row.get("Age", 45))
    h_cm = float(row.get("Height_cm", 170.0))
    w_kg = float(row.get("Weight_kg", 70.0))
    bmi_val = float(row.get("BMI", calculate_bmi(w_kg, h_cm)))
    steps_val = float(row.get("Daily_Steps", 5000))
    cal_val = float(row.get("Calories_Intake", 2000))
    sleep_val = float(row.get("Hours_of_Sleep", 7.0))
    hr_val = float(row.get("Heart_Rate", 75))
    ex_val = float(row.get("Exercise_Hours_per_Week", 2.0))
    alc_val = float(row.get("Alcohol_Consumption_per_Week", 0.0))

    vec = [
        age_val, h_cm, w_kg, bmi_val, steps_val, cal_val, sleep_val,
        hr_val, sys_bp, dia_bp, ex_val, alc_val, smoker_val, diabetic_val
    ]
    features_list.append(vec)

# Multi-Condition Clinical Health Risk Score matching model training formula
score = (
    0.03 * age_val +
    0.04 * (sys_bp - 120.0) +
    0.02 * (dia_bp - 80.0) +
    0.05 * (bmi_val - 22.0) +
    0.02 * (hr_val - 70.0) +
    1.5 * smoker_val +
    1.8 * diabetic_val +
    2.2 * heart_disease_val +
    0.15 * alc_val -
    0.10 * ex_val -
    0.0001 * steps_val
)
scores.append(score)

scores = np.array(scores)
q25, q50, q75 = np.percentile(scores, [25, 50, 75])
y_true = np.zeros(len(scores), dtype=int)
y_true[scores >= q25] = 1
y_true[scores >= q50] = 2
y_true[scores >= q75] = 3

# Execute batch predictions
results, _ = connector.predict_batch_direct(features_list)

preds = [r["predicted_class_id"] for r in results]
probs = np.array([[r["class_probabilities"][c] for c in RISK_CLASSES] for r in results])

cm = confusion_matrix(y_true, preds, labels=[0, 1, 2, 3])
acc = np.mean(np.array(y_true) == np.array(preds))

```

```

return {
    "df": df,
    "features_list": features_list,
    "y_true": y_true,
    "y_pred": preds,
    "y_prob": probs,
    "confusion_matrix": cm,
    "accuracy": round(float(acc), 4)
}

def generate_recommendations(inputs, risk_label):
    recs = []
    bmi = inputs.get("bmi", 0)
    sys_bp = inputs.get("systolic_bp", 120)
    dia_bp = inputs.get("diastolic_bp", 80)
    steps = inputs.get("daily_steps", 5000)
    sleep = inputs.get("hours_of_sleep", 7.0)
    smoker = inputs.get("smoker", 0)

    if risk_label in ["High Risk", "Critical Risk"]:
        recs.append("🚨 **Immediate Action**: Schedule a formal clinical evaluation with a specialist.")
    if sys_bp >= 130 or dia_bp >= 85:
        recs.append(f"💧 **Blood Pressure Warning**: Elevated BP ({sys_bp}/{dia_bp} mmHg). Reduce sodium and monitor daily.")
    else:
        recs.append("💖 **Blood Pressure**: Vital signs are within optimal resting parameters.")
    if bmi >= 25.0:
        recs.append(f"⚖️ **Weight & BMI**: Current BMI is {bmi:.1f} (Overweight category). Target calorie deficit and exercise.")
    if steps < 7000:
        recs.append(f"🚶 **Physical Activity**: Step count ({steps:,} steps) is below recommended levels. Target 8,000-10,000 daily steps.")
    if sleep < 6.0:
        recs.append(f"😴 **Sleep Hygiene**: Sleep duration ({sleep} hrs) is insufficient. Target 7-8 hours of restful sleep.")
    if smoker == 1:
        recs.append(f"🚭 **Smoking Cessation**: Active smoking significantly inflates cardiovascular risk score.")
    return recs

```

6. CONCLUSION AND FUTURE WORK

6.1 Conclusion

Task 7 successfully developed an enterprise-grade, multi-page Streamlit application for clinical decision support, cohort batch ingestion, deep learning model evaluation, and neural network diagnostics. Utilizing Streamlit's modular `st.navigation` framework, the platform organizes complex deep learning functionality into five dedicated view modules without URL auto-discovery collisions.

Key outcomes achieved in Task 7 include:

1. **Modular Multi-Page Architecture:** Structured navigation across 5 specialized views (Overview & Layer Inspector, Single Patient Predictor, Cohort CSV Ingestion & Report Exporter, Model Performance Dashboard, and System Health Inspector).
2. **High Classification Accuracy:** Direct PyTorch forward-pass evaluations on the un-modified dataset (health_activity_data.csv, 1,002 patient records) yielded an overall classification accuracy of 91.40% with balanced precision and recall across all four risk tiers.
3. **High-Throughput Batch Processing:** The vectorized batch ingestion engine processes 1,000+ patient records in under 150 milliseconds, providing cohort risk breakdown pie charts and downloadable enriched CSV reports.
4. **Comprehensive Model & System Diagnostics:** Integrated Plotly confusion matrix heatmaps, multi-class ROC-AUC curves, in-memory engine health probes, and sub-millisecond latency benchmark tools ensure operational transparency and system stability.

Overall, Task 7 demonstrates a robust, scalable architecture for deploying multi-page deep learning applications in healthcare, enabling seamless progression from individual patient risk scoring to cohort-level clinical analytics.

6.2 Links:

Github:

https://github.com/AdityaBahira/Lnt_Deep_Learning/tree/main/Task_7-Advanced_MultiPage_Streamlit_Application

Streamlit App:

<https://lntdeeplearning-3hximogeeelkvqodh9swsk.streamlit.app/>