

TUBA SmartCourt

Comprehensive System REST API & Component Specification

Target Modules: Dashboard, Advocate Diary, Court Tracker & Core Practice Management

1. Dashboard Page Module (`/app/dashboard`)

GET `/api/dashboard/stats`

Initiator Component / Function: `DashboardPageComponent.ngOnInit()` → `DataService.loadDashboardStats()`

Description: Fetches all primary KPI summary counts for active matters, closed cases, hearings, tasks, filings, and financial metrics.

REQUEST PAYLOAD / PARAMS

None (Header: Authorization Bearer Token)

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "message": "Success",
  "data": {
    "activeMatters": 7,
    "closedThisYear": 2,
    "hearingsToday": 3,
    "hearingsThisWeek": 8,
    "openTasks": 5,
    "urgentHearings": 1,
    "pendingFilings": 2,
    "totalOutstanding": 15000.0,
    "totalCollected": 45000.0,
    "overdueInvoices": 1
  }
}
```

GET **/api/hearings/today**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.loadHearings()

Description: Loads today's cause list hearings for the cause list card on the dashboard.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "id": 101,
      "matterId": 12,
      "caseTitle": "State of Delhi vs. Rahul Sharma",
      "court": "Delhi High Court",
      "bench": "Court No. 3 (Bench B)",
      "hearingDate": "2026-08-03",
      "hearingTime": "10:30 AM",
      "status": "Urgent",
      "purpose": "Arguments",
      "judgeName": "Hon'ble Mr. Justice A.K. Roy"
    }
  ]
}
```

GET **/api/matters**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.loadMatters()

Description: Loads client matter list for matter card links and quick navigation.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "id": 12,
      "title": "State of Delhi vs. Rahul Sharma",
      "caseNo": "CRL.A. 403/2025",
      "cnrNumber": "DLHC010045122025",
      "clientId": 5,
      "clientName": "Rahul Sharma",
      "court": "Delhi High Court",
      "type": "Criminal Appeal",
      "status": "Active",
      "advocate": "Adv. Amit Sharma"
    }
  ]
}
```

GET **/api/tasks****Initiator Component / Function:** DashboardPageComponent.ngOnInit() → DataService.loadTasks()**Description:** Loads pending tasks for dashboard action cards.**REQUEST PAYLOAD / PARAMS**

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "id": 44,
      "title": "File Rejoinder Affidavit",
      "matterId": 12,
      "matterTitle": "State of Delhi vs. Rahul Sharma",
      "assignedTo": "Adv. Amit Sharma",
      "priority": "High",
      "dueDate": "2026-08-05",
      "done": false,
      "status": "Open"
    }
  ]
}
```

GET**/api/filings**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.loadFilings()

Description: Loads filing tracking status for pending filing overview card.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "id": 8,
      "title": "Interlocutory Application for Stay",
      "matterId": 12,
      "matterTitle": "State of Delhi vs. Rahul Sharma",
      "court": "Delhi High Court",
      "status": "Draft",
      "dueDate": "2026-08-04",
      "advocate": "Adv. Amit Sharma"
    }
  ]
}
```

GET **/api/dashboard/timeline**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.getTimeline()

Description: Merges today's court hearings and advocate diary appointments into a single daily timeline schedule feed.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "date": "2026-08-03",
      "time": "09:30 AM",
      "title": "State of Delhi vs. Rahul Sharma",
      "sub": "Delhi High Court · Bench B",
      "urgent": true
    },
    {
      "date": "2026-08-03",
      "time": "11:30 AM",
      "title": "Client Briefing – Commercial Arbitration",
      "sub": "Diary Appointment · Apex Builders Matter",
      "urgent": false
    }
  ]
}
```

GET **/api/dashboard/team-performance**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.getTeamPerformance()

Description: Dynamically calculates team member task loads, open vs total tasks, and completion percentages.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "name": "Adv. Amit Sharma",
      "tasksOpen": 8,
      "tasksTotal": 15,
      "percentage": 53,
      "role": "admin"
    },
    {
      "name": "Adv. Priya Kapoor",
      "tasksOpen": 5,
      "tasksTotal": 12,
      "percentage": 42,
      "role": "senior"
    }
  ]
}
```

GET **/api/dashboard/court-distribution**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.getCourtDistribution()

Description: Groups active matters by court name and computes percentage distribution.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    { "court": "Delhi High Court", "count": 4, "pct": 57 },
    { "court": "Supreme Court of India", "count": 3, "pct": 43 }
  ]
}
```

GET **/api/dashboard/revenue**

Initiator Component / Function: DashboardPageComponent.ngOnInit() →
DataService.getRevenue()

Description: Provides financial overview metrics and weekly revenue distribution.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "month": "Aug",
    "year": 2026,
    "collected": 45000.0,
    "outstanding": 15000.0,
    "overdue": 5000.0,
    "weeklyData": [
      { "label": "Mon", "amount": 6750 },
      { "label": "Tue", "amount": 11250 },
      { "label": "Wed", "amount": 4500 },
      { "label": "Thu", "amount": 9000 },
      { "label": "Fri", "amount": 9000 },
      { "label": "Sat", "amount": 3150 },
      { "label": "Sun", "amount": 1350 }
    ]
  }
}
```

PUT **/api/tasks/{id}/toggle-done**

Initiator Component / Function: `DashboardPageComponent.toggleTask(t) → DataService.toggleTaskDone(id)`

Description: Toggles task completion status directly from the pending task widget.

REQUEST PAYLOAD

```
{}
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "id": 44,
    "title": "File Rejoinder Affidavit",
    "done": true,
    "status": "Completed"
  }
}
```

2. Advocate Diary Page Module (`/app/diary`)

GET `/api/diary/scope-options`

Initiator Component / Function: `DiaryPageComponent.ngOnInit()` → `DataService.getDiaryScopeOptions()`

Description: Fetches user permission flags and team/organization member list for scope filtering.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "canTeam": true,
    "canOrg": true,
    "teamMembers": [
      {
        "id": 1,
        "name": "Adv. Amit Sharma",
        "email": "amit@tubalaw.com",
        "role": "Admin",
        "initials": "AS",
        "gradient": "linear-gradient(135deg,#b45309,#d97706) "
      }
    ],
    "orgMembers": []
  }
}
```

GET**/api/diary/events**

Initiator Component / Function: DiaryPageComponent.loadEvents() →
DataService.getDiaryEvents(year, month, scope, memberId)

Description: Fetches advocate diary events for the requested calendar month and scope filter.

REQUEST QUERY PARAMETERS

```
?year=2026&month=8&scope=own&memberId=1
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "id": 302,
      "title": "Client Strategy Meeting",
      "eventDate": "2026-08-04",
      "eventTime": "14:00",
      "type": "meeting",
      "matterId": 12,
      "matterTitle": "State of Delhi vs. Rahul Sharma",
      "clientName": "Rahul Sharma",
      "court": "Chamber 402, High Court Block",
      "notes": "Discuss cross-examination strategy.",
      "urgent": true,
      "ownerId": 1,
      "ownerName": "Adv. Amit Sharma"
    }
  ]
}
```

POST **/api/diary/events**

Initiator Component / Function: DiaryPageComponent.save() → DataService.createDiaryEvent(payload)

Description: Creates a new advocate diary appointment or event.

REQUEST PAYLOAD FORMAT

```
{
  "title": "Pre-Trial Conference",
  "eventDate": "2026-08-06",
  "eventTime": "16:30",
  "type": "conference",
  "matterId": 12,
  "court": "Delhi High Court",
  "notes": "Finalize document list.",
  "urgent": false
}
```

RESPONSE PAYLOAD FORMAT (201 CREATED)

```
{
  "status": 201,
  "message": "Event added to diary.",
  "data": {
    "id": 303,
    "title": "Pre-Trial Conference",
    "eventDate": "2026-08-06",
    "eventTime": "16:30",
    "type": "conference",
    "ownerId": 1,
    "ownerName": "Adv. Amit Sharma"
  }
}
```

PUT /api/diary/events/{id}

Initiator Component / Function: DiaryPageComponent.saveEdit() → DataService.updateDiaryEvent(id, payload)

Description: Updates an existing diary event entry.

REQUEST PAYLOAD FORMAT

```
{
  "title": "Updated: Pre-Trial Conference",
  "eventTime": "17:00",
  "urgent": true
}
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "id": 303,
    "title": "Updated: Pre-Trial Conference",
    "eventTime": "17:00",
    "urgent": true
  }
}
```

DELETE /api/diary/events/{id}

Initiator Component / Function: DiaryPageComponent.deleteEvent(e) → DataService.deleteDiaryEvent(id)

Description: Removes an event entry from the diary database.

REQUEST PAYLOAD

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": null
}
```

GET `/api/hearings/filter`

Initiator Component / Function: `DiaryPageComponent.loadEvents()` → `DataService.filterHearings('All')`

Description: Fetches all scheduled hearings to merge seamlessly into the diary calendar UI.

REQUEST QUERY PARAMETERS

```
?type=All
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "id": 101,
      "matterId": 12,
      "caseTitle": "State of Delhi vs. Rahul Sharma",
      "court": "Delhi High Court",
      "hearingDate": "2026-08-04",
      "hearingTime": "10:30 AM",
      "status": "Scheduled"
    }
  ]
}
```

3. Court Tracker Module (`/app/tracker` & `/app/tracker/:cnr``)

GET `/api/masters`

Initiator Component / Function: `TrackerPageComponent.ngOnInit()` → `DataService.loadMasters()`

Description: Retrieves master list dropdown values for court names and case types.

REQUEST PAYLOAD / PARAMS

```
None
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "courts": ["Supreme Court of India", "Delhi High Court", "Bombay High Court", "NCLT Mumbai"],
    "caseTypes": ["CRL.A.", "CS(OS)", "W.P.(C)"],
    "practiceAreas": ["Criminal Law", "Commercial Disputes"]
  }
}
```

GET **/api/tracker/history**

Initiator Component / Function: TrackerPageComponent.ngOnInit() → DataService.getRecentSearches()

Description: Fetches recent search history chips for the current user.

REQUEST PAYLOAD / PARAMS

None

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "cnr": "DLHC010045122025",
      "caseTitle": "State of Delhi vs. Rahul Sharma",
      "court": "Delhi High Court",
      "searchedAt": "2026-08-02T15:24:00Z"
    }
  ]
}
```

GET **/api/tracker/search**

Initiator Component / Function: TrackerPageComponent.search() → DataService.searchByCnr(cnr)

Description: Initiates CNR search. Returns 202+jobId (async scraper job) or 200+result (cached).

REQUEST QUERY PARAMETERS

?cnr=DLHC010045122025

RESPONSE PAYLOAD FORMAT (202 ACCEPTED / ASYNC WORKER)

```
{
  "status": 202,
  "data": {
    "jobId": 9042,
    "cnr": "DLHC010045122025",
    "status": "RUNNING",
    "message": "Scrape worker dispatched to court portal."
  }
}
```

GET **/api/tracker/search-by-case-number**

Initiator Component / Function: TrackerPageComponent.search() → DataService.searchByCaseNumber(caseType, number, year)

Description: Resolves Case Type + Number + Year to a standard CNR number and dispatches job.

REQUEST QUERY PARAMETERS

```
?caseType=CS(OS)&number=403&year=2026
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "jobId": 9043,
    "cnr": "DLHC010040302026",
    "status": "DONE",
    "result": {
      "cnr": "DLHC010040302026",
      "caseNumber": "CS(OS) 403/2026",
      "court": "Delhi High Court"
    }
  }
}
```

GET **/api/tracker/job/{jobId}**

Initiator Component / Function: TrackerPageComponent.startPolling() → DataService.pollJobStatus(jobId)

Description: Polls background worker status (PENDING → RUNNING → DONE / FAILED).

REQUEST PAYLOAD / PARAMS

```
Path variable: jobId = 9042
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "jobId": 9042,
    "cnr": "DLHC010045122025",
    "status": "DONE",
    "errorMessage": null
  }
}
```

GET `/api/tracker/{cnr}`

Initiator Component / Function: `CaseDetailPageComponent.loadDetail()` → `DataService.getCaseDetail(cnr)`

Description: Fetches complete persisted case details, hearing history, parties, and court order links.

REQUEST PAYLOAD / PARAMS

Path variable: `cnr` = DLHC010045122025

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "cnr": "DLHC010045122025",
    "caseNumber": "CRL.A. 403/2025",
    "filingNumber": "F/1029/2025",
    "filingDate": "2025-01-15",
    "nextHearingDate": "2026-08-10",
    "caseStatus": "PENDING",
    "court": "Delhi High Court",
    "bench": "Court 3",
    "judgeName": "Hon'ble Mr. Justice A.K. Roy",
    "petitioners": [{ "name": "State of Delhi", "advocate": "Public Prosecutor" }],
    "respondents": [{ "name": "Rahul Sharma", "advocate": "Adv. Amit Sharma" }],
    "orders": [
      {
        "id": 701,
        "orderDate": "2026-06-12",
        "orderCategory": "INTERIM_ORDER",
        "pdfUrl": "/api/tracker/orders/DLHC010045122025/701/download",
        "fileSizeBytes": 1048576
      }
    ],
    "alertActive": true,
    "matterId": 12,
    "matterTitle": "State of Delhi vs. Rahul Sharma"
  }
}
```

POST **/api/tracker/{cnr}/refresh**

Initiator Component / Function: CaseDetailPageComponent.refresh() → DataService.refreshCase(cnr)

Description: Bypasses cache and forces re-scraping from live eCourts portal.

REQUEST PAYLOAD

```
{ }
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "message": "Refresh queued - updating from court servers...",
  "data": {
    "jobId": 9045,
    "status": "RUNNING"
  }
}
```

POST **/api/tracker/{cnr}/alert**

Initiator Component / Function: CaseDetailPageComponent.toggleAlert() → DataService.toggleAlert(cnr, enabled)

Description: Enables/disables automated SMS/email case update notifications for the user.

REQUEST PAYLOAD FORMAT

```
{ "enabled": true }
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "message": "Case alerts enabled.",
  "data": null
}
```

GET **/api/tracker/{cnr}/suggest-matter**

Initiator Component / Function: CaseDetailPageComponent.loadMatterSuggestion() → DataService.suggestMatterLink(cnr)

Description: Suggests matching internal client matter for automatic linking.

REQUEST PAYLOAD / PARAMS

Path variable: cnr = DLHC010045122025

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "data": {
    "matterId": 12,
    "matterTitle": "State of Delhi vs. Rahul Sharma",
    "confidenceScore": 0.95,
    "matchReason": "Case number matches CRL.A. 403/2025"
  }
}
```

POST **/api/tracker/{cnr}/link-matter**

Initiator Component / Function: CaseDetailPageComponent.confirmMatterLink() → DataService.linkCaseToMatter(cnr, matterId)

Description: Links tracked court case with an internal practice matter.

REQUEST PAYLOAD FORMAT

```
{ "matterId": 12 }
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "message": "Case linked to matter.",
  "data": null
}
```

POST **/api/tracker/{cnr}/orders/{orderId}/save-to-matter**

Initiator Component / Function: CaseDetailPageComponent.saveToMatterVault(order) → DataService.saveOrderToMatterVault(cnr, orderId)

Description: Saves downloaded court order PDF into linked Matter Document Vault.

REQUEST PAYLOAD

```
{}
```

RESPONSE PAYLOAD FORMAT (200 OK)

```
{
  "status": 200,
  "message": "Order saved to Matter Document Vault!",
  "data": {
    "saved": true,
    "docId": 1042,
    "alreadyExisted": false
  }
}
```

GET **/api/tracker/{cnr}/orders/{orderId}/download**

Initiator Component / Function: CaseDetailPageComponent.downloadOrder(order) → DataService.downloadOrder(cnr, orderId)

Description: Streams proxied order PDF document.

REQUEST PAYLOAD / PARAMS

```
Path variables: cnr = DLHC010045122025, orderId = 701
```

RESPONSE FORMAT (200 OK)

```
Binary Stream (application/pdf)
```

GET **/api/tracker/{cnr}/download-all**

Initiator Component / Function: `CaseDetailPageComponent.downloadAll()` → `DataService.downloadAllOrders(cnr)`

Description: Downloads ZIP archive containing all order PDFs for the case.

REQUEST PAYLOAD / PARAMS

```
Path variable: cnr = DLHC010045122025
```

RESPONSE FORMAT (200 OK)

```
Binary Stream (application/zip)
```

GET **/api/tracker/{cnr}/export**

Initiator Component / Function: `CaseDetailPageComponent.exportPdf()` → `DataService.exportCase(cnr, 'pdf')`

Description: Generates and exports comprehensive case summary PDF report.

REQUEST QUERY PARAMETERS

```
?format=pdf
```

RESPONSE FORMAT (200 OK)

```
Binary Stream (application/pdf)
```