

Quantum GNN for Supplier Procurement Risk Analysis

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes


Summary

Timeline

References

Presented by
Aditya Jagtap
712522002

Project Guide
Dr. Amit D. Joshi



Department of Computer Science and Engineering
COEP Technological University (COEP Tech), Pune
September - 2026

MIS No
712522002 -
Aditya Jagtap

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes

Summary

Timeline

References

Name: Aditya Jagtap

MIS: 712522002

Degree: M.Tech (2025–2027)

Branch: Computer Engineering

Department: Computer Science and Engineering,
COEP Technological University Pune

Contents

- 1 Introduction
- 2 Literature Review
- 3 Motivation and Need
- 4 Problem Statement
- 5 Objectives
- 6 SRS
- 7 Concrete Future Plan
- 8 Expected Outcomes
- 9 Summary
- 10 Timeline Chart
- 11 References

Introduction

Introduction

Literature Review

Motivation

Problem Statement

Objectives

SRS

Future Plan


Expected Outcomes

Summary

Timeline

References

- **Procurement:** sourcing materials from external suppliers so production can continue
- A supply chain is a **network**; a problem at one node **propagates along it**
- **Risk assessment:** predict which suppliers are likely to be disrupted, and how severely
- Hard: disruptions are **rare** (class imbalance) and **severe** events differ from normal history



Illustrative subgraph; full graph: 2,670 nodes, 7,675 edges

Introduction Contd...

Introduction

Literature Review

Motivation

Problem Statement

Objectives

SRS

Future Plan

Expected Outcomes

Summary

Timeline

References

- **GNN:** each node builds an embedding by aggregating its neighbours' information. **GraphSAGE** does this by sampling neighbours, so it scales
- For risk: suppliers are nodes, dependencies are edges, output is a **risk score per supplier**
- Classical limits: **over-smoothing** and **over-squashing**
- **QGNN:** a variational quantum circuit replaces part of the model. Thought to help (hypotheses we test):
 - Encoding into a **high-dimensional Hilbert space**
 - **Entanglement** models feature correlations compactly
 - Very few parameters, suited to small data and rare events
- **Our design:** a small VQC head on a **frozen GraphSAGE embedding**, as a controlled comparison with classical GraphSAGE — not a quantum-advantage claim

Literature Review

Table 1: Literature Survey

Ref	Author (Year)	Focus / Method	Limitation
[1]	Fareed (2026)	Classical ML for supplier risk prediction and resilience scoring	Preprint, not peer-reviewed; purely classical, no quantum baseline
[2]	Ziaria et al. (2026)	ML-based supplier evaluation; sustainable supplier selection and delay-risk framework	Classical ML only; no graph structure or quantum component
[3]	Rahman & Nguyen (2026)	QCNN survey; entanglement-based correlation learning	Survey only; no supply-chain or graph evaluation
[4]	Lamichhane & Rawat (2025)	Survey of QML: advances, challenges, perspectives	Survey only; no empirical evaluation on any domain task
[5]	Larbi et al. (2025)	Dual ML models for IoT component failure and parts demand	Classical ML only; no quantum formulation

Literature Survey

Table 1: Literature Survey (Contd.)

Ref	Author (Year)	Focus / Method	Limitation
[6]	Innan et al. (2024)	QGNN with VQC for credit-card fraud detection	Simulator only; 6 qubits; heavy undersampling; $\approx 3\%$ gain over classical GNN
[7]	Tudisco et al. (2024)	VQC classifier on real bank transaction data	Dataset reduced in size and features via PCA due to NISQ limits; scalability unproven
[8]	Soni et al. (2024)	Survey of quantum optimization in supply chain management and logistics	Survey only; no learned risk-prediction model
[9]	Jiang, Shen & Liu (2022)	Quantum inventory model; supply-chain structures suited to quantum methods	Inventory setting; no learned risk prediction or GNN
[10]	Yadav (2021)	Survey of GCN/GAT risk propagation; GNNs model multi-hop supply-chain dependencies	Survey only; classical GNNs, no quantum formulation

Motivation and Need for Study

COEP

Technological
University,
Pune

MIS No
712522002 -
Aditya Jagtap

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes

Summary

Timeline

References

- **Same structural problem as fraud:** rare, high-impact events in a relational network with extreme class imbalance — the setting where QGNN and VQC work has been reported [6, 7]
- **Supplier networks are natively graphs:** suppliers, hubs and raw-material sources as nodes; dependency and material flow as edges
- **Classical GNNs struggle where procurement risk lives:** over-smoothing flattens embeddings at depth, over-squashing bottlenecks multi-hop signal
- **Gap in the surveyed work:**
 - Supplier-risk studies are purely classical [1, 2, 5]
 - Quantum studies target finance, are surveys, or address inventory [3, 4, 6–9]
 - No QGNN applied to supplier procurement risk
- **Need:** a **controlled comparison** against a classical GraphSAGE baseline, so the outcome is defensible either way

Problem statement

Comparative Study of Supplier Procurement Risk Analysis using GNN in Classical and Quantum Computing Environments

To investigate whether a **hybrid quantum-classical head**, a small variational quantum circuit reading a frozen GraphSAGE supplier embedding, can match or exceed a **classical GraphSAGE** baseline for **supplier disruption-risk prediction**, and to identify which architectural and training factors govern its behavior.

Objectives

- 1 **Formulate** supplier procurement risk as a node-level prediction task on a supply-chain graph
- 2 **Implement** a classical GraphSAGE baseline for supplier disruption-risk prediction
- 3 **Implement** a hybrid QGNN: a variational quantum circuit head on the frozen GraphSAGE embedding
- 4 **Compare** the classical and quantum models under identical data, splits and metrics
- 5 **Analyze** which design factors (encoding, qubits, depth) affect the hybrid model's behavior

Software Requirements Specification

Table 2: Functional and Non-Functional Requirements

Requirement	Description
<i>Functional</i>	
Data ingestion and graph construction	Load the synthetic supplier dataset and build a heterogeneous supply-chain graph (6 node types, 9 relation types)
Feature encoding	Encode static and time-varying supplier attributes as node features
Hybrid risk model	GraphSAGE encoder with a VQC head producing a supplier disruption-risk score
Disruption simulation	Black-swan events simulated over 104 periods (about 2 years, weekly)
Evaluation and reporting	PR-AUC and related metrics on temporal and severity splits, with tables and figures
<i>Non-functional</i>	
Fair comparison	Classical and quantum models share the same data, splits and metrics
Reproducibility	Fixed random seeds and saved experiment artifacts
Scalability	Pipeline designed for larger graphs (currently 2,670 nodes, 7,675 edges)

SRS Contd...: Technology Stack

Table 3: Technology Stack

Category	Technology / Tool
Programming language	Python 3.12
Deep learning	PyTorch
Graph learning	PyTorch Geometric (HeteroConv, SAGEConv)
Quantum framework	PennyLane (default.qubit, ideal noise-free simulator)
Graph analysis	NetworkX (topology validation)
Classical ML diagnostics	scikit-learn
Dataset	Synthetic multi-tier supply-chain graph benchmark: 2,670 nodes, 7,675 edges, 104 periods
Hardware	CPU only; no physical quantum hardware used

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan


Expected
Outcomes

Summary

Timeline

References

SRS Contd...: System Diagram



Concrete Future Plan

COEP

Technological
University,
Pune

MIS No
712522002 -
Aditya Jagtap

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes

Summary

Timeline

References

- **Benchmark and graph:** Synthetic supply-chain dataset with black-swan events; heterogeneous graph construction
- **Classical baseline:** GraphSAGE encoder trained and evaluated on temporal and severity splits
- **QGNN baseline:** VQC head on the frozen GraphSAGE embedding; training stabilisation (patience, output scaling, LayerNorm)
- **Final evaluation:** Classical vs. QGNN over multiple seeds: ranking, calibration and stability metrics

Expected Outcomes

COEP

Technological
University,
Pune

MIS No
712522002 -
Aditya Jagtap

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes

Summary

Timeline

References


- **Working classical GraphSAGE baseline and hybrid QGNN** for supplier disruption-risk prediction — both implemented on one shared data and training pipeline
- **A controlled comparison of the two models** — same data, splits, metrics and multiple seeds; PR-AUC as primary metric
- **Understanding of normal vs. severe-condition behavior** — temporal split and severity (out-of-distribution) split, reported separately
- **Clearly scoped conclusions** — stated for a synthetic benchmark on an ideal simulator, not as a general quantum-advantage claim

Summary

- **Problem:** supplier procurement risk is a rare-event prediction task on a network where disruptions propagate
- **Gap:** supplier-risk studies are classical, and quantum studies target other domains such as finance
- **Idea:** pair a classical GraphSAGE encoder with a small variational quantum circuit head for supplier risk prediction
- **Approach:** a controlled comparison against a classical GraphSAGE baseline, studying which design factors matter
- **Expected contribution:** an evidence-based, clearly scoped understanding of when a quantum head helps, not a claim of quantum advantage

Timeline Chart

- Introduction
- Literature Review
- Motivation
- Problem Statement
- Objectives
- SRS
- Future Plan
- Expected Outcomes
- Summary
- Timeline
- References



Timeline Chart Contd...

Table 6: Project Timeline (July – December)

Month	Planned Work
July – Aug	Literature review and problem understanding; defining the supplier procurement-risk problem and reviewing recent GNN/QGNN literature
September	Synthetic supply-chain dataset and heterogeneous graph construction; begin classical GraphSAGE baseline
October	Complete classical GraphSAGE baseline; design and implement the QGNN — VQC head on the frozen GraphSAGE embedding, with training stabilisation (patience, output scaling, LayerNorm)
November	Run experiments comparing classical vs. QGNN on temporal and severity splits; begin analysis and evaluation
December	Complete analysis and evaluation (ranking, calibration, stability metrics); write the dissertation report

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes

Summary

Timeline

References

References

- [1] S. M. Fareed, "Machine learning-based supplier risk prediction and resilience scoring for strategic sourcing in US manufacturing supply chains," *SSRN 6495779*, 2026.
- [2] M. Ziaria, A. Soheyli, and A. A. Taleizadeh, "An intelligent analytics framework for supplier selection and delay risk management in sustainable supply chains," *Supply Chain Analytics*, 2026.
- [3] R. Rahman *et al.*, "Quantum convolutional neural networks: A survey on architectures, applications, and future directions," *IEEE Transactions on Neural Networks and Learning Systems*, 2026.
- [4] P. Lamichhane and D. B. Rawat, "Quantum machine learning: Recent advances, challenges, and perspectives," *IEEE Access*, vol. 13, pp. 94057–94105, 2025.
- [5] M. Larbi, Y. Choi, and C. Cheng, "Dual machine learning models for IoT quality and supply chain management," in *2025 Annual Reliability and Maintainability Symposium (RAMS)*, IEEE, 2025.
- [6] N. Innan, A. Sawaika, A. Dhor, *et al.*, "Financial fraud detection using quantum graph neural networks," *Quantum Machine Intelligence*, vol. 6, no. 1, 2024, art. 7.
- [7] A. Tudisco, D. Volpe, G. Ranieri, *et al.*, "Evaluating the computational advantages of the variational quantum circuit model in financial fraud detection," *IEEE Access*, vol. 12, pp. 102918–102940, 2024.
- [8] U. Soni, A. Kumar, S. Bansal, and S. Sharma, "Quantum computing for supply chain management and logistics," in *International Conference on Information Science and Communication Technologies - Applications, Trends and Opportunities*, IEEE, 2024.
- [9] Jiang, Shen, and Liu, "Quantum inventory model (full title to be added)," 2022. citation details to be completed.
- [10] Yadav, "Survey of gcn/gat risk propagation in supply chains (full title to be added)," 2021. citation details to be completed.
- [11] W. M. Brown *et al.*, "Multi-gpu quantum circuit simulation and the impact of network performance," *Computer Physics Communications (2026)*, 2026.
- [12] M. El Alami *et al.*, "Comparative performance analysis of quantum machine learning architectures for credit card fraud detection," *Applied Intelligence*, 2026.

References ... Contd.

- [13] S. Ganguly, "Hybrid classical–quantum learning for space based data centers: A cuda-q study of variational and photonic backends," *Research Square*, 2026.
- [14] S. Kim *et al.*, "Image classification and explainability analysis using gpu-based cuda-q hybrid quantum neural networks," *IEEE Access* 14 (2026), 2026.
- [15] V. Kulkarni *et al.*, "Efficient transpilation of openqasm 3.0 dynamic circuits to cuda-q: Performance and expressiveness advantages," in *International Conference on Quantum Communications, Networking, and Computing (QCNC)*., IEEE, 2026.
- [16] J. Liu, P. Li, and Y. Wang, "Graph neural networks for modeling complex dependencies in global supply chain networks," *Journal of Computing and Electronic Information Management (JCEIM)*, 2026.
- [17] E. Marevac *et al.*, "Accelerated quantum algorithm prototyping: Modular simulation and noise modelling with cuda support," *Journal of Advances in Information Technology* 17.6, 2026.
- [18] I. U. Rahman, K. P. Mishu, A. Hassaan, M. T. Ahmed, A. Sarker, and N. K. Papri, "Ai and machine learning driven supply chain and logistics optimization in the us automotive industry," in *Proceedings of the 9th International Conference on Inventive Computation Technologies (ICICT)*, IEEE, 2026.
- [19] E. Yilmaz *et al.*, "Simulating quantum attacks on classical cryptography with cuda-q," in *2026 5th International Informatics and Software Engineering Conference (IISEC)*., IEEE, 2026.
- [20] M. Bhutta *et al.*, "Evaluating classical and quantum machine learning for credit card fraud detection: Performance and economic impact," in *Cyber Awareness and Research Symposium (CARS)*., IEEE, 2025.
- [21] P. Chaudhary *et al.*, "Pattern recognition using qml algorithm for fraud detection in banking," in *2025 International Conference on Networks and Cryptology (NETCRYPT)*., IEEE, 2025.
- [22] S. Das *et al.*, "Qfdnn: A resource-efficient variational quantum feature deep neural networks for fraud detection and loan prediction," *IEEE Transactions on Computational Social Systems*, 2025.
- [23] H. N. H. Gurajada *et al.*, "Quantum computing for fraud detection in real-time payment systems," in *2025 International Conference on Computing Technologies & Data Communication (ICCTDC)*., IEEE, 2025.

References ... Contd.

- [24] M. R. Hasan, "Building robust ai and machine learning models for supplier risk management: A data-driven strategy for enhancing supply chain resilience in the usa," *Advances in Consumer Research*, 2025.
- [25] N. Innan *et al.*, "Qfnn-ffd: Quantum federated neural network for financial fraud detection," in *2025 IEEE International Conference on Quantum Software (QSW)*., IEEE, 2025.
- [26] S. Majumder *et al.*, "Quanfraud: Quantum state verification scheme for fraud detection in iot-assisted quantum-blockchain networks," *IEEE Transactions on Services Computing*, 2025.
- [27] E. Mohammadisavadkoobi *et al.*, "A systematic review on quantum machine learning applications in classification," *IEEE transactions on artificial intelligence*, 2025.
- [28] L. Ren *et al.*, "Quantum support vector machine for fraud detection," in *2025 IEEE 4th International Conference on Computing, Communication, Perception and Quantum Technology (CCPQT)*., IEEE, 2025.
- [29] E. Rubinshtein *et al.*, "Performance characterization of quantum simulation in cuda-q," in *2025 IEEE International Conference on Quantum Computing and Engineering (QCE)*, IEEE, 2025.
- [30] S. Siddiqui *et al.*, "Framework for implementing quantum neural networks in wireless communications," *IEEE Access*, 2025.
- [31] B. Subbiyan *et al.*, "A quantum-enhanced artificial neural network model for efficient medical image compression," *IEEE Access* 13, 2025.
- [32] X. Wu, Y. Huang, and W. Bao, "Using gnn to identify supply chain network structure," *International Journal of Big Data Intelligent Technology*, 2025.
- [33] K. M. Edhrabooh *et al.*, "Ai and ml applications in supply chain management field: A systematic literature review," in *2024 ASU International Conference in Emerging Technologies for Sustainability and Intelligent Systems (ICETSYS)*, IEEE, 2024.
- [34] C. Huot *et al.*, "Quantum autoencoder for enhanced fraud detection in imbalanced credit card dataset," *IEEE Access* 12, 2024.

References ... Contd.

COEP

Technological
University,
Pune

MIS No
712522002 -
Aditya Jagtap

Introduction

Literature
Review

Motivation

Problem
Statement

Objectives

SRS

Future Plan

Expected
Outcomes

Summary

Timeline

References

- [35] S. S. Kamble et al., "Fraud detection using quantum machine learning (qml)," in *2024 Global Conference on Communications and Information Technologies (GCCIT)*., IEEE, 2024.
- [36] Y. Kan et al., "Applications of large-scale quantum neural networks based on distributed quantum computing," in *6th International Conference on Wireless Communications and Signal Processing (WCSP)*. IEEE, IEEE, 2024.
- [37] A. Kukliansky et al., "Network anomaly detection using quantum neural networks on noisy quantum computers," *IEEE Transactions on Quantum Engineering* 5 (2024), 2024.
- [38] A. H. MAHMOOD, "Cybersecurity in the era of quantum computing: Preparing for post-quantum threats," *NANOTECHNOLOGY*, 2024.
- [39] U. P. Madje et al., "A conceptual model of quantum cryptography techniques used to provide online banking transactions security," in *2024 International Conference on Trends in Quantum Computing and Emerging Business Technologies*., IEEE, 2024.
- [40] F. Phillipson, "Quantum computing in logistics and supply chain management an overview," in *International Conference on Information Science and Communications Technologies*, arXiv, 2024.
- [41] J. K. Sayyad et al., "Optimizing e-commerce supply chains with categorical boosting: A predictive modeling framework," *IEEE Access* 12 (2024), 2024.
- [42] J. Stein et al., "Cuaoa: A novel cuda-accelerated simulation framework for the qaoa," in *IEEE International Conference on Quantum Computing and Engineering*, IEEE, 2024.
- [43] T. Vuppala et al., "Hybrid quantum-classical method for bank account fraud detection using quantum encoding and quantum machine learning," in *2024 IEEE MIT Undergraduate Research Technology Conference (URTC)*., IEEE, 2024.
- [44] H. Bayraktar et al., "cuquantum sdk: A high-performance library for accelerating quantum science," *cuquantum sdk: A high-performance library for accelerating quantum science*, 2023.
- [45] J.-S. Kim et al., "Cuda quantum: The platform for integrated quantum-classical computing," in *60th ACM/IEEE Design Automation Conference (DAC)*., IEEE, 2023.

Questions/ Discussion