General

- 1. What is the difference between Where Used and Where Referenced?
- 2. What is Teamcenter preference?
- 3. How the difference between site level and User level preference?
- 4. How to create site-level preference?
- 5. How to create User-level preference?
- 6. How to create a custom **XML Rendering Stylesheet**.
- 7. How to register a custom Stylesheet?
- 8. How to create a group-based Stylesheet?
- 9. What is the difference between revision and version?
- 10. What is a sequence in the context of Item Revision?
- 11. What happens when you checked-out an object?
- 12. Can we modify the released object?
- 13. How to know if the object is in the workflow process?
- 14. How to change object ownership?
- 15. How to enable or disable visibility of related objects of Item Revision?
- 16. Which preference to use to control the visibility of the Teamcenter Module?
- 17. How to assign projects to an object?
- 18. What is the difference between Privileged and Non-Privileged users?
- 19. What is the use of the **Authorization** module?
- 20. What is the use of the **Command Suppression** module?

Structure Manager

- 1. What is a **Variant Condition**?
- 2. How to create variant conditions?
- 3. What is the **Revision Rule**?
- 4. How to create revision rules?
- 5. What is the default revision rule of Teamcenter?

- 6. How to set the default revision rule?
- 7. How to compare two BOM?
- 8. What is an alternate?
- 9. What is a substitute?
- 10. What is the importance of **Find No.** in Structure Manager?
- 11. What is **Occurrence**?
- 12. What is **Revision Effectivity**?
- 13. What is **Date Effectivity**?
- 14. What is **Occurrence Effectivity**?
- 15. How to create a **Precise Assembly**?
- 16. What is the difference between E-BOM and M-BOM?
- 17. What is View Type in structure manager?
- 18. How to create **M-BOM** from **E-BOM**?
- 19. How to display item revision properties as BOMLine properties?
- 20. How to export BOM structure into an excel file?
- 21. How to create BOM structure into Teamcenter using Excel?

Access Manager

- 1. What is ACL?
- 2. What is Rule Tree in Access manager?
- 3. How rule is applied on the Teamcenter Objects?
- 4. How to create a custom ACL?
- 5. What is the difference between **rule-based protection** and **object-based protection**?
- 6. What is named ACL?

Query Builder

- 1. How to create a custom query using query builder?
- 2. How to export query from Query Builder?
- 3. How to import query using Query Builder?
- 4. What is the Search Type while creating a query?
- 5. What is User Entry L10N Key?

- 6. How to create a query to search Item Revision based on the attribute value available on the Revision master form?
- 7. What is the importance of Referenced By while creating a query?
- 8. What is the difference between Local query and Keyword Search Query?
- 9. How to set a default value to query attribute?
- 10. How to add frequently used queries to Saved Searches?

Report Builder And PLM XML Import Export

- 1. What is Transfer mode?
- 2. What is Property Set?
- 3. What is a Closure Rule?
- 4. What is a filter rule?
- 5. How to define closure rule and property set to get workflow task attributes?
- 6. How to create a custom report using query builder?
- 7. What is the difference between **PLM XML** and **TCXML**?
- 8. What is the Process and Traverse action type while creating the closure rule?
- 9. What is the difference between attribute and property?
- 10. How to define which properties to be exported while generating PLM XML?

Multi-site Environment

- 1. What is **Publish** and **Unpublish** of an object in the multisite environment?
- 2. How to configure a multisite environment?
- 3. How to publish an object?
- 4. How to unpublish an object?
- 5. Can we delete a replica object alone?
- 6. Can we delete a master object without deleting a replica?
- 7. How to know if an object is a master object or a replica?
- 8. What is **ODS**?

- 9. What is **IDSM**?
- 10. How to configure ODS and IDSM on the multisite environment?