ITK Customization Interview Questions

- 1. What is ITK?
- 2. What you can customize using ITK customization?
- 3. What are the different methods of ITK customization?
- 4. What is User exit?
- 5. What is server exit?
- 6. What is a custom exit?
- 7. How to register runtime property using ITK?
- 8. How to register the rule handler using ITK?
- 9. How to register an action handler using ITK?
- 10. What is pre-condition?
- 11. How to register pre-condition?
- 12. What is Pre-Action?
- 13. How to register Pre-Action?
- 14. What is Post Action?
- 15. How to register post action?
- 16. How to register post action on LOV?
- 17. On which operations we can register custom action?
- 18. How to create an Item using ITK?
- 19. How to create Dataset using ITK?
- 20. What is the difference between AOM_save and AOM_save_without_extension?
- 21. What is mean by (OF) variable in the ITK reference guide?
- 22. How to free memory in ITK?
- 23. How to get target attachment using ITK?
- 24. How to display custom error messages in ITK?
- 25. How to create a custom handler with arguments using ITK?
- 26. How to create a batch ITK program?
- 27. How to compile and run batch utility using cmd?
- 28. What is ITK_User_main?
- 29. How to configure Visual Studio for batch ITK program?
- 30. How to configure Visual Studio for custom handlers?
- 31. How to register post action on the property using ITK?
- 32. How to create BOM using ITK?

- 33. How to read BOM assembly using ITK?
- 34. What is POM inquiry?
- 35. What is the difference between AOM_ask_value_string and AOM_get_value_string?
- 36. How to attach secondary object to primary object using ITK?
- 37. How to purge dataset versions using ITK?
- 38. How to create a change object using ITK?
- 39. How to initiate workflow process using ITK?
- 40. What is the difference between AOM_save and AOM_save_myself?
- 41. How to assign memory to char** variable?
- 42. How to read BOMLine properties using ITK?
- 43. What is the difference between AOM_lock and AOM_refresh
- 44. How to release objects using ITK?
- 45. How to bypass the access rule in ltk?
- 46. Can we delete released objects using ITK customization?
- 47. How to delete released objects?
- 48. How to delete object references using ITK?
- 49. How to delete the Master object if a replica is available on another site using ITK?
- 50. Can we delete the master objects without deleting replica objects using ITK?
- 51. How to call the ITK function from RAC?
- 52. How to include ITK header files into your code?
- 53. How to find header file names for a particular ITK API?
- 54. Where are the ITK header files located?
- 55. What is ITK_main.obj object file?
- 56. What is the return type of custom rule handler?
- 57. What is mean by EPM_go and EPM_nogo?
- 58. What are dll and executable in ITK customization?
- 59. Can we run dll built-in Debug configuration of visual Studio in 4 Tier environment?
- 60. How to deploy custom dll in the Teamcenter environment?
- 61. In which preference do we have to add a custom dll name?

- 62. How to read preference using ITK?
- 63. Can we update custom dll at runtime when all clients are working?
- 64. Is it necessary to take down the Teamcenter server to update the custom dll?
- 65. How to change object icons using ITK customization based on property value?
- 66. What changes need to be done in the custom ITK codes after the up-gradation of the Teamcenter version?
- 67. How to handle deprecated ITK APIs?
- 68. What is mean by User_gs_init_shell.module while registering custom handler using ITK?
- 69. Can we bypass Deep copy rules in ITK?
- 70. What is the return type of ITK API?
- 71. What is the difference between Query_execute and Query_Execute_query ITK API?
- 72. Can we set default values of attributes in the object creation dialog using ITK?
- 73. How to prevent attachment of Text dataset to particulate revision using ITK?
- 74. How to copy objects from current revision to new revision using ITK?
- 75. How to make attributes mandatory before Checked-In the objects?
- 76. How to search item revision using ITK and release all its secondary objects?
- 77. How to set the last modified date and last modified user using ITK?
- 78. How to set default values of properties after creating an object using ITK?
- 79. How to update the name of named references file using ITK?
- 80. How to download dataset files using ITK?
- 81. How to decide which modules ITK API to be used? AOM, WSOM, POM, or EPM?

- 82. How POM APIs are different from WSOM or AOM API?
- 83. How to Checked-Out and Checked-In objects using ITK?
- 84. How to auto-login into Teamcenter in the ITK program?
- 85. When we use auto-login ITK API to login into the Teamcenter then which user is actually logged into the Teamcenter application?
- 86. How to write log information into the Syslog file in ITK?
- 87. How to read workflow process reviewers using ITK?
- 88. How to change object ownership using ITK?
- 89. How to create BOMViewRevision using ITK?
- 90. How to apply variant conditions in ITK?
- 91. How to get object UID using ITK?
- 92. How to search objects using UID in ITK?
- 93. How to send mail notifications using ITK?
- 94. How to read arguments from the command line in ITK?
- 95. How to handle error messages in ITK?
- 96. How to find a relationship between two objects using ITK?
- 97. How to delete a relationship between two objects?
- 98. How to create a relationship between two objects?
- 99. How to check if a property is an array or not using ITK?