


Pointing TCUA client to other
Weblogic server.

1. Close TCUA client if already running and kill Java service from the Task Manager.
2. Goto C:\Siemens\uaproduct\portal\plugins\configuration_12000.2.0 folder.
3. Edit 'client_specific' properties file in the folder. Find for IP address 172.22.97.12 and change it to 172.22.97.17 as below and save it.




```
*client_specific - Notepad

File Edit View

#
# Runtime and custom entries below this line
DEFAULT_SERVER.NAME=uaproduct
DEFAULT_SERVER.URI=http://172.22.97.17:7002/uaproduct
HTTP_SERVER_1.NAME=uaproduct
HTTP_SERVER_1.URI=http://172.22.97.17:7002/uaproduct
httpServerCount=1
HTTP_SERVER_USE_GZIP=true
portalCommunicationTransport=http
. . . . .

Ln 71, Col 38 | 100% | Windows (CRLF) | ANSI
```

4. Edit 'site_specific' properties file in the same folder. Find for IP address 172.22.97.12 and change it to 172.22.97.17 as below and save it.



```
#####  
# Portal Web Server location  
#####  
portalWebServer=http://172.22.97.17:7002  
portalCGI=uaproduct/launchapp
```



Ln 18, Col 36 | 100% | Windows (CRLF) | UTF-8

5. Goto folder C:\Siemens\uaproduct\portal\registry and execute 'genregxml' batch file.
6. Once execution of 'genregxml' is completed launch the client, it will be pointed to new Weblogic server.

SETTINGS FOR TCUA CREO USERS ONLY

FOR TCUA CREO USERS

1. Go to folder C:\ipem1221_uaproduct.
2. EDIT client_ipem.properties



1. CHANGE THE DETAILS FROM <http://172.22.97.12> TO <http://172.22.97.17>
2. THEN RUN THE **startpro_sync & startpro**.BAT FILE\
3. THEN RUN THE TCUA CREO

Thank You