

TC 12 Installation 2 tier

Copy Binary zip file from the path \\172.22.99.173\PLMNext\Siemens\Tc12_2\TC_12.0_Windows\

- 1) Tc12.0.0.0_wntx64_1_of_2.zip
- 2) Tc12.0.0.0_wntx64_2_of_2.zip

Create a folder TC12 under D drive. Unzip Tc12.0.0.0_wntx64_1_of_2.zip, Tc12.0.0.0_wntx64_2_of_2.zip it under TC12 folder.


Once unzipped, copy the all the content of Tc12.0.0.0_wntx64_2_of_2 folder and paste it directly under the Tc12.0.0.0_wntx64_1_of_2.

Uninstall the existing TC10.1.7 2 tier client from control panel and uninstall program option.

Also get the Carbon cloud blocked by raising ticket in TML helpdesk and providing necessary approval.


Before starting make sure get your instance deleted from UADEVDB.
Also TC12 2 tier installation is not supported with Windows 7 machine.

Goto D:\TC12\~~~\ Tc12.0.0.0_wntx64_1_of_2\
Launch tem.bat using administrator login




Step-1


No changes required. Click Next.



Step2 Click on Install



Step3 click NEXT



Step 4 Give Config ID and Description (Default one can also be used.)

The screenshot shows the Siemens Teamcenter 12 Configuration window. The window has a title bar with "Teamcenter 12" on the left and "SIEMENS" on the right. On the left side, there is a sidebar with the heading "Overview" and a list of steps: "Welcome", "Install / Upgrade", "Media Locations", and "Configuration". The "Configuration" step is currently selected. The main area of the window is titled "Configuration" and contains the instruction "Enter a description and ID for this Teamcenter configuration." Below this instruction, there are two input fields: "ID:" with the value "config1" and "Description:" with the value "My Configuration 1". At the bottom right of the window, there are three buttons: "Back", "Next", and "Cancel". A help icon (?) is located at the bottom left of the main area.

Teamcenter 12

SIEMENS

Overview

- ✓ Welcome
- ✓ Install / Upgrade
- ✓ Media Locations
- ✓ Configuration

Configuration

Enter a description and ID for this Teamcenter configuration.

ID: config1


Description: My Configuration 1

Back Next Cancel


Step 5 Select **Corporate Server**, **Rich Client 2 tier server**, **BMIDE**. And **Volume server**.



Step 6.1 From Feature Directory Untick/unselect **NX PART Family Classification Integration**. Also if you want to install Product configurator then select “**Product Configurator**” and “**Product configurator for structure manager**” .



Step 6.2 Give the installation Directory (Path to the TC12 Folder earlier created with TC_ROOT appended in it).



Step 7) Click next.



Step 8. Give the path of your machine JAVA jdk. It should be 1.8.202 or higher version of JAVA.




Step 9. Click Next.




Step 10. Give the FSC ID (Default one can also be used) make sure no "." Is there in FSC id. .



Step 11. Give the administrator password .



Step 13 . Click Next.



Step 14 . Fill the required details.

Teamcenter 12

SIEMENS

Overview

- ✓ Welcome
- ✓ Install / Upgrade
- ✓ Media Locations
- ✓ Configuration
- ✓ Solutions
- ✓ Features
- ✓ Key Manager Configur
- ✓ Java Development Kit
- ✓ Business Modeler IDE
- ✓ File System Cache
- ✓ OS User
- ✓ Foundation
- ✓ Foundation Database
- Volume Information
- Foundation Settings
- Product Excellence
- Flex License Client
- Administrative User
- Password Security
- File Client Cache (FCC)
- TcServer Character Enc
- 2-tier server settings
- Rich Client Settings
- Database Template Su
- Confirmation
- Executing

Foundation Database

Enter the database server information in order to create database.

Database Server: Oracle

Host: 172.22.97.91

Service: UADEVDB

Port: 1521

User: TESTSKS

Password:

Confirm:

System User: system

Password:

Database Path: /oracle/oradata/UADEVDB

Data Directory: D:\TC_12_2TIER\TC_DATA

Back Next Cancel

Database Server: Oracle

Host: 172.22.97.91

Service: UADEVDB

Port: 1521[Default]

User: TESTSKS

make sure above User ID does not matches with any existing instance in UADEVDB. Its length should be less than 9.


password: oracle or any password which

System User: System


Password: oracle

Database Path: /misc/oracledata/UADEVDB


Step 15) Click Next. Make sure Directory path is pointed toward your TC12 folder which have created in starting.




Step 16) Click Next.




Step 17) Untick enable & Click Next.



Step 18) Check 3 license host is given. If not manually enter it. Click Next.




Step 19) Give infodba password for your 2 tier.Click Next.



Step 20) Click Next.



Step 21 . Click Next. Make sure FCC path Directory path is pointed toward your TC12 folder which have created in starting. Click Next.



Step 22 . Make sure Hostname is correct .Click Next.

Teamcenter 12

SIEMENS

Overview

- ✓ Welcome
- ✓ Install / Upgrade
- ✓ Media Locations
- ✓ Configuration
- ✓ Solutions
- ✓ Features
- ✓ Key Manager Configur
- ✓ Java Development Kit
- ✓ Business Modeler IDE
- ✓ File System Cache
- ✓ OS User
- ✓ Foundation
- ✓ Foundation Database
- ✓ Volume Information
- ✓ Foundation Settings
- ✓ Product Excellence
- ✓ Flex License Client
- ✓ Administrative User
- ✓ Password Security
- ✓ File Client Cache (FCC)
- ✓ FCC Parents
 - TcServer Character Enc
 - 2-tier server settings
 - Rich Client Settings
 - Database Template Su
 - Confirmation
 - Executing

FCC Parents

Please enter this FCC's parent FSC's information. The FSC's will be used based on the defined priorities.

FSC assignment mode: clientmap

FCC Parents


Protocol	Host	Port	Path	Priority	Trans...
http	TMLPNEWSKC05226	4544		0	lan

Add


Remove

Back Next Cancel

Step 23 . Select Canonical Name: ISO8859_1. Click Next.




Step 24. Click Next.




Step 25. Click Next.



Step 26 . confirm the template are present for the feature which have selected in step 6.1 Click Next.




Step 27 . Click Start.




Installation Process will Start and notify if any error occurred.

Major hurdle I faced .

- 1) Instance availability in UADEVDB



2) Installed FSC service not getting started.



Above installation is for TC 12 only. I will share the 12.2.7 Patch installation later.