

NAME : Aditya Mahale

DIV : G4

ROLL NO. : 774

PRN : 202201070081

**Problem Statement : Prepare/Take [datasets](#) for any real-life application. Read a [dataset](#) into an array. Perform the following operations on it:**

- 1 Perform all matrix operations**
- 2. Horizontal and vertical stacking of Numpy Arrays**
- 3. Custom sequence generation**
- 4. Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators**
- 5. Copying and viewing arrays**
- 6. Data Stacking, Searching, Sorting, Counting, Broadcasting**

## **CODE :**

```
import numpy as np
array1 = np.array([[1,2,3],[4,5,6],[7,8,9]])
array1
```

## **OUTPUT**

```
array([[1, 2, 3],
[4, 5, 6],
[7, 8, 9]])
array2=np.array([[11,12,13]5[14,15,16],[17,18,19]1)
```

## CODE :

```
array2=np.array([[11,12,13]5[14,15,16],[17,18,19]])  
array2
```

## OUTPUT :

```
array([[11, 12, 13),  
[14, 15, 16),  
[17, 18, 19]])
```

## 1. Matrix Operations

### 1.1 Addition

## CODE :

```
resultarray=array1 + array2  
print("Inusing Operator: \n",resultarray)  
resultarray=np.add(array1,array2)  
print("\nusing Numpy Function:\n",resultarray)
```

## OUTPUT :

Using Operator:

```
[[12 14 16]
```

```
T18 20 22]
```

```
[2426 28]]
```

Using Numpy Function:

```
[[12 14 16]
```

```
[18 20 22]
```

```
[24 26 28]]
```

### 1.2. Subtraction

## CODE :

```
resultarray=array1-array2  
print("Inusing Operator:\n",resultarray)  
resultarray=np.subtract(array1,array2)  
print("Inusing Numpy Function:\n",resultarray)
```

## OUTPUT :

using Operator:

```
[[ -10 -10 -10]
```

```
[-10 -10 -10]
```

```
[-10 -10 -10]]
```

Using Numpy Function:

```
[[ -19 -10 -10]
```

```
[-10 -10 -10]
```

```
[-10 -10 -10]]
```

## CODE :

### 1.3. Multiplication

```
[] resultarray=array1*array2  
print("Inusing Operator: \n",resultarray)  
resultarray=np.multiply(array1,array2)  
print("Inusing Numpy Function:\n",resultarray)
```

## OUTPUT :

**using Operator:**

```
[[1124 39]
```

```
[56 75 96]
```

```
[119 144 171]]
```

**using Numpy Function:**

```
[[1124 39]
```

[56 75 96]

[119 144 171]]

## 1.4. Division

### CODE :

```
resultarray=array1/array2
```

```
print("Inusing operator: \n",resultarray)
```

```
resultarray=np.divide(array1,array?)
```

```
print("InUsing Numpy Function:\n",resultarray)
```

### OUTPUT :

using Operator:

```
[[0.09090909 0.16666667 .23076923]
```

```
[0.28571429 0.33333333 0.375
```

```
[0.41176471 0.44444444 0.47368421]]
```

Snipping Tool

Using Numpy Function:

```
[[0.09090909 0.16666667 0.23076923]
```

```
[0.28571429 0.33333333 0.375]
```

### CODE :

## 1.5. Mod

### CODE :

```
resultarray=array1%array?
```

```
print("Inusing Operator:\n",resultarray)

resultarray=np.mod(array1,array2)

print("InUsing Numpy Function: \n",resultarray)
```

## OUTPUT :

using Operator:

```
[1 2 3]
```

```
[4 5 6]
```

```
[7 8 9]]
```

using Numpy Function:

```
[[12 3]
```

```
[45 6]
```

```
[7 8 9]]
```

## 1.6. dot Product

### CODE :

```
Resultarray=np.dot(array1,array2)

print("",resultarray)
```

## OUTPUT :

```
[[98 9 102]
```

```
[216 231 246]
```

```
[342 366 390]]
```

## 1.7. Transpose

```
resultarray -np.transpose(array1)
```

```
print(resultarray)
```

```
#or
```

```
resultarray=array1.transpose()
```

```
print(resultarray)
```

**Horizontal and vertical stacking of Numpy Arrays**

```
()
```

## 2.1.Horizontal Stacking

### CODE :

```
Resultarray=np.hstack((array1,array2))
```

```
Resultarray
```

### OUTPUT :

```
Array
```

```
(([ 1, 2 3, 11, 12, 13]))
```

```
[6, 14、 15, 16],
```

```
[17, 18, 19 ]
```

## 2.2. Vertical Stacking

### CODE :

```
resultarray=np.vstack((array1, array2))
```

```
resultarray
```

### OUTPUT :

```
array([[ 1, 2, 3],
```

```
[11, 12, 13],  
[14, 15,16],  
[17, 18, 19]])
```

### 3.Custom sequence generation

#### CODE :

```
nparray=np.arange(0,12,1).reshape(3,4)  
nparray
```

#### OUTPUT :

```
array([[ 0, 1, 2, 3],  
       [ 4, 5, 6, 7],  
       [ 8, 9,10,11]])
```

#### 3.2. Linearly Separable

#### CODE :

```
nparray=np.linspace(start=0,stop=24,num=12).reshape(3,4)  
nparray
```

#### OUTPUT :

```
array([[0.21818182, 0.36363636, 0.54545455,  
        8.72727273, 10.90909091, 13.09090909, 15.27272727],  
       [17.45454545, 19.63636364, 21.81818182, 24. ]])
```

#### 3.3. Empty Array

#### CODE :

```
1 nparray=np.empty((3,3),int)  
Nparray
```

#### OUTPUT :

```
array([[ 11, 24, 39],  
       [56, 75, 96],  
       [ 0,  0,  0]])
```

```
[119, 144, 171]])
```

3.4. Empty Like Some other array

**CODE :**

```
nparray=np.empty_like(array1)
```

Nparray

**OUTPUT :**

```
array([[90, 96, 102],
```

```
[216, 231, 246],
```

```
[342, 366, 390]])
```

3.5. Identity Matrix

**CODE :**

```
[] nparray=np.identity(3)
```

Nparray

OUTPUT :

```
array([[1., 0., 0.],
```

```
[0., 1., 0.],
```

```
[0., 0., 1.]])
```

## 4. Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators

### 4.1. Arithmetic Operation

**CODE :**

```
array1=np.array([1,2,3,4,5])
```

```
array2=np.array([11,12,13,14,15])
```

```
print(array1)
```

```
print(array2)
```



## OUTPUT :

[1 2345]

[11 12 13 14 15]

## CODE :

```
#Addition
print(np.add(array1,array2))

# Subtraction
print(np.subtract(array1,array2))

# Multiplication
print(np.multiply(array1,array2))

# Division
print(np.divide(array1,array2))
```

## Statistical and Mathematical Operations

## CODE :

```
Array=np.array([1,2,3,4,5,9,6,7,8,9,9])

# standard Deviation
print(np.std(array1))

#Mininum
print(np.min(array1))

#Summation
print(np.sum(array1))

#Median
print(np.median(array1))

#Mean
print(np.mean(array1))

#Mode
from scipy import stats
print("Most Frequent element=",stats.mode(array1)[0])
```

```
print("Number of occurances=",stats.mode (array1)[1])  
  
# variance  
  
print(np.var(array1))
```

## OUTPUT :

```
2.7990553306073913  
  
1  
  
63  
  
6.6  
  
5.72777NTDTS  
  
Most Frequent element- [9]  
  
Number of Occarances- [3]
```

## 4.3. Bitwise Operations

### CODE :

```
array1=np.array([1,2,3],dtype=np.uint8)  
array2=np.array([4,5,6])  
  
resultarray=np.bitwise_and(array1,array2)  
print(resultarray)  
  
OR  
  
#resultarray=np.bitwise_or(array1,array2)  
print(resultarray)  
  
#Leftshift  
  
resultarray=np.left_shift(array1,2)  
print(resultarray)  
  
#Rightshift  
  
resultarray=np.right_shift(array1,2)  
print(resultarray)
```

OUTPUT :

```
2]  
  
[5 7 7 8 12]
```

```
# You can get Binary Representation of Number #asau#
```

```
print(np.binary_repr(10,8))
```

```
resultarray=np.left_shift(10,2)
```

```
print(resultarray)
```

```
print(np.binary_repr(np.left_shift(10,2),8))
```

```
00001910
```

```
40
```

```
00101000
```

```
SR
```

## 5.Copying and viewing arrays

### Cope

```
array1=np.arange(1,10)
```

```
print(array1)
```

```
newarray=array1.copy()
```

```
print(newarray)
```

```
"wmodification in original Array
```

```
array1[0]-100
```

```
print (array1)
```

```
print(newarray)
```

```
output
```

```
[123456789]
```

```
[12345678
```

```
4
```

```
3
```

[100

S

(1234 6789]

78

9

5.2 View

array1=np.arange(1,10)

print(array1)

newarray=array1.view()

print(newarray)

#modification in Original Array

array1[0]=100

print(array1)

print(newarray)

sanneriitvera

Snipping Tool

[12345 67891

[12345 G 7

9]

[100

Screenshot copied to clipboard and saved

Select here to mark up and share the image

