A MACHINE LEARNING APPROACH TO PREDICT FIRST-YEAR STUDENT RETENTION RATES AT UNIVERSITY OF NEVADA, LAS VEGAS

by

Aditya Rajuladevi

Bachelor Degree in Computer Engineering Jawahar Lal Nehru Technological University, Hyderabad, India 2014

A thesis submitted in partial fulfillment of the requirements for the

Master of Science in Computer Science

Department of Computer Science ${\it Howard~R.~Hughes~College~of~Engineering}$ The Graduate College

University of Nevada, Las Vegas May 2018 © Aditya Rajuladevi, 2018 All Rights Reserved



The Graduate College

We recommend the thesis prepared under our supervision by

Aditya Rajuladevi

entitled

A Machine Learning Approach to Predict First-Year Student Retention Rates at University of Nevada, Las Vegas

be accepted in partial fulfillment of the requirements for the degree of

Master of Science in Computer Science

Department of Computer Science

Fatma Nasoz, Ph.D., Committee Chair

Laxmi Gewali, Ph.D., Committee Member

Justin Zhan, Ph.D., Committee Member

Magdalena Martinez, Ph.D., Graduate College Representative

Kathryn Hausbeck Korgan, Ph.D., Interim Graduate College Dean

May 2018

Abstract

First-Year student retention rates refer to the percentage of first-year students who return to the same institution for their sophomore year. The national average in the institutions at the U.S for the year 2016 is at around 77 % which indicates that most of the universities are performing poorly in terms of retaining the first-year students. First-year retention rates act as an important indicator of the student satisfaction as well as the performance of the university. Moreover, universities with low retention rates may face a decline in the admissions of talented students with a notable loss of tuition fees and contributions from alumni. Hence it became important for universities to formulate strategies to identify students at risk and take necessary measures to retain them. Many universities have tried to develop successful intervention programs to help students increase their performance. However, identifying and prioritizing students who need early interventions still remains to be very challenging.

The retention rate at the University of Nevada, Las Vegas (UNLV) is close to 74% which indicate the need for specific intervention programme's to retain the students at risk of dropping out after their first year. In this thesis, we propose the use of predictive modeling methods to identify students who are at risk of dropping out after their first year at an early stage to whom the instructors can offer help. We apply several important classification algorithms from machine learning such as Logistic Regression, Decision trees, and Random forest classifier and evaluate them using metrics useful to the educators at UNLV. We use feature selection methods to identify important variables used in each model to increase the generalization and accuracy of the predictions. We propose to design effective metrics to evaluate the model's performance to help match at-risk students with appropriate supports. The main focus of this research is on students at risk of not being retained at the end of the first year, but it also lays a foundation for future work on other adverse academic outcomes.

Acknowledgements

I would like to express my sincere gratitude to my advisor, Dr. Fatma Nasoz, for her motivation,

guidance, and support throughout the research. She continuously steered me in the right direction

in this research as well as my Master's program.

I would also like to extend my thanks to Dr. Laxmi Gewali, Dr. Justin Zhan, and Dr. Magdalena

Martinez for their support and for being a part of my thesis committee. I am really grateful for

all the support from Dr. Ajoy K Datta who was always available to me whenever I needed his

guidance.

I am gratefully indebted to Kivanc Oner, Carrie Trentham and Becky Lorig from the Enterprises

Application Services department at UNLV for their continuous support and valuable comments on

this thesis. They answered my many questions about student enrollments and retention problems

at UNLV and played a major role in helping me find the student data I was looking for from the

UNLV data warehouse.

My deep sense of gratitude to my parents Venkat Rao Rajuladevi, Mallika Rajuladevi and my

sister Arthi Rajuladevi who are my moral strength and motivation. I would like to thank Sai Phani

Krishna Parsa for his constant support and guidance throughout my Master's program.

Finally, I would like to thank all my friends, seniors and juniors who made my time here at

UNLV very memorable.

Aditya Rajuladevi

University of Nevada, Las Vegas

May 2018

iv

Table of Contents

Abstra	ct					iii							
Acknov				iv									
Table of Contents List of Tables													
List of	Algor	ithms				ix							
Chapte	er 1 I	ntroduc	tion			1							
1.1	Objec	tive				2							
1.2	Outlin	ıе		•		3							
Chapte	er 2 E	Backgrou	and and Preliminaries			4							
2.1	Relate	ed Work .				4							
2.2	Prelin	ninaries .				6							
	2.2.1	Machine	Learning Concepts			6							
	2.2.2	Predicti	ve Analytics			6							
	2.2.3	Selected	Models			7							
		2.2.3.1	Logistic Regression Model			8							
		2.2.3.2	Decision Trees			8							
		2.2.3.3	Random Forest Classifiers			8							
		2.2.3.4	Support Vector Machines			8							
	2.2.4	Evaluati	ion Methods			8							

-	er 3 N	Methodology	9
3.1	Data	Collection	9
3.2	Data	Pre-Processing	9
	3.2.1	Computation of Not Retained variable	9
	3.2.2	Handling Missing Values	9
	3.2.3	Data Selection and Transformations	9
	3.2.4	Correlation of Features	9
Chapte	er 4 I	Experimental Results	10
4.1	Analy	sis of Predictive Models	10
	4.1.1	Evaluation using Traditional Metrics	10
Chapto		Evaluation using Traditional Metrics	10 11
Chapte Bibliog	er 5 (Conclusion	

List of Tables

ว 1	Admissions data at a University																													_
4.I	ridinissions data at a Chiversity	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	 •	•	•	•	•	•	•	•	 •	

List of Figures

1.1	Freshmen Retention Rates a	t UNLV																											2
-----	----------------------------	--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

List of Algorithms

Introduction

The first-year or freshmen retention rate refers to the number of freshmen in a college or university who return for their sophomore year. Many universities are facing huge problems with low or decreasing first-year student retention rates. Low retention rates are a bad indicator of the university's performance and can damage the reputation of the institution in the eyes of students and parents. The reasons behind student dropout after the first year in universities can range from high expectations of the college programs, transition into an interdisciplinary curriculum, economic problems, inability to mix well with other students or struggling due to unfulfilled prerequisite requirements [Lau03]. Many researchers have formulated solutions such as building learning communities, providing additional resources [Tin99], highlighting student participation in campus life and providing academic support [Lau03]. Also, few studies have indicated that the risk of dropping out decreases with an increase in academic performance [AMBS99]. Thus, one way to increase retention is to increase academic success. In recent years, many universities have invested significantly in development and implementation of intervention programs to help at-risk students and support them individually to improve their academic performance.

The success of such intervention programs depends on the university's ability to accurately identify students who need help. In a traditional approach, many universities have used academic performance indicators such as GPA's, absence rates, previous grades, SAT or ACT scores from enrollment data to generate rules that can be used to identify students at risk [BS16]. Although such rule-based systems served as good indicators of identifying at-risk students for some years, they had some downsides such as fewer accuracies, static, expensive to generate and maintain and most importantly they lacked a validation mechanism to verify the predictions. Alternatively, recent research has indicated the potential value of machine learning algorithms such as Logistic




Figure 1.1: Freshmen Retention Rates at UNLV

Regression, Random Forest Classifiers, Decision Trees, Support Vector Machines (SVM) and Neural networks for the problem [Pla13, LAS⁺15, MDDM16]. These algorithms when trained using traditional academic data can identify at-risk students more accurately. The performance of these algorithms can be evaluated using various metrics such as Precision, Recall, and Area Under Curve (AUC) thus giving us a good indicator to validate the results. However, the application of such predictive methods to identify at-risk students is still at its early stages, owing to the implementation complexity and the availability of data. Currently, many universities have defined rules in the collection of data to use for such a research.

Over the recent years, the retention rates at UNLV have displayed a highly varying pattern. It dropped from 77% in 2012 to 74% in 2014 and then increased to 77% in 2015, which later on fell to 74% in 2016 Figure 1.1. Such an unstable pattern of freshmen retention rates has drawn a lot of attention by the educators and administration at UNLV. Hence, a predictive approach to identifying at-risk students and supporting them with additional resources would be quite beneficial to increase the retention rates at UNLV.

1.1 Objective

The objective of this thesis is to create predictive models that can be used to identify at-risk students. In this thesis, important machine learning algorithms such as Logistic Regression, Decision

trees, Random Tree Classifiers and SVM's will be trained on real-time student data obtained from UNLV's enrollment census. The trained models will then be used to predict at-risk students from a test dataset which the model has not seen earlier. The models are evaluated and compared using metrics such as precision, recall, and area under the curve to determine which model provides the best results. The results of the analysis such as the evaluation metrics will be converted to risk scores which can be easily understood by the educators and administrators at UNLV. Another contribution of this thesis is to rank students based on risk scores which will be very helpful in an efficient allocation of resources as part of the intervention programs.

1.2 Outline

In Chapter 1, the brief topic of First-Year student retention rates, its importance to universities and the proposed approach to increase the retention rates at UNLV was described.

In Chapter 2, we will discuss the existing research on improving first-year retention rates and the background information required to understand the proposed predictive approach using machine learning. It will also cover the most important and popular algorithms of machine learning.

In Chapter 3, we will describe the methodology adapted for the analysis.

In Chapter 4, we will present the experimental results. The characteristics of datasets used for these methods will also be described.

In Chapter 5, we will summarize the proposed methods and their results along with the possible extension of this thesis.

Background and Preliminaries

2.1 Related Work

The prediction of first-year student retention rates and identification of students at risk of not being retained has been a well-researched problem in the area of higher education sector for decades. Early studies involved learning the important factors that lead to student dropout by developing a theoretical model. Tinto is one of the major and earliest researchers in this area. Tinto's student engagement model [Tin99] has served as the basis for a large number of theoretical studies [Bra02]. Similar research was carried out by Ernest Pascarella, Patrick Terenzini, and Alexander Astin, which focused more on the external factors such as the institution's administration and its policies when determining the reasons for student retention [A⁺12]. Tinto in his 2006 study [Tin06] has stated that there has been a huge increase in the number of businesses and organizations to analyze and help institutions with the student retention problem. Later, in the same study, he revealed that there was only little change in the retention rates even with some huge businesses helping the universities. He also described the importance of external factors such as studentfaculty relationships, extracurricular program, and orientation programs for first years. Moreover, he incorporated the role of academic factors into his model to make it more suitable to the college structure [Tin06]. Astin in his Input-Environment model [A+12], suggests that researchers should consider pre-college factors such as gender, race/ethnicity, family background, high school GPA as important for student retention.

In addition to understanding the factors responsible for student dropout, the researchers were interested in identifying students at risk of not being retained in order to intervene and prevent them from dropping out. Early research included usage of statistical and analytical methods such as logis-

tic regression and discriminant analysis for predicting student retention rates[LAS+15, MDDM16, AC17]. The results from these models showed that the learning algorithms were in fact better than many existing rule based models in learning patterns from the existing student data. Educational data mining has emerged into an important field of research in studying student retention, because of its high accuracy and robustness in working with missing data been[AH14]. In another study, Jay Bainbridge, James Melitski, Anne Zahradnik, Eitel J. M. Laura, Sandeep Jayaprakash and Josh Baron used fall 2010 undergraduate students data from four different sources and applied classifiers such as logistic regression, support vector machines and c4.5 decision trees for prediction and comparison purposes[BMZ+15]. The results showed that logistic regression and SVM trees provided higher classification accuracies compared to the decision trees to predict students at risk.

Serge Herzog a researcher from University of Nevada, Reno(UNR) campus has done some extensive research on student retention and graduate prediction. He used Decision trees and Neural networks to predict student retention of data from UNR[Her06]. FarshidMarbouti, Heidi A.Diefes-Dux, KrishnaMadhavan [MDDM16] have compared seven different prediction models for identifying at-risk students using in-semester performance factors (i.e., grades) and based on standards-based grading. Another similar research focused on the problem of imbalanced output class distribution in the field of student retention in which the researchers tested three balancing techniques such as over-sampling, under-sampling and synthetic minority over-sampling (SMOTE) along with machine learning algorithms.

Although predictive analysis using machine learning models have proved to be very effective in identifying at-risk students, they were still not efficient and useful to educators who wanted to develop academic support programs and resources to support the identified students. The primary reason being the lack of understanding of the metrics from the predictive models by the educators. A few researchers analyzed this issue at the high school level and came up with a framework to convert model accuracies to risk scores that could be used by the educators in the efficient allocation of the resources [LAS+15]. Though the above-mentioned framework was giving good results, it was restricted to school level data and thus cannot yield accurate results in the university level as both are very different environments with different set of factors. Hence, in this thesis we try to include such an analysis into college level studies of UNLV and compare our results to the existing approaches.

2.2 Preliminaries

2.2.1 Machine Learning Concepts

Tom Mitchell defined Machine Learning as [?]:

"A computer is said to learn from experience E with respect to some class of tasks T and performance measure P, if its performance at tasks in T, as measured by P, improves with experience E."

Example: playing chess.

E = the experience of playing many games of chess with different people

T =the task of playing chess.

P = the probability that the program will win the next game.

In general machine learning tries to learn patterns inherent in the underlying data and remembers it as experience, which it uses for predictions. It was conceptualized from the notion of learning process adopted by a human brain. Just as the human brain gets better at a specific task by repeated learning and previous experiences, a computer will also learn more patterns hidden in the data based on its previous experiences. Additionally the huge processing power of computers enables them to perform such a learning process in identifying patterns from complex data which can be very difficult for a human to understand.

2.2.2 Predictive Analytics

Predictive analytics primarily deals with extracting patterns using machine learning models from existing datasets. the extracted patterns are used to predict future events and behaviors in previously unseen data. Predictive analytics is being used in wide range of fields such as education, finance, automobile, and healthcare. The analytics is performed by running different machine learning algorithms on previously collected data. The algorithms try to learn patterns between different properties of the data and preserve the knowledge in model parameters. The resulting model is able to predict the unknown property of a future unseen data.

An illustrative example is shown in Table 2.1 which shows student data captured during admissions at a university. The aim is to predict if the student will be accepted or not by looking at the

Table 2.1: Admissions data at a University

Age	Gender	HSGPA	ACT	Accepted
20	Male	3.89	25.6	1
21	Female	3.20	22.6	1
20	Female	2.50	18.3	0
22	Male	3.10	19.2	0
19	Female	3.60	23.5	1

other variables in the data. The column "Accepted" is said to be a dependent variable, and all the other variables are called independent variables. A "1" in the "Accepted" column represents the outcome of the student being accepted into the university and a "0" means he was rejected. To this data we apply a machine learning algorithm, that will learn a prediction model based on the relations between the input independent variables and the output dependent variable. The learned model is then able to predict the output variable by taking other variables as input.

The process of creating a prediction model from the available data is called training. The data used for training is known as training set or training data. To test the effectiveness of the created model, it is tested on another set of previously unseen data known as testing data. We use two different data sets to check the generalization capacity of the model in predicting previously unseen data. If we use all the available data for training, the model may learn too much from the inputs giving rise to the problem of overfitting. Overfitting occurs when a model is performing well on its training data, but not on the other unseen data. A common approach to handle the problem of overfitting is to divide the input data into training and testing sets. The model is then evaluated for performance using test data. The metrics used to evaluate a model are explained in detail in coming chapters.

2.2.3 Selected Models

In this section we discuss various models that were used in this thesis to analyze the student data from UNLV. The models selected for comparison were Logistic Regression, Decision Trees, Random Forest, and SVM's.

- 2.2.3.1 Logistic Regression Model
- 2.2.3.2 Decision Trees
- 2.2.3.3 Random Forest Classifiers
- 2.2.3.4 Support Vector Machines
- 2.2.4 Evaluation Methods

Methodology

3.1 Data Collection

The Operations Support and Reporting Office at UNLV is responsible for extracting information regarding student enrollment and performance from the UNLV Data Warehouse and reporting the census to Integrated Postsecondary Education Data System (IPEDS). The data used in this thesis were obtained from the census data submitted to IPEDS every year. The following subsections will describe more information about the data.

3.2 Data Pre-Processing

3.2.1 Computation of Not Retained variable

How did you generate the output variable

3.2.2 Handling Missing Values

Explain your approach of missing values

3.2.3 Data Selection and Transformations

What important data did you select for your analysis

3.2.4 Correlation of Features

check the correlation of factors

Experimental Results

- 4.1 Analysis of Predictive Models
- 4.1.1 Evaluation using Traditional Metrics

Conclusion

Bibliography

- [A⁺12] Alexander W Astin et al. Assessment for excellence: The philosophy and practice of assessment and evaluation in higher education. Rowman & Littlefield Publishers, 2012.
- [AC17] Olugbenga Adejo and Thomas Connolly. An integrated system framework for predicting students?academic performance in higher educational institutions. *International Journal o f Computer Science and Information Technology (IJCSIT)*, 9(3):149–157, 2017.
- [AH14] Ruba Alkhasawneh and Rosalyn Hobson Hargraves. Developing a hybrid model to predict student first year retention in stem disciplines using machine learning techniques.

 *Journal of STEM Education: Innovations and Research, 15(3):35, 2014.
- [AMBS99] Paul A. Murtaugh, Leslie Burns, and Jill Schuster. Predicting the retention of university students. 40:355–371, 06 1999.
- [BMZ⁺15] Jay Bainbridge, James Melitski, Anne Zahradnik, Eitel JM Lauría, Sandeep Jayaprakash, and Josh Baron. Using learning analytics to predict at-risk students in online graduate public affairs and administration education. *Journal of Public Affairs Education*, pages 247–262, 2015.
- [Bra02] John M Braxton. Introduction to special issue: Using theory and research to improve college student retention. Journal of College Student Retention: Research, Theory & Practice, 3(1):1-2, 2002.
- [BS16] Melissa A Bingham and Natalie Walleser Solverson. Using enrollment data to predict retention rate. *Journal of Student Affairs Research and Practice*, 53(1):51–64, 2016.
- [Her06] Serge Herzog. Estimating student retention and degree-completion time: Decision trees and neural networks vis-à-vis regression. New directions for institutional research, 2006(131):17–33, 2006.
- [LAS+15] Himabindu Lakkaraju, Everaldo Aguiar, Carl Shan, David Miller, Nasir Bhanpuri, Rayid Ghani, and Kecia L Addison. A machine learning framework to identify students at risk of adverse academic outcomes. In Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pages 1909–1918. ACM, 2015.
- [Lau03] Linda K Lau. Institutional factors affecting student retention. *Education-Indianapolis* then Chula Vista-, 124(1):126–136, 2003.

- [MDDM16] Farshid Marbouti, Heidi A Diefes-Dux, and Krishna Madhavan. Models for early prediction of at-risk students in a course using standards-based grading. Computers & Education, 103:1-15, 2016.
- [Pla13] Mark Plagge. Using artificial neural networks to predict first-year traditional students second year retention rates. In *Proceedings of the 51st ACM Southeast Conference*, page 17. ACM, 2013.
- [Tin99] Vincent Tinto. Taking retention seriously: Rethinking the first year of college. NACADA journal, 19(2):5–9, 1999.
- [Tin06] Vincent Tinto. Research and practice of student retention: What next? Journal of College Student Retention: Research, Theory & Practice, 8(1):1–19, 2006.

Curriculum Vitae

Graduate College University of Nevada, Las Vegas

Aditya Rajuladevi

Degrees:

Bachelor Degree in Computer Engineering 2014

Jawaharlal Nehru Technological University, Hyderabad, India

Thesis Title: A Machine Learning Approach to Predict First-Year Student Retention Rates at University of Nevada, Las Vegas

Thesis Examination Committee:

Chairperson, Dr. Fatma Nasoz, Ph.D.

Committee Member, Dr. Laxmi Gewali, Ph.D.

Committee Member, Dr. Justin Zhan, Ph.D.

Graduate Faculty Representative, Dr. Magdalena Martinez, Ph.D.