

11

[Upgrade plan ↗](#)Engine type [Info](#)

- Aurora (MySQL)

☐ Full configuration

Easy create
Use recommended best-practice configurations. Some configuration options can be changed after the database is created.

DB instance size

- Production

CloudShell Feedback Console Mobile App

The LAR instance identifier is case-insensitive, but is stored as all uppercase (as in `myinstance`). Constraints 1 to 4 are *dependencies*, constraints 5 to 10 are *triggers*. Each constraint must be a *query*. Constraints 1 and 2 are *conjunctions*, constraints 3 and 4 are *disjunctions*, constraints 5 and 6 are *disjunctions*, constraints 7 and 8 are *disjunctions*, constraints 9 and 10 are *disjunctions*.

postgres

Credentials management

You can use AWS Secrets Manager

- Managed in AWS Secrets Manager - **most secure**
RDS generates a password for you and manages it throughout its lifecycle using AWS Secrets Manager.

☐ Auto generate password

.....

Minimum: 8 characters, 4 from 0-9, 1 special, 1 capital, 1 lowercase. Good: 10 characters, 2 from 0-9, 2 special, 2 capital, 2 lowercase. Strong: 12 characters, 3 from 0-9, 3 special, 3 capital, 3 lowercase. Excellent: 14 characters, 4 from 0-9, 4 special, 4 capital, 4 lowercase. [View Password Strength](#)

You can also set up a connection to an EC2 inst

Easy create sets the following configurations to their de

Cancel

› Create database

▼ Total steps: 5

Dismiss tutorial

▼ Total steps: 5

[Dismiss tutorial](#)

Delete database-1 instance



Permanently delete **database-1** DB instance. You can't undo this action.

 Proceeding with this action will delete the instance with all its content and can affect related resources. [Learn more](#) 

☐ Create final snapshot

The instance is currently creating, a final snapshot cannot be taken.

☒ Retain automated backups

Determines whether retaining automated backups for 1 day after deletion

 You will be billed for retained backup storage at the rate described as 'Additional backup storage' found in [Backup Storage](#). 

To avoid accidental deletion provide additional written consent.

To confirm deletion, type *delete me* into the field.

delete me

Cancel

Delete