NOMILA-V2 · CURRENT-STATE AUDIT · 10 SEP 2026

Nomila Recommendation System Map

Everything that recommends, plans, ranks, drafts or advises today: the code, the tables and fields, the prompts, the workflows and the agents, traced from the athlete's goals through every reader. Current state only. No redesign.

read at local main 49b236d

origin/main 246a98c is 15 commits ahead (Studio + infra only; nothing in this map changed)

prod flags: MILA_AGENT_V2 · MILA_VOICE_WEB · MILA_VOICE_WEB_SEARCH · PROMPT_REGISTRY · LANGFUSE_TRACING all true

WHAT ACTUALLY RECOMMENDS

One engine: the inbox deal engine

Classify → score → summarize → rank → voice → draft, ending in a pending action the athlete taps. Every other "recommendation" is either a pitch narrative on a deck, a Mila answer grounded in read tools, or a client heuristic with no data behind it.

WHERE GOALS GO

Collected in four places, read by one prompt line

Goal slugs are captured at the landing page, confirmed by Mila, proposable from chat and editable on Facts. Downstream, exactly one consumer uses them to decide anything: a "Goals:" line in the deal-scoring prompt.


WEEKLY PLANS AND SCHEDULES

Not built. The spine is an open PR

PR #309 adds a pure occasion finder that reads posted media and live deals. Studio's posting-time and content suggestions are client functions waiting on a fixtures table that does not exist, so they return empty today.

---

1 · The system in one picture



Left to right: the tables agents read, the agents and rule engines, what they persist, and the surfaces that render it. The deal engine (Classifier → Scorer → Summarizer → auto-actions → rank + voice → draft) is the one path that produces a recommendation, ranks it and proposes an action. Mila reads the same tables through tools and never writes a recommendation anywhere. The dashed spine at the bottom of the agent column is PR #309, not on main.

2 · Goals, from capture to every consumer

The vocabulary is one file, `shared/goals.ts`: five active-athlete slugs, four retired-athlete slugs, and four career statuses. The column is `athletes.goal_archetype` (text), plus

`athletes.secondary_goals` (jsonb string array) and `athletes.brand_voice` (jsonb {tone, phrases, avoid}). There is no goals table and no history beyond the assertion ledger.

Where a goal is written

DOOR	CODE
Landing page steps 3 to 5	`server/routes/waitlist.ts POST /api/v1/waitlist`
Mila first entry (greet step)	`server/mila/onboarding.ts recordAssertions · workflow step "greet"`
Any Mila chat turn (v2 loop)	`server/mila/profileExtraction.ts → sse.profileUpdates → client MilaProfileConfirm → P`
Brand › Facts	`server/routes/record.ts PUT /record/:field · services/athleteRecord.ts`

Who reads a goal

READER	CODE	WH
Deal scorer prompt	`server/skills/dealDetector.ts:1280`	A<g th S(se br pa
Mila get_profile tool	`server/mila/tools/getProfile.ts`	R(se br

		va th
Voice get_athlete_profile	`server/voice/athleteProfile.ts · profileRoute.ts`	Sp se ca
Onboarding context block	`server/mila/onboarding.ts renderOnboardingBlock`	"T or
About you / Facts	`server/services/athleteRecord.ts:239`	Di pr
Client	`client/lib/auth-context.tsx · use-mila-chat.ts · MilaProfileConfirm.tsx`	Ca

> **Not read by:** the score engine, the rate card, deal ranking, the Brief, composeDealVoice, the draft prompt, the Narrator, the shot list, the deck plan, Studio's brief assembler, the weekly-plan spine, or the brands list. Retired-goal handling exists only at capture. Live data: 10 of 25 athletes have a goal_archetype; one secondary_goals value is free text ("only work with fitness and wellness brands") from before the vocabulary was enforced; brand_voice is non-null on 1 row.

---

3 · What influences which recommendation

Rows are the data sources the request named. Cells say how each source reaches a recommendation surface, with the file that reads it. An empty cell means no path exists.

SOURCE	DEAL VERDICT + RECOMMENDATION	BRIEF RANKING + VOICE	DRAFTS + COUNTER
Research (snapshot.research)	Not read	Not read	Not read
M.I.A. score (display_score, tier, capitals)	"M.I.A. Score: X (tier)" prompt line (dealDetector.ts:1276)	Not read	Not read

Rate card (rate_card, floors)	Per-type ranges + floor → economics band (dealScoreGrid) and rateLine in prompt	Rate at render in composeDealVoice via resolveAthleteRate	Unit-matched market rate + floor scrubbing (dealDraft.ts, draftPrompt.ts)
Social analytics	Not read	Not read	Not read
Athlete profile (sport, school, teams, career, prefs)	Name, sport, teams line, goal, floors	Not read	Signature name, agent/agency names, reply_signature
Deals	Existing thread's stored score guards auto-demote	Status, awaiting, deadline, score, age → rank; group collapse	Deal type → rate key; amount for counters
Conversations (threads, chat)	conversation_state offer feeds the offer struct; last message direction sets awaiting	conversation_state sentence is the "situation" half of the voice	Last 5 messages in the draft prompt; latest_draft persisted
Connected accounts	Not read	Not read	Sendable flag (Gma yes, Outlook no)
Brand profiles (inbox_brands)	Not read; scorer uses Kimi's own brandAnalysis.brandTier from the email	Advertiser name + logo	Not read

4 · Every agent and rule engine

AGENT	KIND	TRIGGER	CONTEXT IT RECEIVES
preFilterEmail · structuralNonDeal · senderProfile	Code rules	Every inbound email/DM, before any model	From address, subject, body

senderMemory	SQL rule	After structural, before classify	Prior demotes for this sender/don engagement (outbound replies)
Classifier	Gemini Flash, CLASSIFY_SYSTEM (locked prompt)	New message on a new or non-preserved thread	Fenced email text incl. PDF text
Brand resolver + researchBrand + brandIntel	Gemini grounding (3 queries) + Kimi extraction	First detection of a brand; manual refresh cron (no schedule); athlete picks a brand	Brand name/domain
Scorer	Kimi instant, SCORE_SYSTEM (locked) + dealScoreGrid (pure)	After classify and summarize; rescore endpoint; sweeps	ATHLETE block (name, sport, tear score, rate or floor, goal) + fenced block (category, brand, summary, offer, deliverables, deadline)
Thread summarizer	Kimi	Every new inbound or outbound message	Last 6 messages + brief-bearing + bearing messages
Deal grouping	LLM same-deal partition	New thread mint; bulk script	Brand, dates, raw_data within 45
Auto-actions	Code thresholds	Inside detectDeal; daily archive cron	Classification, score, thread engag
Rank + voice	Pure code + templates	GET /deals, GET /deals/brief	awaiting, deadline, scoreNumeric last_message_at; score + conversation_state fields
Draft core	Model call in dealDraft.ts	Deal draft route, Mila draft_reply, voice open_draft	Intent (accept/negotiate/request_terms style, voice, last 5 messages, unit matched market rate, scrubbed negotiate_terms/draft_points

Ask-for-terms batch	Template, no model	POST /deals/ask-terms-batch	offer_struct units, deliverables, de missing terms per deal; segment fresh/agency/quiet/old
Mila chat loop	Gemini via Vertex, up to MAX_TOOL_ITERATIONS	POST /chat with MILA_AGENT_V2 (on in prod)	Persona prompt (no athlete data) hint + onboarding block when app conversation summary + tool resu
Mila voice worker	LiveKit agent, Gemini Live or Grok	Voice session	Same persona + seed line from voice_context + onboarding prom
Onboarding workflow v2	Postgres runner; research step is a model step	Signup / promote	Name, sport, known handles
First look	One model call over 30 posts	OAuth connect	Captions, formats, cadence
Research athlete	Gemini grounding (4) + Kimi (4)	Onboarding, monthly, admin	Search name + typed handles
Deck Strategist	deriveDeckPlan (rules) + deriveShotList (Gemini Pro)	Kit build	Brand mode, signals (achievemen national+, dated, causes, hasRate sport, school, tier, arc, achieveme partners, capitals
Curator	Embedding search over the media library	Kit build	Shot list briefs, brand exclusion, r
Narrator	Gemini Pro + Kimi + Fable, pooled, gated, judged by Gemini Pro	Kit build	Lean angle context: name, sport, s tier, story arc, signal highlights, br tags (hard-coded list in buildNarratorContext), commerci
narrateWhyFits	Gemini Pro	Kit build (brand mode), pitch insights, get_brand_fit, voice brand fit fill	Athlete name, sport, audience des facts (kit: 4 signal highlights; pitch insights: empty), brand name/category/audience
narrateCampaignConcept · narrateActivationPlan	Gemini Pro	Brand kit build	Facets hints (Athlete, Scholar), 4 s highlights, brand positioning
Studio brief + preview gate	Rules (assembleBrief) + previewGeneration + generation router	Athlete taps Brand post / Personal post / Create anything	getAthleteContext, getBrandCont brand extras, objective, deliverab references, typed direction

Camera roll review	Vision tag + embedding, env thresholds	Review my camera roll	Thumbnails
IN FLIGHT deriveOccasions	Pure code, PR #309	Not wired to any route or cron	posted media_assets (365 days), accepted/negotiating deals with d deliverables + deadline

---

5 · How each surface is generated

Opportunities · Brief

1. `GET /api/v1/me/deals/brief` (server/routes/deals.ts:560) calls the shared loader `loadRankedDeals`: one query joining deals, threads, brands; `collapseDealGroups` synthesizes one row per deal_group_id (most-advanced status wins, offer borrowed from the richest member, activity summed).
2. `composeDealVoice` (server/lib/dealVoice.ts) writes Mila's sentence from conversation_state + recommendation_ui + negotiate_terms[0] + economicsState.read, through the A–E fallback ladder, then `assertNoUnbackedFigures` strips any dollar figure not backed by a structured field.
3. `dealRanking` orders by awaiting-athlete, then deadline proximity, then scoreNumeric, then freshness. The route keeps detected/pending/negotiating, returns the top 3 and counts.
4. Client `BriefView` → `AskCard` → `DecisionSheet` (position, why, plan from negotiate_terms) → `NegotiateComposer` (three-number strip from rate card + floor, draft_points chips) → `pending_actions` proposal → approve sends through threadReply. Ask-for-terms batch and Your Week are pushed screens off the same tab.

Opportunities · Your Week, Filtered, Explore

Your Week is a 30-day receipt built on the client from agent_actions (set-aside list, track record, Undo/Wrong) and deals (arrived / you moved / still waiting buckets in `weekLogic.ts` and `yourWeekOutcomeLogic.ts`). Filtered lists agent_actions rows with payload.kind = junk grouped by noise_reason. Explore All renders ClassicListV2 over the same ranked loader with archived threads hidden.

Mila chat

`POST /api/v1/me/chat` → `runMilaLoop`. The prompt (server/mila/prompt.ts) carries persona and rules only: lead with a take, one list_deals call for ranking questions, at most two deep dives, never a count, widget directive on the last line, draft never sends. Tools: get_score, get_profile, list_deals, get_deal, get_rate_card, list_tasks_threads, get_analytics, draft_reply, navigate, get_help, get_brand, get_brand_fit, plus get_first_look and complete_onboarding_step in onboarding. After the answer: a rolling conversation summary, a suggestions call, and profile-candidate extraction. Chat openers per screen are a static list in `client/screens/milaOpeners.ts`. The v1 inline prompt path (chat.ts:300–420, Kimi, score and last 10 deals stuffed into the system prompt) is still in the file behind the flag.

Mila voice

Separate repo (nomila-co/mila-voice, LiveKit). Tools: get_score, open_draft, list_deals, get_athlete_profile, get_deal_brief (brand or campaign name, resolves deal → brand → fit in one call), get_thread, get_score_history, get_share_signals, web_search when MILA_VOICE_WEB_SEARCH, complete_onboarding_step in onboarding. Every read goes through `/api/internal/voice/*` routes that return closed enums and ids, never brand prose. Memory is `voice_context` (ids and enums only) rendered to one seed sentence by `voiceSeed.ts`; the text loop also writes it.

Brand tab

Score screen and rings read `/athletes/:id/score`. Deck and Rates read the kit and the rate card. Facts reads `GET /me/record` (said / found / made with provenance). Story shows only `story_arc` from the record's numbers group; the tab's own comment says narrative, stories, voice and direction are not built. Growth is the analytics read API (deltas only, no advice).

Pitches and brand recommendations

A pitch is a media_kits row with brand_id > 0; status is derived (ready / sent / opened / stale) from card_shares and card_share_views (server/services/pitches.ts). Pitch insights recompute whyFits angles per request with an empty facts array and are not stored. The only brand ranking in the codebase is `GET /athletes/:id/brands` (server/index.ts:1183): brands from the athlete's own inbox threads, sorted by a hard-coded deal-warmth map (negotiating 100 … rejected 0) then recency. There is no brand discovery beyond what has already emailed her, and no brand-to-athlete matching.

Studio

Now feed = what is rendering (made shelf) + owed deliverables (`listOutstandingDeliverables` , 0 rows today) + fixture suggestions (`personalLogic.suggestionsFrom` , which needs fixtures; `useFixtures` returns a stub empty array, so no suggestion ever renders). Make it = `assembleBrief` with an objective the athlete picks (announce, showcase-product, grow-following, concept, recap, thank-partner) and a deliverable (post, story, reel, carousel, ad, clip). Posting time = `scheduleLogic.recommendedSlot` , three hours before the next fixture, also fixture-dependent. Personal post concepts = a regex table (`CONCEPTS`) matching the athlete's typed purpose. Nothing schedules or publishes; every OAuth scope is read-only.

Nomi Card

`assembleMediaKit` : getAthleteContext → deriveDeckPlan (rules: brand mode adds whyFits, campaignConcept, activationPlan; achievements card when ≥3 achievements and ≥1 national) → shot list → in parallel: Curator, Narrator, whyFits, concept, activation plan → cards → cached in media_kits, invalidated only for the generic kit by onboarding. Rates card packages are computed from the headline post rate (series = 3 posts × 0.94). The "activation plan" is the closest thing to a content calendar in the product and it is a per-brand pitch card, not a plan for the athlete.

---

6 · Weekly plans, posting schedules, brand and content recommendations: status

CAPABILITY	STATUS	WHERE IT LIVES
Weekly plan / action plan	IN FLIGHT	PR #309 feat/weekly-plan-spine: server/skills/weeklyPlan.ts,

Posting schedule	NOT BUILT	client/screens/studio/scheduleLogic.ts recommendedSlot · cli
Brand recommendations	PARTIAL	server/index.ts:1183 GET /brands · services/pitches.ts · nar
Content recommendations	PARTIAL	client/screens/studio/personalLogic.ts · nowLogic.ts · serve
Deal action plans	BUILT	dealDetector.scoreDeal · dealScoreGrid · dealRanking · dealV
Score growth advice	PROMPT-ONLY	chat.ts v1 "Focus on the lowest capital" · milaOpeners.ts "H

7 · Hard-coded rules and thresholds

RULE	VALUE	FILE
Deal detection confidence threshold	0.6	server/skills/dealDetector.ts:
Auto-demote minimum classifier confidence; never when stored verdict is good/great	0.8	dealDetector.ts:1731
Auto-file requires recommendation reject/delete at "high" confidence, status detected, no outbound reply	enum gates	dealDetector.ts maybeAutoFileR
Junk receipt only when deal probability ≤	0.35	dealDetector.ts:1872
Sender mute after N demotes / domain after N; free-mail domains never muted by domain	2 / 3	server/lib/senderMemory.ts:55-
Auto-archive dormant detected/pending deals after	45 days	server/skills/archiveStaleDeal

Same-deal grouping window	45 days	server/skills/dealGrouping.ts
Brand profile staleness / researchBrand self-guard	60 / 90 days	services/brandIntel.ts · skill
Economics × fit grid (6 bands × 4 fits → 1–10); red flag floors to 1 or 2; naturalAction accept ≥8, reject ≤3	table	server/skills/dealScoreGrid.ts
fitBand composition; premium tier rescues fair → good only	rule	dealScoreGrid.ts:230
Rank weights: awaiting ≫ deadline ≫ score ≫ freshness	ordinal	server/lib/dealRanking.ts
Minimum usable rate in scoring / minimum credible ask in drafts	$25 / $100	dealDetector.ts:1211 · lib/dra
Ask-for-terms segments fresh/quiet; proposal TTL; batch cap	30 / 90 days · 7 days · 100	server/routes/askTerms.ts
Brands list deal-warmth map	100/80/60/40/20/0	server/index.ts:1183
Deck order and the achievements-hero rule (≥3 achievements, ≥1 national)	array	server/services/shotList.ts:16
Kit rate packages: series = post × 3 × 0.94	0.94	services/mediaKitService.ts:27

Kit capital grade labels 80/60/30 vs client ring labels 80/60/40/20	two scales	mediaKitService.ts:66 · client
Narrator brand-fit tags	Apparel, Wellness, Beverage, Beauty	mediaKitService.ts buildNarrat
Concept facets hints	Athlete, Scholar	mediaKitService.ts:150
Occasion thresholds (PR #309)	14 / 28 days · 3 uses · 7-day window	weeklyPlan.ts
Studio posting slot; personal-post concept regexes	3 h before kickoff · 8 regexes	client/screens/studio/schedule
Mila list window, deep-dive cap, tool iteration cap	~10 rows · 2 · MILA.MAX_TOOL_ITERATIONS	server/mila/prompt.ts · tools/

8 · Prompt-only logic

Decisions that exist only as instructions to a model. PROMPT_REGISTRY is on in prod, but the `prompts` table has 0 rows and only two call sites resolve through it (chat.suggestions, firstLook); classify, score and contract extraction are locked to code by LOCKED_PROMPTS. Langfuse tracing is on.

DECISION	PROMPT	MODEL	NOTE
Is this a deal; which category; who is the advertiser; confidence calibration	CLASSIFY_SYSTEM (dealDetector.ts:882)	Gemini Flash	Long rubric of noise signals; locked
Fit ratings (sport, audience), brand tier, capital contribution, red flags, negotiate terms, draft points, urgency, autopilot_safe, recommendation prose	SCORE_SYSTEM (dealDetector.ts:1089)	Kimi instant	The 1–10 is grid-derived in code; the recommendation is reconciled in code; everything else is the model's. Known drift documented in docs/r1-scoring-followups.md

Latest offer, deal stage, who is awaiting	threadSummarizer SYSTEM	Kimi	deal_stage advances deals.status automatically; this is what makes "accepted" flow into the score
Reply intent behaviour	INTENT_INSTRUCTIONS + STYLE_INSTRUCTIONS (lib/draftPrompt.ts)	Draft core	Leak linter in code
Mila's advisory stance, tool discipline, honesty rules, "deals do NOT affect the score"	buildSystemPrompt (server/mila/prompt.ts)	Gemini	That last line contradicts Commercial capital
What Mila may say she found at first entry	onboardingGuidance + ONBOARDING_CONTEXT block	Gemini / voice model	Facts are data-fenced
Which chat statements become profile facts	PROFILE_EXTRACTION_SYSTEM	Model	Confirm tap gates persistence
Why she fits a brand; campaign concept; year-round activation plan	narrateWhyFits, narrateCampaignConcept, narrateActivationPlan	Gemini Pro	Grounded only in ≤4 signal highlights
Facets and shot list	shotList buildPrompt	Gemini Pro	Falls back to generic ranked selection
Deck copy	narrateKit	Gemini Pro, Kimi, Fable; judge Gemini Pro	Judge ranks only
Achievement levels, teams, story arc from research text	EXTRACTION_SCHEMA (researchAthlete.ts)	Kimi	Level drives Athletic capital keywords in code
Brand tier, industry, audience from the web	researchBrand EXTRACTION_SCHEMA	Kimi	Separate from the scorer's per-email brandTier
Conversation memory	SUMMARIZER_SYSTEM (mila/conversations.ts)	Model	Rolling summary replayed into the loop

9 · Duplicated logic

- **Brand fit written three ways.** Kit build stores whyFits inside media_kits.data; the voice path stores the same three angles in brand_fit_narratives; pitchInsights and get_brand_fit recompute per call and store nothing. `mediaKitService.ts · voice/brandFitFill.ts · services/pitches.ts · mila/tools/getBrandFit.ts`
- **Five readers of the athlete's current row assemble their own context.** getAthleteContext, buildNarratorContext, deriveShotList's fallback query, chat.ts v1 inline prompt, and loadOnboardingFacts each select from athletes + athletes_current + latest research snapshot.
- **Brand tier and category exist twice.** The scorer takes brandTier and category from Kimi's brandAnalysis of the email; inbox_brands carries a researched brand_tier and category that the scorer never reads.
- **Three ranking systems.** Server dealRanking for the Brief, the client's score-sort in use-deals.ts (noted in dealRanking's header), and the brands list warmth map.
- **Three memories.** Thread conversation_state (Kimi), Mila conversations.summary (model), voice_context (ids). Deal history for voice is rebuilt from structure by design.
- **Two chat implementations** in chat.ts: the v1 inline Kimi prompt and the v2 loop, switched by MILA_AGENT_V2.
- **Rate reads.** deriveDealTypeRates in dealDetector, dealDraft, dealValueStore; resolveAthleteRate in dealVoice and offerMoney; deckRateFigures in the kit.
- **Sender knowledge** was in three places (preFilterEmail, senderMemory, emailFilters) and is being consolidated into senderProfile; the header documents 25 of 46 muted senders never reached memory.
- **Capital grade thresholds** differ between the kit (80/60/30) and the client rings (80/60/40/20).
- **Deliverable parsing** exists in mila/deliverables.ts (voice) and in askTerms' missing-terms detection from offer_struct, on different fields.

---

10 · Stored fields nothing reads, and legacy rows

FIELD / TABLE	LIVE COUNT
athletes_current.insights · brand_stories	
athletes.brand_voice	

onboarding_sessions
tasks 5 (types :
notification_log types score_milestone, new_deal, weekly_brief, brand_match
deals.pending_action · deals.saved
deals.negotiation_state
kit_content · content_posts · deal_periods · deal_deliverables
athlete_snapshots.score.momentum · ptsToNextTier · tierFillPct · coldStartProfile
brand_fit_narratives.updated_at
agent_actions.undone_at · result from "wrong"
inbox_threads.score.brandAnalysis.capitalContribution · portfolioDiversification

---

11 · Fallbacks

- Deal voice ladder: red flags → unscored ("haven't sized it up") → unpriced ("ask for their budget") → full → summary + verbified recommendation_ui. `dealVoice.ts:309`
- Scorer reconciliation: red flag floors to reject (delete only if Kimi also said delete); model more negative than grid → lifted to at most negotiate; more positive → kept; poor + explicit

no-cash → reject. `dealScoreGrid.ts reconcileRecommendation`

- Unknown-rate athlete: prompt told to score on absolutes + fit, confidence low; NA bands in the grid.
- get_brand_fit defers to get_brand when the brand is not enriched; voice brand brief answers enum-only and queues a fill.
- Narrator: any model failing → templated copy; whyFits/concept/activation null → card templated or pruned; shot list failing → quality-ranked selection.
- Prompt registry: published row → env var → in-code constant.
- Kit cache: served until maxAge or forced refresh; brand kits never invalidated by data change.
- Mila: null tool result → say you don't have it; MAX_TOOL_ITERATIONS → CAP_MESSAGE; draft failure → no workaround suggested.
- Voice seed: no voice_context → silence by design, never reads chat_messages.
- Studio: stub hooks (fixtures, scheduled posts, threads) return empty with isStub, and the PENDING list names the server work each needs.
- Brief ranking: null score treated as neutral; missing timestamps → no age.

---

12 · Feedback and outcome data

SIGNAL	WHERE IT IS RECORDED
Athlete files or demotes a sender's mail (twice)	`agent_actions (reclassify / file), inbox_threads.status`
Athlete's outbound reply exists on a thread	`inbox_messages.direction`
Deal reaches accepted / completed	`deals.status (set by the summarizer's deal_stage, or by contract upload / self-repo`
Per-type rate floors	`athletes.deal_preferences.minimum_rates (3 athletes)`

Facts the athlete asserted	`athlete_asserted (1 row today)`
Card opened / forwarded	`card_share_views (75)`
Undo / "Wrong?" on an agent action	`agent_actions.undone_at, result`
Approve / dismiss a pending action	`pending_actions.status (53 pending, 3 approved, 2 failed)`
Draft edited before send	`inbox_threads.latest_draft, notes history on the deal`
Studio approve / reject / reopen	`media_assets.approval_status`
Deal outcomes, payments	`payments, payment_events`
Classifier precision harvest, Mila golden eval	`server/skills/__fixtures__/classifier-eval.*.jsonl · evals/mila/golden.jsonl · Lang`

13 · What is in flight

ITEM	STATE	WHAT IT TOUCHES IN THIS MAP

PR #309 feat/weekly-plan-spine (2 Sep)	Open, 1 commit, unmerged; migration 0034 number collides with the merged workflow-runner 0034	Adds deriveOccasions + loader + trend_observations; docs/plans/social-media-manager.md and 00-roadmap.md
PR #243 fix/negotiated-deal-value (19 Aug)	Open	Deal money used by economics and voice
PR #124 docs/mila-agent-architecture (27 Jul)	Open, docs only	Agent architecture doc; not on main
PR #360 chore/prettier	Open	Formatting only
feat/opps-ws3-core · feat/opps-ws3-parse (24 Jul)	Worktree branches, 1 commit each, never merged; CHECKLIST.md lists 3.2 parse-confidence gate + amount reconciliation as "needs review/merge"	Deal engine parse gate; the main-tree dealVoice.ts superseded the ws3-core copy
Nine worktree-agent-* branches (25 to 27 Jul)	Design variants of the Brief, Your Week, ask-for-terms; 1 commit ahead each, stale	Opportunities UI prototypes
feat/brand-safe-lens, feat/media-multi-select, feat/camera-roll-review (4 Sep)	1 to 3 commits ahead in separate worktrees	Media library; not recommendation logic
feat/brand-image-ogimage, feat/android-voice, fix/deploy-yml-expression-length	1 commit ahead each	Brand imagery, voice platform gate, deploy
origin/main ahead of local main by 15 (#367–#382)	Merged upstream, not pulled here	Studio classify / segment / QA / routing and the dev-prod environment split; nothing in mila, skills, deals or services other than mediaEnrichment
docs/plans/* (social media manager, agent runtime, roadmap, services API)	Plans marked "nothing implemented"	The intended second half of this map; none of it is code

14 · Live state that shapes what the system can recommend

FACT	VALUE
Inbox threads / scored	
Stored recommendations	
Thread status	
Deals by status	detected 256 · negc
Agent receipts	file 3,147 · auto_archiv
Pending replies	
Brands / enriched / with tier	

FACT	VALUE
Chat messages / athletes chatting	3,787 / 4
Conversations / voice contexts	97 / 35 (2 athletes)
Media kits / brand kits / shares / views	9 / 6 / 6 / 75
Brand-fit narratives	19
Generated assets / jobs succeeded	169 / 169
Athletes with a goal / with floors / with brand voice	10 / 3 / 1
Deliverables, periods, scheduled posts, fixtures	0 · 0 · none · none

Files index

AREA	FILES
Deal engine	server/skills/dealDetector.ts · dealScoreGrid.ts · threadSummarizer.ts · dealGroupi
Mila	server/mila/loop.ts · prompt.ts · registry.ts · tools/* · onboarding.ts · profileEx
Voice	server/voice/* (scoreRoute, scoreHistoryRoute, dealBriefRoute, dealRoutes, brandBri
Goals and record	shared/goals.ts · server/routes/waitlist.ts · profile.ts · record.ts · server/servi
Deck and pitches	server/services/mediaKitService.ts · athleteContext.ts · shotList.ts · curator.ts ·
Studio	server/studio/brief.ts · concept.ts · content.ts · dealDeliverables.ts · preview.ts
Workflows and research	server/workflow/definitions/{onboarding,firstLook,researchRefresh}.ts · server/skil

In flight	origin/feat/weekly-plan-spine: server/skills/weeklyPlan.ts · weeklyPlanInputs.ts ·