REFERENCE · CURRENT IMPLEMENTATION

Social data inventory

Exactly what Nomila collects today from Instagram, YouTube and TikTok — raw provider fields, where each lands, and what only exists after the athlete connects. **Documentation only; nothing here proposes a change.** Every field was read from the integration modules on 9 Sep 2026.

`PUBLIC` no athlete auth — Nomila's own credentials `OAUTH` requires the athlete to connect `DERIVED` computed by us, not returned by the provider

Instagram

Two entirely separate paths. **Discovery** uses Nomila's own business account to read any public Business/Creator handle. **Connected** uses the athlete's own token and returns roughly ten times more.

1 · Endpoints

PATH	ENDPOINT	AUTH	PURPOSE
PUBLIC	`GET graph.facebook.com/v22.0/{ig-id} ?fields=business_discovery.username(X){…}`	Nomila's `DISCOVERY_IG_TOKEN`	Any public Business/Creator handle. `server/lib/integrations/discovery.ts`
OAUTH	`GET graph.instagram.com/{v}/me`	athlete token	Identity at callback — `user_id, username, acc`
OAUTH	`GET /{ig-user-id}`	athlete token	Profile — `id, username, followers_count, follows_cou`
OAUTH	`GET /{ig-user-id}/insights`	athlete token	Account insights, `metric_type=total_value` , `p`
OAUTH	`GET /{ig-user-id}/insights ?metric=follower_demographics`	athlete token	Audience, `period=lifetime` , one call per `breal`
OAUTH	`GET /{ig-user-id}/media`	athlete token	Posts + per-post insights via field expansion, `li`
OAUTH	`GET /{ig-user-id}/conversations`	athlete token	DMs → the deal-detection funnel (not analytics

THE EXACT PARAMETER STRINGS IN CODE

```
// discovery.ts — the ENTIRE public payload
business_discovery.username(<handle>){
  followers_count,
  media_count,
  media.limit(10){ like_count, comments_count, timestamp }
}

// instagram.ts — connected
IG_ACCOUNT_METRICS = "reach,views,profile_links_taps"
IG_MEDIA_METRICS   = "reach,saved,shares,total_interactions"
media fields       = "id,permalink,media_type,caption,timestamp,media_url,
                      thumbnail_url,like_count,comments_count,is_shared_to_feed,
                      children{id,media_type,media_url,thumbnail_url}"
                     + ",insights.metric(reach,saved,shares,total_interactions)"
follower_demographics breakdowns = country · city · age · gender
```

2 · Raw fields by level

RAW FIELD	TYPE	LEVEL	PUBLIC	NOTES
`followers_count`	number	account	`yes`	Both paths
`media_count`	number	account	`yes`	Both paths
`follows_count`	number	account	`no`	OAuth only
`account_type`	string	account	`no`	BUSINESS / MEDIA_CREATOR / PERSONAL
`reach`	number	account	`no`	`period=day`, total_value
`views`	number	account	`no`	Replaces `impressions`, deprecated on v22
`profile_links_taps`	number	account	`no`	Stored as `profile_views`
`id · permalink · media_type`	string	content	`no` †	Permalink is the durable key; CDN urls expire
`caption`	string|null	content	`no` †	**Discovery supports it; our query omits it**
`timestamp`	ISO string	content	`yes`	Both paths
`like_count · comments_count`	number	content	`yes`	Both paths
`media_url · thumbnail_url`	string|null	content	`no` †	Ephemeral CDN. **Discovery supports it; our query omits it**
`is_shared_to_feed`	boolean	content	`no`	`false` = Reel not on grid → Trial/Discovery
`children{…}`	array	content	`no`	Carousel items: id, media_type, media_url, thumbnail_url
`insights.reach`	number	content	`no`	Per-post, OAuth only. **Never available for a peer.**
`insights.saved`	number	content	`no`	
`insights.shares`	number	content	`no`	
`insights.total_interactions`	number	content	`no`	
`follower_demographics`	breakdown[]	audience	`no`	country · city · age · gender. **Requires ≥100 followers** or Graph errors

† The Graph API exposes these to `business_discovery`; **our query does not request them**, so today they are OAuth-only in practice.

3 · Historical window & limits

Discovery media	`media.limit(10)` — the last 10 posts, no pagination implemented
Connected media	`limit=25` per call; the sync paginates for backfill (`instagramSync.ts`)
Account insights	`period=day` — a point-in-time value, no history returned. **Our time series is reconstructed by snapshotting daily.**
Demographics	`period=lifetime`, one API call *per breakdown* (4 calls)

Token	60-day long-lived, refreshed via `ig_refresh_token`
Business Discovery	Business/Creator accounts only — a personal account returns `not_business_account`

4 · What we derive

DERIVED	FORMULA AS IMPLEMENTED
`avg_engagement_rate`	**Reach-based when per-post reach exists:** `Σ total_interactions ÷ Σ reach`. Falls back to `(avg_likes + avg_comments) ÷ followers`. `DERIVED` The comment gives the reason: a viral Reel put reach at ~8× followers and a follower-based rate read **54.6%** where the reach-based rate read ~7%.
`content_frequency`	`posts ÷ weeks` across the observed window, from sorted timestamps, ≥2 posts required
`posts_last_30d`	Exact count within 30 days — **used by scoring**, unlike the display metrics
`avg_reach_per_post` · `avg_saves_per_post` · `avg_shares_per_post`	Mean over posts that returned that insight
`avg_views_per_post`	`null` — needs a per-type video metric; marked future in code
`discovery.{reels,total_reach,avg_reach}`	Trial/Discovery Reels segmented out: `is_shared_to_feed=false` AND `reach ≥ 2× followers`, so non-follower spikes don't inflate core reach
`top_audience_*`	First row of each sorted demographic breakdown

YouTube

1 · Endpoints

PATH	ENDPOINT	PARAMETERS
`PUBLIC`	`GET youtube/v3/channels`	`part=snippet,statistics` · `forHandle=@x` or `id=UC…` · API key only — **no OAuth, works for anyone**
`OAUTH`	`GET youtube/v3/channels`	`part=snippet,statistics` · `mine=true`
`OAUTH`	`GET youtube/v3/videos`	`part=statistics,contentDetails,topicDetails,snippet`
`OAUTH`	`GET youtubeanalytics/v2/reports`	`ids=channel==MINE` — five separate calls, see below

Scopes: `youtube.readonly` · `yt-analytics.readonly`

2 · Raw fields by level

RAW FIELD	LE
`statistics.subscriberCount`	ac
`statistics.viewCount`	ac
`statistics.videoCount`	ac

`snippet.*`	ac
`videos.statistics.{viewCount,likeCount,commentCount}`	cc
`contentDetails.duration`	cc
YouTube Analytics API — OAuth only, five calls	
`views · estimatedMinutesWatched · averageViewDuration · averageViewPercentage · subscribersGained · subscribersLost`	ac
`dimensions=ageGroup,gender` → `viewerPercentage`	au
`dimensions=country` → `views`	au
`dimensions=insightTrafficSourceType`	au
`dimensions=deviceType`	au

‡ `videos.list` accepts an API key, so per-video stats are technically public — **we only call it on the OAuth path**. The public path fetches channel statistics and nothing else.

HISTORICAL WINDOW

The Analytics API is the **only source with real history** — it accepts a start and end date and returns a 30-day window. Everything else across all three platforms is point-in-time, and our history exists only because we snapshot daily.

TikTok

NO PUBLIC PATH

There is no discovery equivalent. `discovery.ts` states it: "TikTok has no free route (provider, later)." So **every TikTok field below requires the athlete to connect**, and TikTok peer benchmarking is impossible at any currently-approved cost.

1 · Endpoints — all OAuth

ENDPOINT	SCOPE	NOTES
`GET open.tiktokapis.com/v2/user/info/`	`user.info.basic` · `.profile` · `.stats`	`fields` as a query param
`POST /v2/video/list/`	`video.list`	`fields` **is a QUERY param**; only `max_count` /cursor go in the body — noted in code as a gotcha
`GET /v2/creator/info/`	`creator_info`	**Gated behind** `DEMOGRAPHICS_ENABLED` **and skipped today** — an unapproved scope can make TikTok reject the whole authorization

2 · Raw fields

RAW FIELD	LEVEL	NOTES

`open_id · display_name · username`	account	Identity
`follower_count · following_count`	account	—
`likes_count`	account	**Lifetime** likes → `total_likes`
`video_count · is_verified`	account	—
`id · create_time`	content	—
`view_count · like_count · comment_count · share_count`	content	**Share count is per-video and native** — Instagram gives shares only via insights
`duration`	content	Seconds
`title · video_description`	content	—
`cover_image_url · share_url`	content	—
`audience_countries · audience_genders · audience_ages`	audience	`DISABLED` — `creator/info`, currently skipped

NOTABLE

TikTok returns **no reach or impressions at all** — `view_count` is the closest analogue. And unlike Instagram, per-video engagement needs no separate insights call: view/like/comment/share come back with the list.

Where it lands

TYPESCRIPT CONTRACTS

`SocialAnalyticsResult`	`server/lib/integrations/types.ts` — the flat, cross-platform shape every provider returns. **"A DISPLAY/TREND layer — never read by scoringService."**
`SocialAnalyticsRaw`	`shared/schema.ts` — the `raw_metrics` jsonb: `account`, `account_insights`, `demographics`, `recent_media[]`, `discovery`, `youtube`
`AnalyticsProvider`	Interface: `fetchAnalytics(connectionId)` + `refreshTokenIfNeeded()`

DATABASE MODELS

TABLE	COLUMNS
`social_analytics_snapshots`	`athlete_id · connected_account_id · source · platform · snapshot_date · snapshot_day · fol` `source` **distinguishes** `connected` **from** `discovery` — the code notes discovery rows use identical m
`media_assets`	Per-post: `platform · origin · source_media_id · parent_media_id · media_type · permalink ·`
`connected_accounts`	`platform · alias · status · access_token · refresh_token · token_expires_at · platform_use`

REDACTED EXAMPLE — ONE INSTAGRAM CONNECTED SNAPSHOT

```
{
  "platform": "instagram", "source": "connected",
  "snapshot_date": "2026-09-08T04:30:02Z", "snapshot_day": "2026-09-08",
  "followers": 22114, "following": ███, "post_count": ███,
  "is_verified": false,
```

```
  "reach": ██████, "impressions": ██████, "profile_views": ███,
  "avg_engagement_rate": 4.9, "avg_reach_per_post": ████,
  "avg_saves_per_post": 367, "avg_shares_per_post": 559,
  "avg_views_per_post": null,            // not implemented
  "content_frequency": 1.4, "posts_last_30d": ██,
  "top_audience_country": "██", "top_audience_city": "████████",
  "top_audience_age_range": "18-24", "top_audience_gender": "F",
  "raw_metrics": {
    "account": { "id": "████████", "username": "████████",
                 "followers_count": 22114, "follows_count": ███, "media_count": ███ },
    "account_insights": { "data": [ { "name": "reach", "total_value": { "value": ██████ } } ] },
    "demographics": {
      "country": [ { "key": "██", "value": █████, "pct": 71.2 } ],
      "age":     [ { "key": "18-24", "value": ████, "pct": 44.8 } ]
    },
    "recent_media": [ {
      "id": "████████████",
      "permalink": "https://www.instagram.com/p/████████/",
      "media_type": "VIDEO", "caption": "████████████",
      "timestamp": "2026-09-02T17:41:00+0000",
      "media_url": "https://scontent.cdninstagram.com/…",   // expires
      "like_count": ████, "comments_count": ██,
      "is_shared_to_feed": false,        // Reel not on grid
      "is_discovery": true,              // DERIVED: reach ≥ 2× followers
      "insights": { "reach": ██████, "saved": ███, "shares": ███,
                    "total_interactions": ████ },
      "children": null
    } ],
    "discovery": { "reels": ▉, "total_reach": ██████, "avg_reach": ████ }
  }
}
```


Every field that only exists after connection

The separate list you asked for — what an athlete unlocks by connecting, over what we can already see publicly.

`INSTAGRAM` — THE LARGEST DELTA

LEVEL	UNLOCKED
Account	`follows_count` · `account_type` · `reach` · `views` · `profile_links_taps`
Content	`insights.reach` · `insights.saved` · `insights.shares` · `insights.total_interactions` · `is_shared_to_feed` · `children{}` (carousel items)
Content (in practice)	`caption` · `media_url` · `thumbnail_url` · `permalink` · `media_type` — **the API offers these to discovery too; our query omits them**
Audience	`follower_demographics` : country · city · age · gender (≥100 followers)
Volume	25/page with pagination vs a flat 10 with none
Messaging	`conversations` / DMs — deal detection, not analytics

`YOUTUBE` — THE WHOLE ANALYTICS API

LEVEL	UNLOCKED
Account	`views` · `estimatedMinutesWatched` · `averageViewDuration` · `averageViewPercentage` · `subscribersGained` · `subscribersLost` — all 30-day
Audience	`ageGroup×gender` · `country` · `insightTrafficSourceType` · `deviceType`

Content	Per-video `statistics`, `contentDetails.duration`, `topicDetails` (key-accessible, but only called on the OAuth path)

`TIKTOK` — EVERYTHING

No public path exists, so **every field listed in the TikTok section is OAuth-only**. Audience demographics are unlocked in principle by the `creator_info` scope but are **disabled in code today**.

> THE THROUGH-LINE
>
> Across all three platforms the split is the same: **likes, comments, follower counts and timestamps are public; reach, saves, shares, watch time and audience demographics are owner-only.** No amount of API work changes that — it is a platform privacy boundary, not a gap in our implementation.

Read from `server/lib/integrations/{instagram,discovery,youtube,tiktok,types}.ts`, `shared/schema.ts` and `server/lib/integrations/instagramSync.ts` on 9 Sep 2026. Example values redacted; nulls and zeroes shown as-is. Live values were unavailable at the time of writing — `DATABASE_URL` points at `127.0.0.1:5440` and the proxy was not running — so figures shown are those verified on 8 Sep.