

Formal Languages

The Pumping Lemma (2)

The Pumping Lemma:

- Given a infinite regular language L
- there exists an integer m
- for any string $w \in L$ with length $|w| \geq m$
- we can write $w = x y z$
 - with $|x y| \leq m$ and $|y| \geq 1$
- such that: $x y^i z \in L \quad i = 0, 1, 2, \dots$

Non-regular languages

$$L = \{vv^R : v \in \Sigma^*\}$$



Regular languages

Theorem: The language

$$L = \{vv^R : v \in \Sigma^*\} \quad \Sigma = \{a, b\}$$

is not regular

Proof: Use the Pumping Lemma

$$L = \{vv^R : v \in \Sigma^*\}$$

Assume for contradiction
that L is a regular language

Since L is infinite
we can apply the Pumping Lemma

$$L = \{vv^R : v \in \Sigma^*\}$$

Let m be the integer in the Pumping Lemma

Pick a string w such that: $w \in L$ and
length $|w| \geq m$

We pick $w = a^m b^m b^m a^m$

Write $a^m b^m b^m a^m = x y z$

From the Pumping Lemma

it must be that length $|x y| \leq m, |y| \geq 1$

$$xyz = \overbrace{a \dots a}^m \overbrace{a \dots a}^m \overbrace{a \dots a}^m \overbrace{a \dots a}^m \overbrace{b \dots b}^m \overbrace{b \dots b}^m \overbrace{b \dots b}^m \overbrace{a \dots a}^m$$
$$\underbrace{\hspace{1.5cm}}_x \underbrace{\hspace{1.5cm}}_y \underbrace{\hspace{4.5cm}}_z$$

Thus: $y = a^k, k \geq 1$

$$x y z = a^m b^m b^m a^m$$

$$y = a^k, \quad k \geq 1$$

From the Pumping Lemma: $x y^i z \in L$
 $i = 0, 1, 2, \dots$

Thus: $x y^2 z \in L$

$$x y z = a^m b^m b^m a^m \qquad y = a^k, \quad k \geq 1$$

From the Pumping Lemma: $x y^2 z \in L$

$$xy^2z = \overbrace{a \dots a}^{m+k} \overbrace{a \dots a}^m \overbrace{a \dots a}^m \overbrace{a \dots a}^m \in L$$

x
 y
 y
 z

Thus: $a^{m+k} b^m b^m a^m \notin L$

$$a^{m+k}b^mb^ma^m \notin L \quad k \geq 1$$

BUT: $L = \{vv^R : v \in \Sigma^*\}$



$$a^{m+k}b^mb^ma^m \notin L$$

CONTRADICTION!!!

Therefore: Our assumption that L
is a regular language is not true

Conclusion: L is not a regular language

Non-regular languages

$$L = \{a^n b^l c^{n+l} : n, l \geq 0\}$$

Regular languages

Theorem: The language

$$L = \{a^n b^l c^{n+l} : n, l \geq 0\}$$

is not regular

Proof: Use the Pumping Lemma

$$L = \{a^n b^l c^{n+l} : n, l \geq 0\}$$

Assume for contradiction
that L is a regular language

Since L is infinite
we can apply the Pumping Lemma

$$L = \{a^n b^l c^{n+l} : n, l \geq 0\}$$

Let m be the integer in the Pumping Lemma

Pick a string w such that: $w \in L$ and
length $|w| \geq m$

We pick $w = a^m b^m c^{2m}$

Write $a^m b^m c^{2m} = x y z$

From the Pumping Lemma

it must be that length $|x y| \leq m, \quad |y| \geq 1$

$$xyz = \overbrace{a \dots a}^m \overbrace{a \dots a}^m \overbrace{a \dots a b \dots b c \dots c}^{2m}$$
$$\underbrace{\hspace{1.5cm}}_x \underbrace{\hspace{1.5cm}}_y \underbrace{\hspace{4.5cm}}_z$$

Thus: $y = a^k, \quad k \geq 1$

$$x y z = a^m b^m c^{2m}$$

$$y = a^k, \quad k \geq 1$$

From the Pumping Lemma: $x y^i z \in L$
 $i = 0, 1, 2, \dots$

Thus: $x y^0 z = xz \in L$

$$x y z = a^m b^m c^{2m} \qquad y = a^k, \quad k \geq 1$$

From the Pumping Lemma: $xz \in L$


$$xz = \overbrace{a \dots a}^{m-k} \overbrace{a \dots a}^m \overbrace{b \dots b}^m \overbrace{c \dots c}^{2m} \in L$$

$$\underbrace{\hspace{1.5cm}}_x \underbrace{\hspace{4.5cm}}_z$$

Thus: $a^{m-k} b^m c^{2m} \notin L$

$$a^{m-k}b^m c^{2m} \notin L \quad k \geq 1$$

BUT: $L = \{a^n b^l c^{n+l} : n, l \geq 0\}$



$$a^{m-k}b^m c^{2m} \notin L$$

CONTRADICTION!!!

Therefore: Our assumption that L
is a regular language is not true

Conclusion: L is not a regular language